

This is a preview of "BS EN ISO 3452-3:2013...". Click here to purchase the full version from the ANSI store.

**BS EN ISO 3452-3:2013**



**BSI Standards Publication**

# **Non-destructive testing — Penetrant testing**

Part 3: Reference test blocks (ISO  
3452-3:2013)

**bsi.**

...making excellence a habit.™

This is a preview of "BS EN ISO 3452-3:201...". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of EN ISO 3452-3:2013. It supersedes BS EN ISO 3452-3:1999 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee WEE/46, Non-destructive testing.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 78225 1

ICS 19.100

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2013.

#### **Amendments issued since publication**

Date	Text affected
------	---------------

---

This is a preview of "BS EN ISO 3452-3:201...". Click here to purchase the full version from the ANSI store.

## EUROPÄISCHE NORM

November 2013

ICS 19.100

Supersedes EN ISO 3452-3:1998

English Version

## Non-destructive testing - Penetrant testing - Part 3: Reference test blocks (ISO 3452-3:2013)

Essais non destructifs - Examen par ressuage - Partie 3:  
Pièces de référence (ISO 3452-3:2013)

Zerstörungsfreie Prüfung - Eindringprüfung - Teil 3:  
Kontrollkörper (ISO 3452-3:2013)

This European Standard was approved by CEN on 19 October 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

This is a preview of "BS EN ISO 3452-3:201...". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

This document (EN ISO 3452-3:2013) has been prepared by Technical Committee CEN/TC 138 "Non-destructive testing", the secretariat of which is held by AFNOR, in collaboration with Technical Committee ISO/TC 135 "Non-destructive testing".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2014, and conflicting national standards shall be withdrawn at the latest by May 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 3452-3:1998.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 3452-3:2013 has been approved by CEN as EN ISO 3452-3:2013 without any modification.

This is a preview of "BS EN ISO 3452-3:201...". Click here to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Description of reference blocks</b> .....	<b>1</b>
<b>4 Type 1 reference block design and dimensions</b> .....	<b>1</b>
<b>5 Type 2 reference block design and dimensions</b> .....	<b>2</b>
5.1 Design.....	2
5.2 Measurement.....	5
<b>6 Identification</b> .....	<b>5</b>
<b>Bibliography</b> .....	<b>6</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. [www.iso.org/directives](http://www.iso.org/directives)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. [www.iso.org/patents](http://www.iso.org/patents)

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 135, *Non-destructive testing*, Subcommittee SC 2, and by Technical Committee CEN/TC 138, *Non-destructive testing* in collaboration.

This second edition cancels and replaces the first edition (ISO 3452-3:1998), which has been technically revised. It also incorporates the Technical Corrigendum, ISO 3452-3:1998/Cor 1:2001.

ISO 3452 consists of the following parts, under the general title *Non-destructive testing — Penetrant testing*:

- *Part 1: General principles*
- *Part 2: Testing of penetrant materials*
- *Part 3: Reference test blocks*
- *Part 4: Equipment*
- *Part 5: Penetrant testing at temperatures higher than 50 °C*
- *Part 6: Penetrant testing at temperatures lower than 10 °C*

This is a preview of "BS EN ISO 3452-3:201...". Click here to purchase the full version from the ANSI store.

# Non-destructive testing — Penetrant testing —

## Part 3: Reference test blocks

### 1 Scope

This International Standard describes two types of reference blocks:

- Type 1 reference blocks are used to determine the sensitivity levels of both fluorescent and colour contrast penetrant product families;
- Type 2 reference blocks are used for routine assessment of the performance of both fluorescent and colour contrast penetrant testing.

The reference blocks are to be used in accordance with part 1 of this International Standard.

### 2 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10088-1, *Stainless steels — Part 1: List of standard stainless steels*

EN 10204, *Metallic products — Types of inspection documents*

ISO 4957, *Tool steels*

ISO 10474, *Steel and steel products — Inspection documents*

ISO 15510, *Stainless steels — Chemical composition*

### 3 Description of reference blocks

The Type 1 reference block consists of a set of four nickel-chrome plated panels with 10 µm, 20 µm, 30 µm and 50 µm thickness of plating, respectively. The 10 µm, 20 µm, 30 µm and 50 µm panels can be used for determination of the sensitivity of fluorescent penetrant systems. The sensitivity of colour contrast penetrant systems is determined using the 30 µm and 50 µm panels.

The Type 2 reference block consists of a single panel of which one half has been plated with electroless nickel and a thin layer of chromium and the other half prepared to achieve areas of specific roughness. The plated side exhibits five star-shaped discontinuities.

### 4 Type 1 reference block design and dimensions

The Type 1 panels are rectangular in shape with typical dimensions of 35 mm × 100 mm × 2 mm (see [Figure 1](#)). Each panel consists of a uniform layer of nickel-chromium plated on to a brass base, the thickness of nickel-chromium being 10 µm, 20 µm, 30 µm and 50 µm respectively. Transverse cracks are made in each panel by stretching the panels in the longitudinal direction. The width to depth ratio of each crack should be approximately 1:20.