BS EN 50156-1:2015



BSI Standards Publication

Electrical equipment for furnaces and ancillary equipment

Part 1: Requirements for application design and installation



BS EN 50156-1:2015 BRITISH STANDARD

This is a preview of "BS EN 50156-1:2015". Click here to purchase the full version from the ANSI store.

This British Standard is the UK implementation of EN 50156-1:2015. It supersedes BS EN 50156-1:2004 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/27, Electroheating.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 78403 3

ICS 27.060.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2015.

Amendments issued since publication

Date Text affected

EN EN1EG 1

This is a preview of "BS EN 50156-1:2015". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

July 2015

ICS 27.060.01

Supersedes EN 50156-1:2004

English Version

Electrical equipment for furnaces and ancillary equipment - Part 1: Requirements for application design and installation

Equipements électriques d'installation de chaudière - Partie 1: Règles pour la conception, pour l'application et l'installation Elektrische Ausrüstung von Feuerungsanlagen und zugehörige Einrichtungen - Teil 1: Bestimmungen für die Anwendungsplanung und Errichtung

This European Standard was approved by CENELEC on 2015-01-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 50156 1-2015 (E)

This is a preview of "BS EN 50156-1:2015". Click here to purchase the full version from the ANSI store.

Contents

| Eu | ropea | n forew | ord | 6 | | | |
|-----|--|--|--|----|--|--|--|
| Int | roduct | tion | | 7 | | | |
| 1 | Scop | ре | | 9 | | | |
| 2 | Norr | ormative references | | | | | |
| 3 | Tern | ns and d | definitions | 11 | | | |
| 4 | Gen | eral red | uirements | 19 | | | |
| | 4.1 | | al considerations | | | | |
| | 4.2 | Environmental requirements | | | | | |
| | | 4.2.1 | General | | | | |
| | | 4.2.2 | Environmental and operating conditions | 20 | | | |
| | | 4.2.3 | Electromagnetic compatibility | | | | |
| | | 4.2.4 | Ambient temperature | 21 | | | |
| | | 4.2.5 | Humidity | 21 | | | |
| | | 4.2.6 | Contamination | 22 | | | |
| | | 4.2.7 | Vibration and shock | 22 | | | |
| | | 4.2.8 | Equipment used in flammable atmospheres | 22 | | | |
| | 4.3 | Power | supply | 22 | | | |
| | | 4.3.1 | General | 22 | | | |
| | | 4.3.2 | Power stations | 22 | | | |
| 5 | Incoming supply connections and devices for disconnecting and emergency stop | | | | | | |
| | 5.1 Incoming supply and equipment connections | | | | | | |
| | | 5.1.1 | Types of connection | 22 | | | |
| | | 5.1.2 | Terminations | 23 | | | |
| | 5.2 | Devices for disconnecting power supplies | | 24 | | | |
| | | 5.2.1 | General | 24 | | | |
| | | 5.2.2 | Disconnecting switch | 25 | | | |
| | | 5.2.3 | Excluded circuits | 25 | | | |
| | 5.3 | Emergency stop | | 26 | | | |
| | | 5.3.1 | General | 26 | | | |
| | | 5.3.2 | Emergency stop device for furnaces in heating installations | | | | |
| | | 5.3.3 | Emergency stop device for other furnaces, e.g. steam boilers | | | | |
| | | 5.3.4 | Application as isolating switch | | | | |
| 6 | Prot | | gainst electric shock | | | | |
| | 6.1 | 3 | | | | | |
| | 6.2 Protection against indirect contact | | | | | | |
| 7 | Environmental protection of the equipment | | | | | | |
| | 7.1 | Protection against ingress of solid foreign bodies | | | | | |
| | 7.2 Protection against water | | | | | | |
| 8 | Equipotential bonding | | | | | | |
| | 8.1 | General27 | | | | | |
| | 8.2 | Equipotential bonding as a protective measure in case of indirect contact2 | | | | | |
| | 8.3 Equipotential bonding for the purpose of lightning protection | | | | | | |
| | 8.4 | Functi | onal equipotential bonding | 28 | | | |

EN 50156 1-2015 (E)

| | 9.1 | Supply | to auxiliary circuits | 29 | |
|----|-------|---|---|----|--|
| | | 9.1.1 | Supply from 3-phase or a.c. systems | 29 | |
| | | 9.1.2 | Supply from d.c. mains | 29 | |
| | | 9.1.3 | Auxiliary circuits connected between the line conductors | 30 | |
| | 9.2 | Voltage | e for auxiliary circuits | 30 | |
| | | 9.2.1 | Operating voltage of auxiliary circuits | 30 | |
| | | 9.2.2 | Preferred nominal voltages | 30 | |
| | 9.3 | Conne | ction to the protective conductor | 30 | |
| | 9.4 | Overcurrent protection of auxiliary circuits | | | |
| | | 9.4.1 | Rating of overcurrent protective devices | 30 | |
| | | 9.4.2 | Overcurrent protection of auxiliary circuits connected to the protective conductor | 31 | |
| | | 9.4.3 | Overcurrent protection of auxiliary circuit with the middle conductor connected to the protective conductor | 31 | |
| | | 9.4.4 | Overcurrent protection of auxiliary circuits with no electrical connection t the protective conductor | | |
| | | 9.4.5 | Overcurrent protection of control system supply transformers | 31 | |
| | | 9.4.6 | Rating and setting of overcurrent protection | 31 | |
| | 9.5 | Measures to prevent danger from short circuits to exposed conductive parts or earth | | | |
| | 9.6 | Influen | ce of capacitance and leakage resistance | 32 | |
| 10 | Addit | ional re | quirements for the application of a safety-related system | 32 | |
| | 10.1 | Genera | al safety requirements | 32 | |
| | | 10.1.1 | Safety lifecycle requirements for a safety-related system | 32 | |
| | | 10.1.2 | Planning | 34 | |
| | 10.2 | Conce | pt and scope definition | 37 | |
| | 10.3 | Hazard | d and risk analysis | 38 | |
| | 10.4 | Safety | requirements allocation | 39 | |
| | 10.5 | Design | 1 | 40 | |
| | | 10.5.1 | General requirements | 40 | |
| | | | Design of the safety-related system | | |
| | | | Measures to avoid faults | | |
| | | | Consideration of times | | |
| | | | Hardware design | | |
| | | | Plant specific application software | | |
| | | 6 Installation and commissioning | | | |
| | 10.7 | • | validation | | |
| | | | System integration of hardware and software | | |
| | | | Fault assessment for the system integration of hardware and software | | |
| | | | Type approval | | |
| | | | Plant-specific test | | |
| | | Operation and maintenance | | | |
| | 10.9 | | cation and retrofit | | |
| | | | General | | |
| | | | Measures against unauthorised changes or overriding | | |
| 11 | | | uipment | | |
| | 11.1 | Genera | al requirements | 59 | |

EN 50156 1.2015 (E)

| 11.3 Motors | 55 |
|--|-----|
| 11.4 Transformers | |
| 11.5 Switching devices | |
| 11.6 Operator control devices | |
| 11.7 Immersion electrodes | |
| 11.8 Trace heating systems | 60 |
| 12 Cables and cords | 60 |
| 12.1 General requirements | 60 |
| 12.2 Insulation | 61 |
| 12.3 Current-carrying capacity | 61 |
| 12.4 Conductors of separate circuits | 61 |
| 13 Warning signs and item designation | 62 |
| 13.1 Warning signs | 62 |
| 13.2 Functional identification | 62 |
| 13.3 Item designations | |
| 14 Technical documentation | 62 |
| 14.1 General | 62 |
| 14.2 Documentation describing functions and connections | |
| 14.2.1 General | |
| 14.2.2 Documentation describing functions | |
| 14.2.3 Documentation describing connections | |
| 14.2.4 Documentation describing the process | |
| 14.2.5 Documentation of the risk assessment | |
| 14.3 Documents for type approved components | |
| 14.4 Documentation of the application software | |
| to EN 61508 | |
| A.1 Configuration 1001 | |
| A.2 Configuration 1001D | |
| A.3 Configuration 1002 | |
| | |
| A.4 Configuration 1002D | |
| A.5 Configuration 2003 | |
| A.6 Configuration 2003D | |
| Annex B (informative) Lifecycle of programmable safety device | |
| Annex C (informative) Management of functional safety | 73 |
| Annex D (informative) Examples of determining the safety integrity level SIL using the risgraph method | |
| D.1 General | 74 |
| D.2 Risk parameter C (Consequences of the hazardous event) | |
| D.3 Risk parameter F (Frequence and duration of the time spent in the hazard area) | |
| D.4 Risk parameter P (Possibility of preventing the hazardous event) | |
| D.5 Risk parameter W (Likelihood of occurrence of the hazardous event) | |
| | |
| Bibliography | / t |

| dystems and relationship to dentitor dystem and durety related dystem | 0 |
|--|----|
| Figure 2 – Types of faults to be considered | 14 |
| Figure 3 – Causes of faults to be considered | 14 |
| Figure 4 – Definition and components of a safety-related system | 17 |
| Figure 5 – Software | 18 |
| Figure 6 – Example of power supply, switching, isolating devices and other electrical components of a furnace | 24 |
| Figure 7 – Supply from two d.c. sources | 29 |
| Figure 8 – Safety lifecycle model for application, design and installation of a safety-related system (Clause 10) | 33 |
| Figure 9 – Rating of safety integrity levels for furnaces | 39 |
| Figure 10 – Choice of design principals | 41 |
| Figure 11 – Fault assessment for the hard-wired section of a safety-related system | 42 |
| Figure 12 – Proof of safety against failures and malfunctions of the programmable safety device of the safety-related system | 43 |
| Figure 13 – Proof of safety of software | 44 |
| Figure 14 – Consideration of fault tolerance time and safety time for furnaces | 47 |
| Figure 15 – Examples for wiring of fuel shut down with hardware diversity of the disconnecting devices | 48 |
| Figure 16 – Example for wiring of fuel shut down with diverse functionality of the disconnecting devices | 49 |
| Figure A.1 - Explanation of symbols | 65 |
| Figure A.2 | 66 |
| Figure A.3 | 67 |
| Figure A.4 | 68 |
| Figure A.5 | 69 |
| Figure A.6 | 70 |
| Figure A.7 | 71 |
| Figure B.1 | 72 |
| Table 1 – Consideration of different field equipment (sensors and actuating elements) configurations if subsystems or devices are used based on product standards without data in accordance with EN 61508 or only based on the fault assessment in accordance on the Figures 11, 12 or 13 | |
| Table 2 – Allocation of fault exclusions to safety integrity levels | 50 |
| Table A.1 | 66 |
| Table A.2 | 67 |
| Table A.3 | 68 |
| Table A.4 | 69 |
| Table A.5 | |
| Table A.6 | 71 |

EN 50156 1-2015 (E)

This is a preview of "BS EN 50156-1:2015". Click here to purchase the full version from the ANSI store.

This document (EN 50156-1:2015) has been prepared by CLC/BTTF 132-2 "Revision of EN 50156 "Electrical equipment for furnaces and ancillary equipment" in cooperation with the National Committee DKE/K 232.

The following dates are fixed:

 latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-01-26

 latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2018-01-26

This document supersedes EN 50156-1:2004.

EN 50156-1:2015 includes the following significant technical changes with respect to EN 50156-1:2004:

- harmonization of the definitions to the new version of EN 61508;
- check and updating of the normative references;
- elimination of all normative references to the machinery directive 2006/42/EC;
- alignment to the requirements for safety related system to EN 12952 and EN 12953;
- modifications in Clause 10.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Requirements of this standard covers the essential safety requirements for limiting devices in the scope of this standard which are safety accessories in the sense of pressure equipment directive 97/23/EG, which are classified in the category II and higher.

This standard is the first part of a series of European standards which specify the requirements for equipment of safety functions for furnaces, especially safety related system to protect personnel, the furnace with ancillary equipment against hazards related to heat generation, the heated system and to operate reliably during normal conditions, and abnormal conditions which can be foreseen.

This European Standard has been prepared by the German National Committee with the participation of experts of other National Committees on the basis of CLC/BT(DE/NOT)140. It is divided into 3 parts under the generic title "Electrical equipment for furnaces and ancillary equipment":

- Part 1: Requirements for application design and installation;
- Part 2: Requirements for design, development and type approval of safety-relevant equipment;
- Part 3: Requirements for plant-specific tests of safety-relevant equipment.

This European Standard is based on the EN 61508:2010 "Functional safety of electrical/electronic/programmable electronic safety-related systems", Parts 1 to 7 as a basic safety standard.

This part of the European Standard EN 50156 specifies the requirements and recommendations for the application design and installation of electrical and control equipment for furnaces and ancillary equipment and for the systems heated by the thermal energy released in the furnace to ensure:

- safety of personnel, property and the environment;
- · consistency of proper function.

The operating conditions of the furnace, the hazards of combustion and the safety of heated systems are considered.

A safety-related system consisting of safety devices for:

- monitoring of flames and other safety conditions of the firing;
- interrupting the flow of fuel to the furnace;
- · ventilating the body of the furnace and the flue gas ducts;
- monitoring of the safety condition of the heated systems (e.g. water level limiter in steam boilers);

may be necessary to ensure proper ignition and combustion of fuel and to avoid the development, existence and/or ignition of an explosive mixture of fuel and air, and also to avoid damage to the heated systems (see 3.25).

The rating of necessary safety integrity levels is based on EN 61508-1.

Figure 1 is provided as an aid to understanding the relationship between the various elements of furnaces and their ancillary equipment, the heated systems, the control system and the safety-related systems.

EN 50156 1.2015 (E)




Figure 1 – Example of the functionality of a furnace with ancillary equipment, heated systems and relationship to control system and safety related system

This European Standard applies to the application design and installation of electrical equipment, control circuits and safety-related systems for furnaces which are operated with solid, liquid or gaseous fuels and their ancillary equipment. It specifies requirements to meet the operating conditions of furnaces, to reduce the hazards of combustion and to protect the heated systems from damage e.g. by overheating.

Such furnaces and the electrical equipment may be part by way of example of the following plant:

- a) water heating systems;
- b) steam boiler installations (steam and hot-water boilers) and heat recovery steam boilers;
- NOTE 1 The requirements of this standard apply according to the electrical equipment of electrically heated steam boilers.
- NOTE 2 Seagoing vessels and offshore facilities are governed by International Maritime Law and as such are not within the scope of this standard. These requirements may be used for such facilities.
- c) warm air heaters;
- d) hot-gas heaters;
- e) heat exchanger systems;
- f) combustion chambers of stationary turbines;
- g) as long as no other standard is applicable for combined heat and power stations, we recommend the use of the requirements of this standard;
- h) This standard may also be used as reference for electrical equipment requirements for thermoprocessing equipment.

The requirements in this standard are not applicable to electrical equipment for:

- i) non-electrically heated appliances and burner control systems for household and similar purposes;
- j) furnaces using technologies for the direct conversion of heat into electrical energy;
- k) combustion chambers of non-stationary prime movers and turbines;
- I) central oil supply systems for individual heating appliances;
- m) furnaces using solid fuels for heating purposes for household use with a nominal thermal output up to 1 MW:
- n) furnaces which are used to heat process fluids and gasses in chemical plant.

This European Standard may be used as a basis for the requirements placed on electrical equipment for furnaces, which are excluded from its field of application.