

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

BS EN 12420:2014



BSI Standards Publication

Copper and copper alloys — Forgings

bsi.

...making excellence a habit.™

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of EN 12420:2014. It supersedes BS EN 12420:1999 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee NFE/34/1, Wrought and unwrought copper and copper alloys.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 78745 4

ICS 77.150.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2014.

Amendments issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

June 2014

ICS 77.150.30

Supersedes EN 12420:1999

English Version

Copper and copper alloys - Forgings

Cuivre et alliages de cuivre - Pièces forgées

Kupfer und Kupferlegierungen - Schmiedestücke

This European Standard was approved by CEN on 24 April 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
Foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Designations	8
4.1 Material	8
4.1.1 General.....	8
4.1.2 Symbol	8
4.1.3 Number	8
4.2 Material condition	8
4.3 Product	8
5 Ordering information	10
6 Requirements	10
6.1 Composition	10
6.2 Mechanical properties	11
6.2.1 Hardness properties	11
6.2.2 Tensile properties	11
6.3 Electrical properties	11
6.4 Resistance to dezincification	11
6.5 Residual stress level	11
6.6 Tolerances for die forgings	11
6.6.1 General.....	11
6.6.2 Tolerances for dimensions within the die cavity and for dimensions across the die parting line.....	12
6.6.3 Mismatch	13
6.6.4 Flash projection	14
6.6.5 Ejector marks	15
6.6.6 Flatness tolerances	15
6.6.7 Angular tolerances	16
6.7 Tolerances for cored forgings.....	16
6.8 Tolerances for hand forgings	17
6.8.1 General.....	17
6.8.2 Tolerances on dimensions	18
6.8.3 Flatness tolerance	18
6.9 Surface quality	19
6.10 Drawings.....	19
7 Sampling	19
7.1 General.....	19
7.2 Analysis	19
7.3 Hardness, stress corrosion resistance, dezincification resistance and electrical property tests.....	20
8 Test methods.....	20
8.1 Analysis	20
8.2 Hardness test	20

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

8.3	Electrical conductivity test	20
8.4	Dezincification resistance test	20
8.5	Stress corrosion resistance test.....	20
8.6	Retests	21
8.6.1	Analysis, hardness, electrical conductivity and dezincification resistance tests	21
8.6.2	Stress corrosion resistance test.....	21
8.7	Rounding of results	21
9	Declaration of conformity and inspection documentation	21
9.1	Declaration of conformity	21
9.2	Inspection documentation	21
10	Marking, labelling, packaging	22
Annex A (informative) Recommended guidelines for design		39
A.1	Introduction.....	39
A.2	General information	39
A.3	Guidelines for die forgings	40
A.3.1	Drafts	40
A.3.2	Web thicknesses	40
A.3.3	Side wall thicknesses.....	41
A.3.4	Rib design	42
A.3.5	Cores.....	43
A.3.6	Flash	44
A.3.7	Transition radii.....	45
A.3.8	Clamping lengths and clamping areas for finish machining	47
A.3.9	Design for cross-sectional shapes	47
A.3.10	Recommended machining allowances and total allowances	48
A.4	Guidelines for hand forgings	50
A.4.1	General	50
A.4.2	General information	50
A.4.3	Section changes and transitions	51
A.4.4	Recommended machining allowances	51
A.4.5	Total allowances per side of forging	52
A.5	Guidelines for marking	52
Annex B (informative) Tensile properties		54
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC, Pressure Equipment Directive (PED)		58
Bibliography.....		59

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

Foreword

This document (EN 12420:2014) has been prepared by Technical Committee CEN/TC 133 "Copper and copper alloys", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2014 and conflicting national standards shall be withdrawn at the latest by December 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12420:1999.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Pressure Equipment Directive (PED) 97/23/EC.

For relationship with EU Directive 97/23/EC, see informative Annex ZA, which is an integral part of this document.

This is one of a series of European Standards for the copper and copper alloy products rod, wire, profile and forgings. Other products are specified as follows:

- EN 12163, *Copper and copper alloys — Rod for general purposes*;
- EN 12164, *Copper and copper alloys — Rod for free machining purposes*;
- EN 12165, *Copper and copper alloys — Wrought and unwrought forging stock*;
- EN 12166, *Copper and copper alloys — Wire for general purposes*;
- EN 12167, *Copper and copper alloys — Profiles and rectangular bars for general purposes*;
- EN 12168, *Copper and copper alloys — Hollow rod for free machining purposes*.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 4 "Extruded and drawn products, forgings and scrap" to revise the following standard: EN 12420:1999, *Copper and copper alloys — Forgings*.

In comparison with EN 12420:1999, the following significant technical changes were made:

- 1) new text has been introduced concerning optional restrictions to chemical compositions of materials with respect to individual uses or regulations for the use in contact with drinking water;
- 2) materials have been considered coherently with EN 12165:2011;
- 3) four new materials have been added: CuZn35Pb1,5AlAs (CW625N), CuZn33Pb1,5AlAs (CW626N), CuZn21Si3P (CW724R) and CuZn33Pb1AlSiAs (CW725R);
- 4) the mechanical properties have been modified to reflect market needs;
- 5) an informative Annex B Tensile properties has been introduced.

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 12420:2014". Click here to purchase the full version from the ANSI store.

Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloys CuZn21Si3P (CW724R) and CuZn33Pb1AlSiAs (CW725R).

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has ensured the CEN that he/she is willing to negotiate licences under reasonable and not-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN.

— For CuZn21Si3P (CW724R) information may be obtained from:

Wieland-Werke AG
Graf Arco Straße 36
89079 Ulm
GERMANY

— For CuZn33Pb1AlSiAs (CW725R) information may be obtained from:

Diehl Metall Messing
Heinrich-Diehl-Straße 9
D-90552 Röthenbach/Pegnitz
GERMANY

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

CEN (<http://www.cen.eu/cen/WorkArea/IPR/Pages/default.aspx>) and CENELEC (<http://www.cenelec.eu/membersandexperts/toolsandapplications/index.html>) maintain on-line lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents.

Due to developing legislation, the composition of a material may be restricted to the composition specified in this European Standard with respect to individual uses (e.g. for the use in contact with drinking water in some Member States of the European Union). These individual restrictions are not part of this European Standard. Nevertheless, for materials for which traditional and major uses are affected, these restrictions are indicated. The absence of an indication, however, does not imply that the material can be used in any application without any legal restriction.

This is a preview of "BS EN 12420:2014". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This European Standard specifies the composition, the property requirements and tolerances on dimensions and form for copper and copper alloy die and hand forgings.

The sampling procedures, the methods of test for verification of conformity to the requirements of this standard, and the delivery conditions are also specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1173, *Copper and copper alloys — Material condition designation*

EN 1655, *Copper and copper alloys — Declarations of conformity*

EN 1976, *Copper and copper alloys — Cast unwrought copper products*

EN 10204:2004, *Metallic products — Types of inspection documents*

EN 14977, *Copper and copper alloys — Detection of tensile stress — 5 % ammonia test*

EN ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method (ISO 6506-1)*

EN ISO 6509, *Corrosion of metals and alloys — Determination of dezincification resistance of brass (ISO 6509)*

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 6957, *Copper alloys — Ammonia test for stress corrosion resistance*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

forging

wrought product, hot formed by hammering or pressing

3.1.1

die forging

forging produced between closed dies

3.1.2

hand forging

forging produced between open dies

3.1.3

cored forging

forging produced between closed dies including cores