PD IEC/TR 62794:2012



BSI Standards Publication

Industrial-process measurement, control and automation — Reference model for representation of production facilities (digital factory)

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



raising standards worldwide[™]

This Published Document is the UK implementation of IEC/TR 62794:2012.

The UK participation in its preparation was entrusted to Technical Committee GEL/65, Measurement and control.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 79771 2

ICS 25.040.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2013.

Amendments issued since publication

Amd. No. Date Text affected

R

Edition 1.0 2012-11





Industrial-process measurement, control and automation – Reference model for representation of production facilities (digital factory)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 25.040.40

ISBN 978-2-83220-440-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| FC | REW | ORD | 4 | | | |
|---|--|--|---------|--|--|--|
| 0 | INTF | RODUCTION | 6 | | | |
| | 0.1 | Rationale for the digital factory reference model | 6 | | | |
| | 0.2 | Approach to the digital factory | | | | |
| 1 | Scop | pe | 9 | | | |
| 2 | Normative references | | | | | |
| 3 | Term | ns, definitions, symbols and abbreviated terms | 9 | | | |
| | 3.1 | Terms and definitions | | | | |
| | 3.2 | Symbols and abbreviated terms | | | | |
| | • | 3.2.1 General symbols and abbreviated terms | | | | |
| | | 3.2.2 Symbols and abbreviated terms used by the re | | | | |
| | 3.3 | Conventions | | | | |
| | | 3.3.1 Representation of basic elements | | | | |
| | | 3.3.2 Representation of relationships | | | | |
| | | 3.3.3 Representation of views | 13 | | | |
| 4 | Over | view of the digital factory model and repository | 13 | | | |
| 5 | Refe | rence model concepts | 15 | | | |
| | 5.1 | Properties | | | | |
| | | 5.1.1 General | | | | |
| | | 5.1.2 Property attributes | | | | |
| | 5.2 | Basic elements | | | | |
| | 5.3 | Relationships between basic elements (BE relationshi | ps)18 | | | |
| | | 5.3.1 General | | | | |
| | | 5.3.2 Relationship type attribute | | | | |
| | | 5.3.3 Duration attribute | 21 | | | |
| | | 0 | | | | |
| | | | | | | |
| | | • | | | | |
| 6 | Activ | | | | | |
| | 6.1 | | | | | |
| | | | | | | |
| | 6.3 | - | | | | |
| | | | | | | |
| • | | | - | | | |
| | | | | | | |
| | | | | | | |
| Bib | oliogra | phy | | | | |
| | | | | | | |
| Fig | 5.3.5Operation attribute.235.3.6Valid combinations of relationship attributes24Activities of the reference model.266.1Relationship between the digital factory repository and activities266.2Filtering of data for lifecycle viewpoints276.3Activities for lifecycle workflow276.3.1General concepts for automation activities276.3.2Example of lifecycle activities – simulation activity28nex A (informative)Relationships between terms30nex B (informative)Reference to property database standards33liography35ure 1 – The digital factory and related standard activities8ure 2 – Transition from legacy systems to new electronic approach14ure 3 – Overview of the DF repository, automation assets and activities15 | | | | | |
| Fig | jure 2 | - Transition from legacy systems to new electronic app | roach14 | | | |
| Fic | Figure 3 – Overview of the DF repository, automation assets and activities | | | | | |
| Figure 4 – Example of properties of an automation asset | | | | | | |

| Figure 6 – Grouping of properties for an automation asset | 18 |
|---|----|
| Figure 7 – Relationships between basic elements | 18 |
| Figure 8 – Example view of the structural relationships for a single PLC | 20 |
| Figure 9 – Example view of operational relationships of distributed functions | 21 |
| Figure 10 – Examples of structural relationship types (permanent and temporary) | 21 |
| Figure 11 – Examples of operational relationship types (permanent and temporary) | 22 |
| Figure 12 – Example of relationships with timing attributes | 23 |
| Figure 13 – Examples of relationships | 25 |
| Figure 14 – Part of an engineering activity | 26 |
| Figure 15 – Filtering of data for lifecycle activities | 27 |
| Figure 16 – Lifecycle workflow | 28 |
| Figure 17 – Production process vs. application performance requirements | 29 |
| Figure 18 – Performance simulation of a digital factory | 29 |
| Figure A.1 – Relationships between terms (1) | 31 |
| Figure A.2 – Relationships between terms (2) | 32 |
| Figure B.1 – Overview of the IEC 61987 series | 33 |
| Figure B.2 – Overview of the IEC 62683 standard | 34 |
| | |
| Table 1 – Conventions for representation of basic elements | 12 |
| Table 2 – Conventions for representation of structural relationships optional attribute | 12 |
| Table 3 – Conventions for representation of operational relationships optional attributes | 13 |
| Table 4 – Summary of valid combinations of relationship attributes | 24 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL-PROCESS MEASUREMENT, CONTROL AND AUTOMATION –

Reference model for representation of production facilities (digital factory)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62794, which is a technical report, has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this technical report is based on the following documents:

| Enquiry draft | Report on voting | |
|---------------|------------------|--|
| 65/499/DTR | 65/508/RVC | |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

0 INTRODUCTION

0.1 Rationale for the digital factory reference model

A number of efforts have addressed the development of business and manufacturing enterprise models to aid in understanding the different aspects of the enterprise to improve enterprise operations. Additionally, enterprise-control system models have been developed to support the production operations, but gaps remain in the development of models to bridge from the manufacturing system design environments to the process, equipment, and devices used in the manufacturing operations.

In the enterprise models, various initiatives have addressed the complexity of modelling the manufacturing and business enterprise by delineating the different domains, dimensions, and views associated with the people, processes, and resources used to achieve the enterprise mission. Those activities that endeavour to identify various distinct aspects for separation of concern have been called "modelling the digital enterprise". The resultant efforts have developed a universe of discourse that provides common terms and constructs to describe the manufacturing and business enterprise. By using similar modelling approaches, a model for the "digital factory" is envisioned.

While the approaches of the modelling activities vary according to the scope of the effort, there are some common characteristics to the modelling approaches that can be drawn upon to expedite the understanding of the modelling concepts.

Interoperability in the digital factory is a prime area of focus for developing concepts for the subset of activities of the digital enterprise. These concepts are important to the digital factory for making and delivering products and services.

NOTE Enterprise modelling concepts are further described in standards referenced in the Bibliography (for example ISO 15704, ISO 11354-1).

Some entities of the digital enterprise may exchange information with entities of the digital factory or may need information about the automation assets and their relationships.

0.2 Approach to the digital factory

A general concept is developed for the automation assets and their relationships, as well as relationships to other assets as a base for a digital factory reference model. This conceptual model of the automation assets supports an electronic representation for utilization in the design of process plants, manufacturing plants or even building automation.

Work started more than 10 years ago with the idea to replace paper data sheets with an electronic description of electronic components (as a list of properties), and to use it in software tools for electronic wiring and assembly (for example when designing electronic boards). Additionally, concepts were developed for profiling of devices, in order to describe parameters and behavioural aspects to facilitate integration and reduce engineering costs, providing guides for standards developers.

NOTE 1 See device profile guideline (IEC/TR 62390).

These efforts were to address interoperability barriers encountered in designing a process or manufacturing plant due to inconsistencies in the information and data describing those automation assets to be deployed in the facility. To overcome those barriers, specific solutions addressing the business, process, service, and information (data) are needed. An approach to addressing these conceptual aspects is proposed to develop an automation asset model.

Digital factory repositories will save these electronic descriptions of the automation assets, together with other aspects and the technical disciplines associated with any process of the


digital factory that use the automation assets. Activities (such as engineering, configuration, and maintenance) associated with the digital factory will access, update, and use the master data in these repositories in order to support the whole plant lifecycle. This allows a consistent information interchange between all processes involved.

Figure 1 shows an example of a digital factory, with the various IEC, ISO and ISA committees involved in related standards.

NOTE 2 Within the digital enterprise, the ISO TC 184 scope of work focuses on the design, manufacturing, and processing applications and the lifecycle and supply chain aspects of the systems. These systems support the applications; especially the interoperability, the integration and the architectures of the applications as well as the supporting systems and environments (e.g. see ISO 15704 for the requirements of enterprise reference architectures and methodologies).

NOTE 3 Several IEC and ISO standards provide methodologies for describing master data and exchange of information about automation assets involved in the manufacturing applications. These standards address different levels and aspects of the automation lifecycle from procurement to installation and operation. Examples of these are IEC 61360-1 and IEC 61360-2, ISO 22745, and ISO 8000, which may be used to describe properties of electric and automation devices.

NOTE 4 Actual properties of automation devices are being specified in the IEC 61987 series, as well as in IEC 62683on low-voltage switchgear and controlgear. Other TC's in charge of automation assets outside the scope of TC 65 (for example SC 22G "adjustable speed drive systems incorporating semiconductor power converters") are invited to use this framework and contribute within their scope.



INDUSTRIAL-PROCESS MEASUREMENT, CONTROL AND AUTOMATION –

Reference model for representation of production facilities (digital factory)

1 Scope

This Technical Report describes a reference model which comprises the abstract description for:

- automation assets;
- structural and operational relationships.

NOTE Examples of automation assets are machines, equipment, devices and software.

The reference model is the basis for the electronic representation of certain aspects of a plant. It covers the systems (excluding facilities) used to make products, but it does not cover raw production material, work pieces in process, nor end products.

The corresponding information which is stored in digital factory repositories represents aspects of the digital factory. This information may be used throughout the plant lifecycle. The reference model may be applied to process plants, manufacturing plants or even building automation.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62683¹, Low-voltage switchgear and controlgear – Product data and properties for information exchange

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Relationships between definitions are shown in Annex A.

3.1.1 activity lifecycle activity set of tasks for a specific purpose

EXAMPLE Corresponding automation activities are design, asset selection or asset configuration. Examples of lifecycle activities are engineering or maintenance.

¹ To be published.