BS EN 60079-10-2:2015



BSI Standards Publication

Explosive atmospheres

Part 10-2: Classification of areas — Explosive dust atmospheres



This British Standard is the UK implementation of EN 60079-10-2:2015. It is identical to IEC 60079-10-2:2015. It supersedes BS EN 60079-10-2:2009 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EXL/31, Equipment for explosive atmospheres.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 80696 4 ICS 13.230; 29.260.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2015.

Amendments/corrigenda issued since publication

Date Text affected

EN 60070 10 2

This is a preview of "BS EN 60079-10-2:201...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

March 2015

ICS 29.260.20

Supersedes EN 60079-10-2:2009

English Version

Explosive atmospheres - Part 10-2: Classification of areas - Explosive dust atmospheres (IEC 60079-10-2:2015)

Atmosphéres explosives - Partie 10-2: Classement des emplacements - Atmosphères explosives poussiéreuses (IEC 60079-10-2:2015) Explosionsgefährdete Bereiche - Teil 10-2: Einteilung der Bereiche - Staubexplosionsgefährdete Bereiche (IEC 60079-10-2:2015)

This European Standard was approved by CENELEC on 2015-02-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

The text of document 31J/244/FDIS, future edition 2 of IEC 60079-10-2, prepared by SC 31J "Classification of hazardous areas and installation requirements" of IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-10-2:2015.

The following dates are fixed:

 latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement 	(dop)	2015-11-20
--	-------	------------

 latest date by which the national standards conflicting with the document have to be withdrawn 2018-02-20

This document supersedes EN 60079-10-2:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

(dow)

Endorsement notice

The text of the International Standard IEC 60079-10-2:2015 was approved by CENELEC as a European Standard without any modification.

IEC 60079-2	NOTE	Harmonized as EN 60079-2.
IEC 60079-11	NOTE	Harmonized as EN 60079-11.
IEC 60079-14	NOTE	Harmonized as EN 60079-14.
IEC 60079-28	NOTE	Harmonized as EN 60079-28.
IEC 60079-18	NOTE	Harmonized as EN 60079-18.
IEC 60079-31	NOTE	Harmonized as EN 60079-31.
IEC 60079-32-2	NOTE	Harmonized as EN 60079-32-2.

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60079-0 (mod)	-	Explosive atmospheres Part 0: Equipment - General requirements	- EN 60079-0	-
			+A11	2013
IEC 60079-10-1	-	Explosive atmospheres Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10-1	-
ISO/IEC 80079-20-2	-	Explosive atmospheres - Part 20-2: Material characteristics - Combustible dusts test methods	-	-

CONTENTS

IN	TRODU	ICTION	7
1	Scop	e	8
2	Norm	native references	9
3	Term	s and definitions	9
4		classification	
•	4.1	General	
	4.1	Area classification procedure for explosive dust atmospheres	
	4.3	Competence of personnel	
5		ces of release	
J	5.1	General	
	5.1	Dust containment	
	5.2	Identification and grading of sources of release	
6		S	
U	6.1	General	
	6.2	Extent of zones	
	6.2.1		
	6.2.1		
	6.2.3		
	6.2.4		
7		layers	
		•	
8		mentation	
	8.1	General	
	8.2	Drawings, data sheets and tables	
	8.2.1		
۸	8.2.2	,	
Αſ	·	informative) Area classification examples	
	A.1	Examples of zones	
	A.1.1		
	A.1.2		
	A.1.3		
	A.1.4		
	A.2	Bag emptying station within a building and without exhaust ventilation	
	A.3	Bag emptying station with exhaust ventilation	
	A.4	Cyclone and filter with clean outlet outside building	
۸.	A.5	Drum tipper within a building without exhaust ventilation	
Αſ	·	informative) Housekeeping	
	B.1	Introductory remarks	
	B.2	Levels of housekeeping	
Ar		(informative) Hybrid mixtures	
	C.1	General	
	C.2	Ventilation	
	C.3	Explosive limits	
	C.4	Chemical reactions	
	C.5	Minimum ignition parameters	.26