



BSI Standards Publication

Adjustable speed electrical power drive systems

Part 5-2: Safety requirements – Functional (IEC 61800-5-2:2016)

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 61800-5-2:2017. It is identical to IEC 61800-5-2:2016. It supersedes BS EN 61800-5-2:2007, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 81980 3

ICS 29.200; 13.110

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

April 2017

ICS 13.110; 29.200

Supersedes EN 61800-5-2:2007

English Version

Adjustable speed electrical power drive systems - Part 5-2:
Safety requirements - Functional
(IEC 61800-5-2:2016)

Entraînements électriques de puissance à vitesse variable -
Partie 5-2: Exigences de sécurité - Fonctionnelle
(IEC 61800-5-2:2016)

Elektrische Leistungsantriebssysteme mit einstellbarer
Drehzahl - Teil 5-2: Anforderungen an die Sicherheit -
Funktionale Sicherheit
(IEC 61800-5-2:2016)

This European Standard was approved by CENELEC on 2016-05-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

The text of document 22G/332/FDIS, future edition 2 of IEC 61800-5-2, prepared by SC 22G "Adjustable speed electric drive systems incorporating semiconductor power converters" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61800-5-2:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-10-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-04-28

This document supersedes EN 61800-5-2:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61800-5-2:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60300-3-1:2003	NOTE	Harmonized as 60300-3-1:2003.
IEC 60664-1:2007	NOTE	Harmonized as EN 60664-1:2007.
IEC 606643	NOTE	Harmonized as EN 60664-3.
IEC 61025	NOTE	Harmonized as EN 61025.
IEC 61078	NOTE	Harmonized as EN 61078.
IEC 61165	NOTE	Harmonized as EN 61165.
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010.
IEC 61508-5:2010	NOTE	Harmonized as EN 61508-5:2010.
IEC 61511 (series)	NOTE	Harmonized as EN 61511 (series).
IEC 61511-1	NOTE	Harmonized as EN 61511-1.
IEC 61513	NOTE	Harmonized as EN 61513.
IEC 61558 (series)	NOTE	Harmonized as EN 61558 (series).
IEC 61558-1:2005	NOTE	Harmonized as EN 61558-1:2005.
IEC 61558-1:2005/AMD1:2009	NOTE	Harmonized as EN 61558-1:2005/A1:2009.

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

IEC 62061

NOTE Harmonized as EN 62061.

ISO 13849-2

NOTE Harmonized as EN ISO 13849-2.

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60204-1	-	Safety of machinery - Electrical equipment of machines -- Part 1: General requirements	EN 60204-1	-
IEC 61000-2-4	2002	Electromagnetic compatibility (EMC) -- Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances	EN 61000-2-4	2002
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) -- Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) -- Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+ A1	2007		+ A1	2008
+ A2	2010		+ A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) -- Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) -- Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-29	2000	Electromagnetic compatibility (EMC) -- Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	EN 61000-4-29	2000
IEC 61000-4-34	2005	Electromagnetic compatibility (EMC) -- Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase	EN 61000-4-34	2007
IEC 61000-6-7	2014	Electromagnetic compatibility (EMC) - Part 6-7: Generic standards - Immunity requirements for equipment intended to perform functions in a safety-related system (functional safety) in industrial locations	EN 61000-6-7	2015

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

		assessment of power quality characteristics of grid connected wind turbines		
IEC 61508-1	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems -- Part 1: General requirements	EN 61508-1	2010
IEC 61508-2	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems -- Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems	EN 61508-2	2010
IEC 61508-3	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems -- Part 3: Software requirements	EN 61508-3	2010
IEC 61508-6	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems -- Part 6: Guidelines on the application of IEC 61508-2 and IEC 61508-3	EN 61508-6	2010
IEC 61508-7	2010	Functional safety of electrical/electronic/programmable electronic safety-related systems -- Part 7: Overview of techniques and measures	EN 61508-7	2010
IEC 61800-1	-	Adjustable speed electrical power drive systems -- Part 1: General requirements - Rating specifications for low voltage adjustable speed d.c. power drive systems	EN 61800-1	-
IEC 61800-2	2015	Adjustable speed electrical power drive systems -- Part 2: General requirements - Rating specifications for low voltage adjustable speed a.c. power drive systems	EN 61800-2	2015
IEC 61800-3	2004	Adjustable speed electrical power drive systems -- Part 3: EMC requirements and specific test methods	EN 61800-3	2004
IEC 61800-4	-	Adjustable speed electrical power drive systems -- Part 4: General requirements - Rating specifications for a.c. power drive systems above 1 000 V a.c. and not exceeding 35 kV	EN 61800-4	-
IEC 61800-5-1	2007	Adjustable speed electrical power drive systems - Part 5-1: Safety requirements - Electrical, thermal and energy	EN 61800-5-1	2007
ISO 13849-1	2006	Safety of machinery - Safety-related parts of control systems -- Part 1: General principles for design	-	-
ISO 13849-2	2012	Safety of machinery - Safety-related parts of control systems_ - Part_2: Validation	EN ISO 13849-2	2012

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	10
3 Terms and definitions	12
4 Designated <i>safety sub-functions</i>	18
4.1 General.....	18
4.2 <i>Safety sub-functions</i>	19
4.2.1 General	19
4.2.2 Limit values	20
4.2.3 Stopping functions	20
4.2.4 Monitoring functions.....	21
4.2.5 Output functions – Safe brake control (SBC).....	23
5 Management of <i>functional safety</i>	23
5.1 Objective	23
5.2 Requirements for the management of <i>functional safety</i>	23
5.3 <i>PDS(SR)</i> development lifecycle	23
5.4 Planning of <i>PDS(SR) functional safety</i> management	24
5.5 Safety requirements specification (<i>SRS</i>) for a <i>PDS(SR)</i>	26
5.5.1 General	26
5.5.2 <i>Safety sub-functions</i> requirements specification.....	26
5.5.3 <i>Safety integrity</i> requirements specification.....	27
5.6 <i>PDS(SR)</i> safety system architecture specification	28
5.6.1 General	28
5.6.2 Requirements for safety system architecture specification.....	28
6 Requirements for design and development of a <i>PDS(SR)</i>	29
6.1 General requirements.....	29
6.1.1 Change in operational status	29
6.1.2 Design standards	29
6.1.3 Realisation.....	29
6.1.4 <i>Safety integrity</i> and fault detection.....	29
6.1.5 Safety and non- <i>safety sub-functions</i>	30
6.1.6 <i>SIL</i> for multiple <i>safety sub-functions</i> within one <i>PDS(SR)</i>	30
6.1.7 Integrated circuits with on-chip redundancy	31
6.1.8 Software requirements	31
6.1.9 Design documentation.....	31
6.2 <i>PDS(SR)</i> design requirements	31
6.2.1 Basic and well-tried safety principles	31
6.2.2 Requirements for the estimation of the probability of dangerous random hardware failures per hour (<i>PFH</i>).....	31
6.2.3 Architectural constraints.....	34
6.2.4 Estimation of <i>safe failure fraction (SFF)</i>	35
6.2.5 Requirements for <i>systematic safety integrity</i> of a <i>PDS(SR)</i> and <i>PDS(SR) subsystems</i>	36
6.2.6 Design requirements for electromagnetic (EM) immunity of a <i>PDS(SR)</i>	39
6.2.7 Design requirements for thermal immunity of a <i>PDS(SR)</i>	39

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

6.2.8	Design requirements for mechanical immunity of a <i>PDS(SR)</i>	39
6.3	Behaviour on detection of fault	39
6.3.1	Fault detection	39
6.3.2	Fault tolerance greater than zero.....	39
6.3.3	Fault tolerance zero	39
6.4	Additional requirements for data communications.....	39
6.5	<i>PDS(SR)</i> integration and testing requirements	40
6.5.1	Hardware integration.....	40
6.5.2	Software integration	40
6.5.3	Modifications during integration	40
6.5.4	Applicable integration tests	40
6.5.5	Test documentation.....	40
7	Information for use	41
7.1	General.....	41
7.2	Information and instructions for safe application of a <i>PDS(SR)</i>	41
8	<i>Verification and validation</i>	42
8.1	General.....	42
8.2	<i>Verification</i>	43
8.3	<i>Validation</i>	43
8.4	Documentation.....	43
9	Test requirements.....	43
9.1	Planning of tests	43
9.2	Functional testing.....	43
9.3	Electromagnetic (EM) immunity testing	44
9.3.1	General	44
9.3.2	Intended EM environment.....	44
9.3.3	Performance criterion (fail safe state – FS).....	44
9.4	Thermal immunity testing	44
9.4.1	General	44
9.4.2	Functional thermal test.....	45
9.4.3	Component thermal test	45
9.5	Mechanical immunity testing.....	45
9.5.1	General	45
9.5.2	Vibration test	45
9.5.3	Shock test.....	45
9.5.4	Performance criterion for mechanical immunity tests (fail safe state – FS).....	45
9.6	Test documentation.....	45
10	Modification.....	46
10.1	Objective	46
10.2	Requirements.....	46
10.2.1	General	46
10.2.2	Modification request.....	46
10.2.3	Impact analysis	46
10.2.4	Authorization.....	46
10.2.5	Documentation.....	46
Annex A (informative)	Sequential task table.....	47
Annex B (informative)	Example for estimation of <i>PFH</i>	51

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

B.1	General.....	51
B.2	Example <i>PDS(SR)</i> structure	51
B.2.1	General	51
B.2.2	<i>Subsystem A/B</i>	52
B.2.3	<i>Subsystem PS/VM</i>	52
B.3	Example <i>PDS(SR)</i> PFH value determination	53
B.3.1	<i>Subsystem "A/B" (main subsystem)</i>	53
B.3.2	<i>Subsystem "PS/VM"</i>	58
B.3.3	PFH value of the <i>safety sub-function STO</i> of <i>PDS(SR)</i>	61
B.4	Reduction of DC and SFF depending on test interval	62
Annex C (informative)	Available failure rate databases	63
C.1	Databases	63
C.2	Helpful standards concerning component failure	63
Annex D (informative)	Fault lists and fault exclusions	65
D.1	General.....	65
D.2	Remarks applicable to fault exclusions	65
D.2.1	Validity of exclusions.....	65
D.2.2	Tin whisker growth	65
D.2.3	Short-circuits on PWB-mounted parts	65
D.3	Fault models	66
D.3.1	Conductors/cables	66
D.3.2	Printed wiring boards/assemblies	66
D.3.3	Terminal block	66
D.3.4	Multi-pin connector.....	67
D.3.5	Electromechanical devices	67
D.3.6	Transformers	68
D.3.7	Inductances	68
D.3.8	Resistors	68
D.3.9	Resistor Networks.....	68
D.3.10	Potentiometers.....	68
D.3.11	Capacitors	68
D.3.12	Discrete semiconductors	68
D.3.13	Signal Isolation components.....	69
D.3.14	Non-programmable integrated circuits	69
D.3.15	Programmable and/or complex integrated circuits	69
D.3.16	Motion and position feedback sensors	70
Annex E (normative)	Electromagnetic (EM) immunity requirement for <i>PDS(SR)</i>	74
E.1	General.....	74
E.2	Immunity requirements – low frequency disturbances.....	74
E.3	Immunity requirements – high frequency disturbances	77
Annex F (informative)	Estimation of PFD_{avg} value for low demand with given PFH value	81
F.1	General.....	81
F.2	Estimation of PFD_{avg} value for low demand with given PFH value	81
Bibliography	82
Figure 1	– Installation and functional parts of a <i>PDS(SR)</i>	10
Figure 2	– <i>Safety function</i> consisting of <i>safety sub-functions</i>	19

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

Figure 3 – <i>PDS(SR)</i> development lifecycle	24
Figure B.1 – Example <i>PDS(SR)</i>	51
Figure B.2 – <i>Subsystems</i> of the <i>PDS(SR)</i>	52
Figure B.3 – Function blocks of <i>subsystem A/B</i>	53
Figure B.4 – Reliability model (Markov) of <i>subsystem A/B</i>	56
Figure B.5 – Function blocks of <i>subsystem PS/VM</i>	58
Figure B.6 – Reliability model (Markov) of <i>subsystem PS/VM</i>	60
Table 1 – Alphabetical list of terms and definitions	12
Table 2 – Example for determining the <i>SIL</i> from hardware and software independence	30
Table 3 – <i>Safety integrity levels</i> : target failure measures for a <i>PDS(SR)</i> <i>safety sub-function</i>	32
Table 4 – Maximum allowable safety integrity level for a <i>safety sub-function</i> carried out by a type A safety-related <i>subsystem</i>	35
Table 5 – Maximum allowable safety integrity level for a <i>safety sub-function</i> carried out by a type B safety-related <i>subsystem</i>	35
Table A.1 – Design and development procedure for <i>PDS(SR)</i>	47
Table B.1 – Determination of DC factor of <i>subsystem A/B</i>	55
Table B.2 – <i>PFH</i> value calculation results for <i>subsystem A/B</i>	58
Table B.3 – Determination of DC factor of <i>subsystem A/B</i>	59
Table B.4 – <i>PFH</i> value calculation results for <i>subsystem PS/VM</i>	61
Table D.1 – Printed wiring boards/assemblies	66
Table D.2 – Terminal block	67
Table D.3 – Multi-pin connector.....	67
Table D.4 – Electromechanical devices (for example relay, contactor relays)	68
Table D.5 – Signal Isolation components.....	69
Table D.6 – Non-programmable integrated circuits	69
Table D.7 – Programmable and/or complex integrated circuits	70
Table D.8 – Motion and position feedback sensors	71
Table E.1 – Minimum immunity requirements for voltage deviations, dips and short interruptions	75
Table E.2 – <i>PDS(SR)</i> minimum immunity requirements for voltage deviations, dips and short interruptions on main power ports with a rated voltage above 1 000 V	76
Table E.3 – Immunity requirements – high frequency disturbances.....	77
Table E.4 – General frequency ranges for mobile transmitters and ISM for radiated tests.....	79
Table E.5 – General frequency ranges for mobile transmitters and ISM for conducted tests.....	80

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

Part 5-2: Safety requirements – Functional

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-5-2 has been prepared by subcommittee 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee 22: Power electronic systems and equipment.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) rational added in the scope why low demand mode is not covered by this standard
- b) definition added for: "*category*" and "*safety function*"
- c) "Other sub-functions" sorted into "Monitoring sub-functions" and "Output functions"
- d) deleted "proof test" throughout the document because for *PDS(SR)* a proof test is not applicable

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

- e) replaced the term "safety function" by "*safety sub-function*" throughout the document
- f) Updated references to IEC 61508 series Ed.2010
- g) Added the principle rules of ISO 13849-1 and reference to tables of ISO 13849-2
- h) 6.1.6 Text replaced by Table 2
- i) 6.1.7 Integrated circuits with on-chip redundancy matched to changed requirement in IEC 61508-2: 2010, Annex E
- j) 6.2.8 Design requirements for thermal immunity of a *PDS(SR)*
- k) 6.2.9 Design requirements for mechanical immunity of a *PDS(SR)*
- l) 6.1.6 *SIL* for multiple *safety sub-functions* within one *PDS(SR)*
- m) 6.1.7 Integrated circuits with on-chip redundancy
- n) 6.2.1 Basic and well-tried safety principles
- o) 6.2.2.1.4 *Diagnostic test* interval when the hardware fault tolerance is greater than zero
- p) 6.2.5.2.7 *PDS(SR)* parameterization
- q) 9 Test requirements
- r) 9.3 Electromagnetic (EM) immunity testing
- s) 9.4 Thermal immunity testing
- t) 9.5 Mechanical immunity testing
- u) Annex A Sequential task table
- v) Annex D, D.3.16, Motion and position feedback sensors updated
- w) Annex E Electromagnetic immunity (EM) requirement for *PDS(SR)*
- x) Annex F Estimation of PFD_{avg} value for low demand with given PFH value

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/332/FDIS	22G/335/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61800 series, published under the general title *Adjustable speed electric drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

INTRODUCTION

As a result of automation, demand for increased production and reduced operator physical effort, control systems of machinery and plant items play an increasing role in the achievement of overall safety. These control systems increasingly employ complex electrical/electronic/programmable electronic devices and systems.

Prominent amongst these devices and systems are adjustable speed electrical power drive systems (PDS) that are suitable for use in safety-related applications (*PDS(SR)*).

Examples of industrial applications are:

- machine tools, robots, production test equipment, test benches;
- papermaking machines, textile production machines, calendars in the rubber industry;
- process lines in plastics, chemicals or metal production, rolling-mills;
- cement crushing machines, cement kilns, mixers, centrifuges, extrusion machines;
- drilling machines;
- conveyors, materials handling machines, hoisting equipment (cranes, gantries, etc.);
- pumps, fans, etc.

This standard can also be used as a reference for developers using *PDS(SR)* for other applications.

Users of this standard should be aware that some type C standards for machinery currently refer to ISO 13849-1 for safety-related control systems. In this case, *PDS(SR)* manufacturers may be requested to provide further information (e.g. category and performance level PL) to facilitate the integration of a *PDS(SR)* into the safety-related control systems of such machinery.

NOTE "Type C standards" are defined in ISO 12100 as machine safety standards dealing with detailed safety requirements for a particular machine or group of machines.

There are many situations where control systems that incorporate a *PDS(SR)* are employed, for example as part of safety measures that have been provided to achieve risk reduction. A typical case is guard interlocking in order to exclude personnel from *hazards* where access to the dangerous area is only possible when rotating parts have stopped. This part of IEC 61800 gives a methodology to identify the contribution made by a *PDS(SR)* to identified *safety sub-functions* and to enable the appropriate design of the *PDS(SR)* and verification that it meets the required performance.

Measures are given to co-ordinate the safety performance of the *PDS(SR)* with the intended risk reduction taking into account the probabilities and consequences of its random and systematic faults.

This is a preview of "BS EN 61800-5-2:2017". [Click here to purchase the full version from the ANSI store.](#)

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

Part 5-2: Safety requirements – Functional

1 Scope

This part of IEC 61800, which is a product standard, specifies requirements and makes recommendations for the design and development, integration and validation of safety related power drive systems (*PDS(SR)*) in terms of their functional safety considerations. It applies to adjustable speed electrical power drive systems covered by the other parts of the IEC 61800 series of standards as referred in IEC 61800-2.

NOTE 1 The term “integration” refers to the *PDS(SR)* itself, not to its incorporation into the safety-related application.

NOTE 2 Other parts of IEC 61800 cover rating specifications, EMC, electrical safety, etc.

This International Standard is applicable where functional safety of a *PDS(SR)* is claimed and the *PDS(SR)* is operating mainly in the high demand or continuous mode (see 3.15)

While low demand mode operation is possible for a *PDS(SR)*, this standard concentrates on high demand and continuous mode. *Safety sub-functions* implemented for high demand or continuous mode can also be used in low demand mode. Requirements for low demand mode are given in IEC 61508 series. Some guidance for the estimation of average probability of dangerous failure on demand (PFD_{avg}) value is provided in Annex F.

This part of IEC 61800 sets out safety-related considerations of *PDS(SR)*s in terms of the framework of IEC 61508, and introduces requirements for *PDS(SR)*s as *subsystems* of a safety-related system. It is intended to facilitate the realisation of the electrical/ electronic/ programmable electronic (E/E/PE) parts of a *PDS(SR)* in relation to the safety performance of *safety sub-function(s)* of a PDS.

Manufacturers and suppliers of *PDS(SR)*s by using the normative requirements of this part of IEC 61800 will indicate to users (system integrator, original equipment manufacturer) the safety performance for their equipment. This will facilitate the incorporation of a *PDS(SR)* into a safety-related control system using the principles of IEC 61508, and possibly its specific sector implementations (for example IEC 61511, IEC 61513, IEC 62061 or ISO 13849).

By applying the requirements from this part of the IEC 61800 series, the corresponding requirements of IEC 61508 that are necessary for a *PDS(SR)* are fulfilled.

This part of IEC 61800 does not specify requirements for:

- the *hazard* and risk analysis of a particular application;
- the identification of *safety sub-functions* for that application;
- the initial allocation of *SILs* to those *safety sub-functions*;
- the driven equipment except for interface arrangements;
- secondary *hazards* (for example from failure in a production or manufacturing process);
- the electrical, thermal and energy safety considerations, which are covered in +IEC 61800-5-1;
- the *PDS(SR)* manufacturing process;
- the validity of signals and commands to the *PDS(SR)*.