# BS EN IEC 61800-3:2018

This is a preview of "BS EN IEC 61800-3:20...". Click here to purchase the full version from the ANSI store.



**BSI Standards Publication** 

# Adjustable speed electrical power drive systems

Part 3: EMC requirements and specific test methods



### National foreword

This British Standard is the UK implementation of EN IEC 61800-3:2018. It is identical to IEC 61800-3:2017. It supersedes BS EN 61800-3:2004+A1:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018 Published by BSI Standards Limited 2018

ISBN 978 0 580 82154 7

ICS 33.100.01; 29.200

# Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2018.

#### Amendments/corrigenda issued since publication

Date

Text affected

### 

### ENIEC 61900-3

This is a preview of "BS EN IEC 61800-3:20...". Click here to purchase the full version from the ANSI store.

# EUROPÄISCHE NORM

September 2018

ICS 29.200; 33.100

Supersedes EN 61800-3:2004

**English Version** 

# Adjustable speed electrical power drive systems - Part 3: EMC requirements and specific test methods (IEC 61800-3:2017)

Entraînements électriques de puissance à vitesse variable -Partie 3: Exigences de CEM et méthodes d'essais spécifiques (IEC 61800-3:2017) Drehzahlveränderbare elektrische Antriebssysteme - Teil 3: EMV-Anforderungen einschließlich spezieller Prüfverfahren (IEC 61800-3:2017)

This European Standard was approved by CENELEC on 2018-07-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### European foreword

The text of document 22G/347/FDIS, future edition 3 of IEC 61800-3, prepared by SC 22G "Adjustable speed electric drive systems incorporating semiconductor power converters" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61800-3:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-04-09 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2021-07-09 document have to be withdrawn

This document supersedes EN 61800-3:2004 and EN 61800-3:2004/A1:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

### **Endorsement notice**

The text of the International Standard IEC 61800-3:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60038:2009	NOTE	Harmonized as EN 60038:2011 (modified).
IEC 60065	NOTE	Harmonized as EN 60065.
IEC 60146-1-3:1991	NOTE	Harmonized as EN 60146-1-3:1993 (not modified).
IEC 60146-2:1999	NOTE	Harmonized as EN 60146-2:2000 (not modified).
IEC 60364-1:2005	NOTE	Harmonized as HD 60364-1:2008 (modified).
IEC 60664-1:2007	NOTE	Harmonized as HD 60664-1:2007 (not modified).
IEC 61000-2-12:2003	NOTE	Harmonized as EN 61000-2-12:2003 (not modified).
IEC 61000-4 (series)	NOTE	Harmonized as EN 61000-4 (series).
IEC 61000-4-7:2002	NOTE	Harmonized as EN 61000-4-7:2002 (not modified).
IEC 61000-4-9:2016	NOTE	Harmonized as EN 61000-4-9:2016 (not modified).
IEC 61000-4-10:2016	NOTE	Harmonized as EN 61000-4-10:2017 (not modified).
IEC 61000-6-1:2016	NOTE	Harmonized as EN 61000-6-1:2018 (not modified).
IEC 61000-6-2:2016	NOTE	Harmonized as EN 61000-6-2:2017 (not modified).
IEC 61000-6-4:2006	NOTE	Harmonized as EN 61000-6-4:2007 (not modified).

IEC 61400-21:2008	NOTE	Harmonized as EN 61400-21:2008 (not modified).
IEC 61557-8:2014	NOTE	Harmonized as EN 61557-8:2015 (not modified).
IEC 61557-9	NOTE	Harmonized as EN 61557-9.
IEC 61800-1:1997	NOTE	Harmonized as EN 61800-1:1998 (not modified).
IEC 61800-2:2015	NOTE	Harmonized as EN 61800-2:2015 (not modified).
IEC 61800-4:2002	NOTE	Harmonized as EN 61800-4:2003 (not modified).
IEC 61800-5-1:2007	NOTE	Harmonized as EN 61800-5-1:2007 (not modified).
CISPR 14-1:2016	NOTE	Harmonized as EN 55014-1:2017 (not modified).
CISPR 16-2-1:2014	NOTE	Harmonized as EN 55016-2-1:2014 (not modified).
CISPR 16-2-3:2016	NOTE	Harmonized as EN 55016-2-3:2017 (not modified).

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <u>www.cenelec.eu</u>.

Publication	Year	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60146-1-1	2009	Semiconductor converters - General requirements and line commutated converters Part 1-1: Specification of basic requirements	EN 60146-1-1	2010
IEC 61000-2-2	2002	Electromagnetic compatibility (EMC) Part 2-2: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems	EN 61000-2-2	2002
IEC 61000-2-4	2002	Electromagnetic compatibility (EMC) Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances	EN 61000-2-4	2002
IEC 61000-3-2	2014	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current - 16 A per phase)	EN 61000-3-2	2014
IEC 61000-3-3	2013	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current - 16 A per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC 61000-3-11	2000	Electromagnetic compatibility (EMC) Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current <= 75 A and subject to conditional connection	EN 61000-3-11	2000

		3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and <= 75 A per phase		
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
IEC 61000-4-13	2002	Electromagnetic compatibility (EMC) Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signaling at a.c. power port, low frequency immunity tests	EN 61000-4-13	2002
IEC 61000-4-34	2005	Electromagnetic compatibility (EMC) Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase	EN 61000-4-34	2007
CISPR 11 (mod)	2015	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016
+ A1	2016		+ A1	2017

		immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements		
CISPR 16-1-4	2010	Specification for radio disturbance and immunity measuring apparatus and methods Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements	EN 55016-1-4	2010
CISPR 22	-	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	-	-
CISPR 32	2015	Electromagnetic compatibility of multimedia equipment - Emission requirements	EN 55032	2015

### CONTENTS

FC	OREWO	DRD	7
1	Sco	De	9
2	Norr	native references	10
3	Tern	ns and definitions	12
	3.1	Installation and its content	12
	3.2	Intended use	
	3.3	Location, ports and interfaces	
	3.4	Components of the PDS	
	3.5	Phenomena-related definitions	
4	Com	Imon requirements	19
	4.1	General conditions	19
	4.2	Tests	
	4.2.1	1 Conditions	20
	4.2.2	2 Test report	20
	4.3	Documentation for the user	21
5	Imm	unity requirements	22
	5.1	General conditions	22
	5.1.	Acceptance criteria (performance criteria)	22
	5.1.2		
	5.1.3		
	5.2	Basic immunity requirements – low-frequency disturbances	
	5.2.	1 Common principle	25
	5.2.2	2 Harmonics and commutation notches/voltage distortion	25
	5.2.3	3 Voltage deviations, dips and short interruptions	27
	5.2.4	4 Voltage unbalance and frequency variations	30
	5.2.5	5 Supply influences – Magnetic fields	31
	5.3	Basic immunity requirements – High-frequency disturbances	32
	5.3.1	1 Conditions	32
	5.3.2	2 First environment	32
	5.3.3		
	5.3.4	, , , , , , , , , , , , , , , , , , , ,	
	5.4	Application of immunity requirements – Statistical aspect	
6	Emi	ssion	
	6.1	General emission requirements	
	6.2	Basic low-frequency emission limits	
	6.2.		
	6.2.2		
	6.2.3		
	6.2.4	5	
	6.2.	1 5 5	39
	6.2.6	6 Common mode harmonic emission (low-frequency common mode voltage)	39
	6.3	Conditions related to high-frequency emission measurement	39
	6.3.1	1 General requirements	39
	6.3.2	2 Connection requirements	44

6.4 Ba	sic high-frequency emission limits	44
6.4.1	Equipment of categories C1 and C2	44
6.4.2	Equipment of category C3	47
6.5 En	gineering practice	
6.5.1	PDS of category C4	
6.5.2	Limits outside the boundary of an installation, for a PDS of category C4 – Example of propagation of disturbances	49
6.6 Ap	plication of emission requirements – Statistical aspects	52
nnex A (info	ormative) EMC techniques	53
A.1 Ap	plication of PDSs and EMC	53
-	ad conditions regarding high-frequency phenomena	
A.2.1	Load conditions during emission tests	
A.2.2	Load conditions during immunity tests	54
A.2.3	Load test	
A.3 Im	munity to power frequency magnetic fields	
	gh-frequency emission measurement techniques	
A.4.1	Impedance/artificial mains network (AMN)	
A.4.2	Performing high-frequency in situ emission tests	
A.4.3	Established experience with high power PDSs	
	prmative) Low-frequency phenomena	
	mmutation notches	
B.1.1	Occurrence – description	
B.1.1 B.1.2	Calculation	
B.1.2 B.1.3	Recommendations regarding commutation notches	
	finitions related to harmonics and interharmonics	
B.2.1	General discussion	
B.2.1 B.2.2	Phenomena related definitions	
B.2.2	Conditions of application	
	plication of harmonic emission standards	
B.3.1	General	
B.3.1 B.3.2	Public networks	
B.3.3	Summation methods for harmonics in an installation – Practical rules	
	stallation rules – Assessment of harmonic compatibility	
B.4.1	Low power industrial three-phase system	
B.4.1 B.4.2	Large industrial system	
B.4.2 B.4.3	Interharmonics and voltages or currents at higher frequencies	
	Itage unbalance	
B.5 V0	Origin	
B.5.1 B.5.2	Definition and assessment	
В.5.2 В.5.3	Effect on PDSs	
	Itage dips – Voltage fluctuations	
B.6.1	Voltage dips	
B.6.2	Voltage fluctuation	
	rification of immunity to low frequency disturbances	
	ormative) Reactive power compensation – Filtering	
	tallation	
C.1.1	Usual operation	

store.

C.1.3	Practical solutions	88
C.1.4	Reactive power compensation	89
C.1.5	Filtering methods	
	active power and harmonics	
C.2.1	Usual installation mitigation methods	
C.2.2	Other solutions	
Annex D (info	ormative) Considerations on high-frequency emission	
D.1 Us	er guidelines	
D.1.1	Expected emission of PDSs	101
D.1.2	Guidelines	103
	fety and RFI-filtering in power supply systems	
D.2.1	Safety and leakage currents	
D.2.2	Safety and RFI-filtering in power supply systems isolated from earth	
Annex E (info	ormative) EMC analysis and EMC plan for PDS of category C4	
E.1 Ge	eneral – System EMC analysis applied to PDSs	
E.1.1	Electromagnetic environment	
E.1.2	System EMC analysis techniques	108
	ample of EMC plan	109
E.2.1	Project data and description	
E.2.2	Electromagnetic environment analysis	
E.2.3	EMC analysis	
E.2.4	Establishment of installation rules	
E.2.5	Formal result and maintenance	
	ample of supplement to EMC plan for particular application	
E.3.1	Electromagnetic environment complementary analysis	
E.3.2	EMC analysis	
Bibliography.		
Figure 1 –Ins	tallation and its content	12
Figure 2 – In	ternal interfaces of the PDS and examples of ports	15
0	ower interfaces of a PDS with common DC BUS	
	ower interfaces with common input transformer	
-		
	cample for a typical cable arrangement for measurements in 3 m stance, for a table-top or wall-mounted equipment, top view	43
	cample for a typical cable arrangement for measurements in 3 m stance for a table-top or wall-mounted equipment, side view	43
	cample for a typical test set up for measurement of conducted and/or urbances from a floor-standing PDS, 3D view	
Figure 8 – Pr	opagation of disturbances	
Figure 9 – Pr	opagation of disturbances in installation with a PDS rated > 1 000 V	50
	Typical waveform of commutation notches – Distinction from non- nsient	57
Figure B.2 –	PCC, IPC, installation current ratio and R <sub>SI</sub>	67
	PCC, IPC, installation current ratio and R <sub>SC</sub>	
	Assessment of the harmonic emission of a PDS	
-		
⊢igure B.5 –	Test set-up with mechanical load	71
	Test set-up with electrical load replacing the loaded motor	

Figure B.7 – Test set-up with resistive load	72
Figure B.8 – Assessment of harmonic emission where PDS is used (apparatus, systems or installations)	
Figure C.1 – Reactive power compensation	90
Figure C.2 – Simplified diagram of an industrial network	92
Figure C.3 – Impedance versus frequency of the simplified network	92
Figure C.4 – Example of passive filter battery	94
Figure C.5 – Example of inadequate solution in reactive power compensation	96
Figure C.6 – VSI PWM active filter topologies	98
Figure C.7 – Boost mode converter	98
Figure C.8 – Front-End inverter system	99
Figure D.1 – Conducted emission of various unfiltered PDSs	102
Figure D.2 – Expected radiated emission of PDS up to rated voltage 400 V Peak values normalised at 10 m	103
Figure D.3 – Safety and filtering	106
Figure E.1 – Interaction between systems and EM environment	107
Figure E.2 – Zone concept	108
Figure E.3 – Example of drive	109
Table 2 – Criteria to prove the acceptance of a PDS against electromagnetic      disturbances      Table 3 – Minimum immunity requirements for total harmonic distortion, on power ports	24
Table 3 – Minimum immunity requirements for total harmonic distortion on power ports        of low voltage PDSs	26
Table 4 – Minimum immunity requirements for individual harmonic orders on power      ports of low voltage PDSs	26
Table 5 – Minimum immunity requirements for commutation notches on power ports of        low voltage PDSs	27
Table 6 – Minimum immunity requirements for harmonics and commutation notches/ voltage distortion on main power ports of PDSs of rated voltage above 1 000 V	27
Table 7 – Minimum immunity requirements for voltage deviations, dips and short      interruptions on power ports of low voltage PDSs	28
Table 8 – Minimum immunity requirements for voltage deviations, dips and short      interruptions on main power ports of rated voltage above 1 000 V of PDSs	29
Table 9 – Minimum immunity requirements for voltage deviations, dips and short      interruptions on auxiliary low voltage power ports of PDSs	30
Table 10 – Minimum immunity requirements for voltage unbalance and frequency variations on power ports of low voltage PDSs	30
Table 11 – Minimum immunity requirements for voltage unbalance and frequency      variations on main power ports of rated voltage above 1 000 V of PDSs	31
Table 12 – Minimum immunity requirements for voltage unbalance and frequencyvariations on auxiliary low voltage power ports of PDSs	31
Table 13 – Minimum immunity requirements for PDSs intended for use in the first	32
environment	

Table 16 – Limits for mains terminal disturbance voltage in the frequency band150 kHz to 30 MHz45	5
Table 17 – Limits for electromagnetic radiation disturbance in the frequency band 30MHz to 1 000 MHz46	3
Table 18 – Limits of disturbance voltage on the power interface	3
Table 19 – Limits for mains terminal disturbance voltage in the frequency band 150 kHz to 30 MHz for a PDS in the second environment – PDS of category C347	7
Table 20 – Limits for electromagnetic radiation disturbance in the frequency band 30 MHz to 1 000 MHz for a PDS in the second environment – PDS of category C348	3
Table 21 – Limits for propagated disturbance voltage ("outside" in the first environment)	1
Table 22 – Limits for propagated disturbance voltage ("outside" in the second environment)	1
Table 23 – Limits for propagated electromagnetic disturbance above 30 MHz51	I
Table 24 – Limits for electromagnetic disturbance below 30 MHz52	2
Table B.1 – Maximum allowable depth of commutation notches at the PC60	)
Table B.2 – Harmonic current emission requirements relative to the total current of the agreed power at the PCC or IPC	)
Table B.3 – Verification plan for immunity to low frequency disturbances	3
Table E.1 – EM interaction between subsystems and environment109	)
Table E.2 – Frequency analysis 115	5

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

### Part 3: EMC requirements and specific test methods

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-3 has been prepared by subcommittee 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee 22: Power electronic systems and equipment.

This third edition cancels and replaces the second edition published in 2004 and Amendment 1:2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) clarification of requirements for the test report, particularly when a number of alternative test methods exist;
- b) introduction of a more detailed test setup for radiated emission measurements, along with the introduction of a 3 m measurement distance for small size equipment;
- c) general updates in the informative annexes.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/347/FDIS	22G/350/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2, and with IEC Guide 107.

A list of all parts in the IEC 61800 series, published under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

### ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

### Part 3: EMC requirements and specific test methods

### 1 Scope

This part of IEC 61800 specifies electromagnetic compatibility (EMC) requirements for power drive systems (PDSs, defined in 3.1). These are adjustable speed AC or DC motor drives. Requirements are stated for PDSs with converter input and/or output voltages (line-to-line voltage), up to 35 kV AC RMS.

PDSs covered by this document are those installed in residential, commercial and industrial locations with the exception of traction applications, and electric vehicles. PDSs can be connected to either industrial or public power distribution networks. Industrial networks are supplied by a dedicated distribution transformer, which is usually adjacent to or inside the industrial location, and supplies only industrial customers. Industrial networks can also be supplied by their own electric generating equipment. On the other hand, PDSs can be directly connected to low-voltage public mains networks which also supply residential premises, and in which the neutral is generally earthed (grounded).

The scope of this part of IEC 61800, related to EMC, includes a broad range of PDSs from a few hundred watts to hundreds of megawatts. PDSs are often included in a larger system. The system aspect is not covered by this document but guidance is provided in the informative annexes.

The requirements have been selected so as to ensure EMC for PDSs at residential, commercial and industrial locations. The requirements cannot, however, cover extreme cases which can occur with an extremely low probability. Changes in the EMC behaviour of a PDS, as a result of fault conditions, are not taken into account.

The object of this document is to define the limits and test methods for a PDS according to its intended use. This document includes immunity requirements and requirements for electromagnetic emissions.

NOTE 1 Emission can cause interference in other electronic equipment (for example radio receivers, measuring and computing devices). Immunity is meant to protect the equipment from continuous and transient conducted and radiated disturbances including electrostatic discharges. The emission and immunity requirements are balanced against each other and against the actual environment of the PDS.

This document defines the minimum EMC requirements for a PDS.

Immunity requirements are given according to the environment classification. Low-frequency emission requirements are given according to the nature of the supply network. High-frequency emission requirements are given according to four categories of intended use, which cover both environment and bringing into operation.

As a product standard, this document can be used for the assessment of PDS. It can also be used for the assessment of complete drive modules (CDM) or basic drive modules (BDM) (see 3.1), which can be marketed separately.

This document contains

• conformity assessment requirements for products to be placed on the market, and