

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

BS ISO 14229-7:2015



BSI Standards Publication

Road vehicles — Unified diagnostic services (UDS) —

Part 7:
UDS on local interconnect network
(UDSonLIN)

bsi.

...making excellence a habit.™

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of ISO14229-7:2015.

The UK participation in its preparation was entrusted to Technical Committee AUE/16, Data Communication (Road Vehicles).

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 83064 8
ICS 43.180

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

First edition
2015-02-01

Road vehicles — Unified diagnostic services (UDS) —

Part 7: UDS on local interconnect network (UDSonLIN)

*Véhicules routiers — Services de diagnostic unifiés (SDU) —
Partie 7: SDU sur l'implémentation LIN (SDU sur LIN)*



Reference number
ISO 14229-7:2015(E)

© ISO 2015

This is a preview of "BS ISO 14229-7:2015". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols, and abbreviated terms	2
3.1 Terms and definitions.....	2
3.2 Symbols and abbreviated terms.....	2
4 Conventions	2
5 Document overview	2
6 UDSONLIN implementation requirements	4
6.1 General.....	4
6.2 Definition of diagnostic classes.....	4
6.2.1 Overview.....	4
6.2.2 Diagnostic class I.....	4
6.2.3 Diagnostic class II.....	4
6.2.4 Diagnostic class III.....	4
6.3 LIN node requirements.....	5
6.3.1 Master node requirements.....	5
6.3.2 Slave node requirements.....	5
6.4 Signal-based diagnostics.....	5
6.4.1 Slave implementation.....	5
6.4.2 Master implementation.....	6
6.5 Tool suite support.....	6
7 Unified diagnostic services implementation on LIN	6
7.1 UDSONLIN services overview.....	6
7.2 Diagnostic and communication control functional unit.....	7
7.2.1 CommunicationControl (0x28) service.....	7
7.2.2 ResponseOnEvent (0x86) service.....	8
8 Application layer requirements	8
8.1 Application layer services.....	8
8.2 Application layer protocol.....	8
8.3 Application layer timing.....	8
8.3.1 General.....	8
8.3.2 Application layer timing parameter values.....	9
9 Presentation layer requirements	11
10 Session layer requirements	11
11 Transport/network layer interface adaptation	11
11.1 General information.....	11
11.2 LIN transport/network layer interface adaptation.....	11
11.2.1 Mapping of data link independent service primitives onto LIN data link dependent service primitives.....	11
11.2.2 Mapping of T_PDU onto N_PDU for message transmission.....	11
12 Network layer diagnostic implementation requirements	12
12.1 LIN slave node network layer requirements.....	12
12.2 LIN master node network layer requirements.....	13
12.2.1 Network address requirements.....	13
12.2.2 Use of functional addressing.....	13
13 Data link layer diagnostic implementation requirements	13

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

Bibliography	14
---------------------------	-----------

This is a preview of "BS ISO 14229-7:2015". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 14229 consists of the following parts, under the general title *Road vehicles — Unified diagnostic services (UDS)*:

- *Part 1: Specification and requirements*
- *Part 2: Session layer services*
- *Part 3: Unified diagnostic services on CAN implementation (UDSonCAN)*
- *Part 4: Unified diagnostic services on FlexRay implementation (UDSonFR)*
- *Part 5: Unified diagnostic services on Internet Protocol implementation (UDSonIP)*
- *Part 6: Unified diagnostic services on K-Line implementation (UDSonK-Line)*
- *Part 7: Unified diagnostic services on Local Interconnect Network implementation (UDSonLIN)*

This is a preview of "BS ISO 14229-7:2015". Click here to purchase the full version from the ANSI store.

Introduction

This part of ISO 14229 has been established in order to enable the implementation of unified diagnostic services, as specified in ISO 14229-1, on UART-based local interconnect networks (UDSonLIN).

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model specified in ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 14229 are divided into the following.

- Application layer (layer 7), unified diagnostic services specified in ISO 14229-1, ISO 14229-3 UDSonCAN, ISO 14229-4 UDSonFR, ISO 14229-5 UDSonIP, ISO 14229-6 UDSonK-Line, ISO 14229-7 UDSonLIN, further standards, and ISO 27145-3 WWH-OBD.
- Presentation layer (layer 6), vehicle manufacturer specific, ISO°27145-2 WWH-OBD.
- Session layer services (layer 5) specified in ISO 14229-2.
- Transport layer services (layer 4), specified in ISO 15765-2 DoCAN, ISO 10681-2 Communication on FlexRay, ISO 13400-2 DoIP, ISO 17987-2 LIN, ISO 27145-4 WWH-OBD.
- Network layer services (layer 3), specified in ISO 15765-2 DoCAN, ISO 10681-2 Communication on FlexRay, ISO 13400-2 DoIP, ISO 17987-2 LIN, ISO 27145-4 WWH-OBD.
- Data link layer (layer 2), specified in ISO 11898-1, ISO 11898-2, ISO 17458-2, ISO 13400-3, IEEE 802.3, ISO 14230-2, ISO 17987-3 LIN and further standards, ISO 27145-4 WWH-OBD.
- Physical layer (layer 1), specified in ISO 11898-1, ISO 11898-2, ISO 17458-4, ISO 13400-3, IEEE 802.3, ISO 14230-1, ISO 17987-4 LIN and further standards, ISO 27145-4 WWH-OBD.

These services should be in accordance with [Table 1](#).

Table 1 — LIN enhanced diagnostics, legislated OBD and WWH-OBD specification reference applicable to the OSI layers

Applicability	OSI seven layer	Enhanced diagnostics services						WWH-OBD
Seven layer according to ISO/IEC 7498-1 and ISO/IEC 10731	Application (layer 7)	ISO 14229-1, ISO 14229-3 UDSonCAN, ISO 14229-4 UDSonFR, ISO 14229-5 UDSonIP, ISO 14229-6 UDSonK-Line, ISO 14229-7 UDSonLIN, further standards						ISO 27145-3
	Presentation (layer 6)	Vehicle manufacturer specific						ISO 27145-2
	Session (layer 5)	ISO 14229-2						
	Transport (layer 4)	ISO 15765-2	ISO 10681-2	ISO 13400-2	Not applicable	ISO 17987-2	Further standards	ISO 27145-4
	Network (layer 3)						Further standards	
	Data link (layer 2)	ISO 11898-1, ISO 11898-2	ISO 17458-2	ISO 13400-3, IEEE 802.3	ISO 14230-2	ISO 17987-3	Further standards	
	Physical (layer 1)		ISO 17458-4		ISO 14230-1	ISO 17987-4	Further standards	

The titles of future parts will be drafted as follows:

- *Part n: Unified diagnostic services on ... implementation (UDSon...)*

This is a preview of "BS ISO 14229-7:2015". [Click here to purchase the full version from the ANSI store.](#)

Road vehicles — Unified diagnostic services (UDS) —

Part 7:

UDSonLIN on local interconnect network (UDSonLIN)

1 Scope

This part of ISO 14229 specifies the implementation of a common set of unified diagnostic services (UDS) on UART-based local interconnect networks in road vehicles. The UDSonLIN diagnostics defines methods to implement diagnostic data transfer between a client and the LIN slave nodes through the LIN master node.

LIN slave nodes support three different diagnostic classes as defined in ISO 17987.

UDSonLIN references ISO 14229-1 and ISO 14229-2 and specifies implementation requirements of the following:

- diagnostic services to be used for diagnostic communication over LIN,
- server memory programming for in-vehicle LIN servers with an external test equipment, and
- configuration of a LIN slave node as specified in ISO 17987.

NOTE UDSonLIN does not specify any requirement for the in-vehicle LIN bus architecture.

This part of ISO 14229 makes reference to information contained in the following:

- ISO 14229-1,
- ISO 14229-2, and
- ISO 17987 (all parts).

This part of ISO 14229 does not include any redundant information of the above mentioned documents. It focuses on the following:

- additional requirements specific to the implementation of UDSonLIN network, and
- specific restrictions in the implementation of UDSonLIN network.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14229-1, *Road vehicles — Unified diagnostic services (UDS) — Part 1: Specification and requirements*

ISO 14229-2, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*

ISO 17987-3, *Road vehicles — Local Interconnect Network (LIN) — Part 3: Protocol specification*