

BSI Standards Publication

Arc welding equipment

Part 1: Welding power sources (IEC 60974-1:2017)



National foreword

This British Standard is the UK implementation of EN IEC 60974-1:2018. It is identical to IEC 60974-1:2017. It supersedes BS EN 60974-1:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee WEE/6, Electric arc welding equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018 Published by BSI Standards Limited 2018

ISBN 978 0 580 84033 3

ICS 13.120; 25.160.30; 97.030

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2018.

Amendments/corrigenda issued since publication

Date Text affected

EN IEC 60071-1

This is a preview of "BS EN IEC 60974-1:20...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

September 2018

ICS 25.160

Supersedes EN 60974-1:2012

English Version

Arc welding equipment - Part 1: Welding power sources (IEC 60974-1:2017)

Matériel de soudage à l'arc - Partie 1: Sources de courant de soudage (IEC 60974-1:2017) Lichtbogenschweißeinrichtungen - Teil 1: Schweißstromquellen (IEC 60974-1:2017)

This European Standard was approved by CENELEC on 2018-07-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60974-1:2018 (E)

This is a preview of "BS EN IEC 60974-1:20...". Click here to purchase the full version from the ANSI store.

European foreword

The text of document 26/610/FDIS, future edition 5 of IEC 60974-1, prepared by IEC/TC 26 "Electric welding" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60974-1:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-03-28 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2021-09-28 document have to be withdrawn

This document supersedes EN 60974-1:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60974-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEO 00000 0000	NOTE	
IEC 60038:2009	NOTE	Harmonized as EN 60038:2011 (modified)
IEC 60085	NOTE	Harmonized as EN 60085
IEC 60204-1	NOTE	Harmonized as EN 60204-1
IEC 60309-1	NOTE	Harmonized as EN 60309-1
IEC 60335-2-29	NOTE	Harmonized as EN 60335-2-29
IEC 60384-14	NOTE	Harmonized as EN 60384-14
IEC 60950-1	NOTE	Harmonized as EN 60950-1
IEC 60974-3	NOTE	Harmonized as EN 60974-3
IEC 60974-4	NOTE	Harmonized as EN 60974-4
IEC 60974-6	NOTE	Harmonized as EN 60974-6
IEC 60974-9	NOTE	Harmonized as EN IEC 60974-9
IEC 60974-10	NOTE	Harmonized as EN 60974-10
IEC 60974-12	NOTE	Harmonized as EN 60974-12
IEC 61032:1997	NOTE	Harmonized as EN 61032:1998 (not modified)
IEC 61558-1	NOTE	Harmonized as EN 61558-1
IEC 62281	NOTE	Harmonized as EN 62281
ISO 13732-1	NOTE	Harmonized as EN ISO 13732-1

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-151	-	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	-	-
IEC 60050-851	-	International Electrotechnical Vocabulary - Part 851: Electric welding	-	-
IEC 60245-6	-	Rubber insulated cables - Rated voltages up to and including 450/750 V Part 6: Arc welding electrode cables	-	-
IEC 60417	-	Graphical symbols for use on equipment. Index, survey and compilation of the single sheets.	HD 243 S12	-
IEC 60445	-	Basic and safety principles for man- machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors	-	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 60695-11-10	-	Fire hazard testing Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	۱ -
IEC 60974-7	-	Arc welding equipment Part 7:Torches	EN 60974-7	-

EN IEC 60974-1:2018 (E)

		Common aspects for installation and equipment		
IEC 61558-2-4	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers	EN 61558-2-4	-
IEC 61558-2-6	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	-
IEC 62133-1	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 1: Nickel systems	EN 62133-1	-
IEC 62133-2	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications - Part 2: Lithium systems	EN 62133-2	-
ISO 7010	2011	Graphical symbols - Safety colours and safety signs - Registered safety signs	EN ISO 7010	2012

CONTENTS

F	DREWC	RD	9
1	Scop	e	11
2	Norm	native references	11
3		s and definitions	
•	3.1	General terms	
	3.2	Terms related to battery systems	
4	_	onmental conditions	
5		S	
Ŭ	5.1	Test conditions	
	5.2	Measuring instruments	
	5.3	Conformity of components	
	5.4	Type tests	
	5.5	Routine tests	
6		ection against electric shock	
	6.1	Insulation	
	6.1.1		
	6.1.2		
	6.1.3		
	6.1.4	. •	
	6.1.5	Dielectric strength	32
	6.2	Protection against electric shock in normal service (direct contact)	34
	6.2.1	Protection provided by the enclosure	34
	6.2.2	Capacitors	34
	6.2.3	3 117 1	
	6.2.4	Isolation of the welding circuit	35
	6.2.5	Welding circuit touch current	35
	6.2.6		36
	6.3	Protection against electric shock in case of a fault condition (indirect contact)	37
	6.3.1		
	6.3.2	Isolation between windings of the supply circuit and the welding circuit	37
	6.3.3	Internal conductors and connections	37
	6.3.4	Additional requirements for plasma cutting systems	38
	6.3.5	Movable coils and cores	38
	6.3.6	Touch current in fault condition	38
7	Ther	mal requirements	39
	7.1	Heating test	39
	7.1.1	Test conditions	39
	7.1.2	Final Control of the	
	7.1.3		
	7.2	Temperature measurement	
	7.2.1		
	7.2.2	•	
	7.2.3		
	7.2.4	•	
	7.2.5	Determination of the ambient air temperature	41

	7.2.6	Recording of temperatures	41
	7.3	Limits of temperature rise	41
	7.3.1	Windings, commutators and slip-rings	41
	7.3.2	External surfaces	42
	7.3.3	Other components	43
	7.4	Loading test	43
	7.5	Commutators and slip-rings	44
8	Therr	mal protection	
	8.1	General requirements	44
	8.2	Construction	
	8.3	Location	
	8.4	Operating capacity	
	8.5	Operation	
	8.6	Resetting	
	8.7	Indication	
9		ormal operation	
9		·	
	9.1	General requirements	
	9.2	Stalled fan test	
	9.3	Short circuit test	
	9.4	Overload test	
10) Conn	nection to the supply network	
	10.1	Supply voltage	
	10.2	Multi-supply voltage	
	10.3	Means of connection to the supply circuit	47
	10.4	Marking of terminals	48
	10.5	Protective circuit	48
	10.5.	1 Continuity requirement	48
	10.5.	2 Type test	49
	10.5.	3 Routine test	49
	10.6	Cable anchorage	50
	10.7	Inlet openings	51
	10.8	Supply circuit on/off switching device	51
	10.9	Supply cables	52
	10.10	Supply coupling device (attachment plug)	52
11	Outp	ut	53
	11.1	Rated no-load voltage	53
	11.1.	1 Rated no-load voltage for use in environments with increased risk of	
		electric shock	53
	11.1.	2 Rated no-load voltage for use in environments without increased risk of electric shock	53
	11.1.	Rated no-load voltage for the use with mechanically held torches with increased protection for the operator	53
	11.1.	4 Rated no-load voltage for special processes for example plasma cutting	53
	11.1.	5 Additional requirements	54
	11.1.	6 Measuring circuits	55
	11.2	Type test values of the conventional load voltage	56
	11.2.	1 Manual metal arc welding with covered electrodes	56
	11.2.	2 Tungsten inert gas	56
	11.2.	3 Metal inert/active gas and flux cored arc welding	56

	11.2.	4	Submerged arc welding	56
	11.2.	5	Plasma cutting	56
	11.2.	6	Plasma welding	56
	11.2.	7	Plasma gouging	56
	11.2.	8	Additional requirements	56
	11.3	Mec	hanical switching devices used to adjust output	57
	11.4	Wel	ding circuit connections	57
	11.4.	1	Protection against unintentional contact	57
	11.4.	2	Location of coupling devices	57
	11.4.	3	Outlet openings	57
	11.4.	4	Three-phase multi-operator welding transformer	57
	11.4.	5	Marking	58
	11.4.	6	Connections for plasma cutting torches	58
	11.5	Pow	er supply to external devices connected to the welding circuit	58
	11.6	Auxi	liary power supply	58
	11.7	Wel	ding cables	59
12	Cont	rol ci	rcuits	59
	12.1	Gen	eral requirement	59
	12.2		ation of control circuits	
	12.3		king voltages of remote control circuits	
13			ducing device	
	13.1		eral requirements	
	13.1		es of hazard reducing devices	
	13.2.		Voltage reducing devices	
	13.2.		Switching device for AC to DC	
	13.2.		uirements for hazard reducing devices	
	13.3.	-	Disabling the hazard reducing devices	
	13.3.		Interference with operation of a hazard reducing device	
	13.3.		Indication of satisfactory operation	
	13.3.	_	Fail to a safe condition	
14			al provisions	
•	14.1		eral requirements	
	14.1		osure	
	14.2.		Enclosure materials	
	14.2.	-	Enclosure strength	
	14.2.		dling means	
	14.3.		Mechanised handling	
	14.3.		Manual handling	
	14.3.		withstand	
	14.4			
1 5			ng stability	
15		•	ite	
	15.1		eral requirements	
	15.2		cription	
	15.3		tents	
	15.4		rances	
, -	15.5		ction of rotation	
16	-		nt of the output	
	16.1	Туре	e of adjustment	68

16.2 Marking of the adjusting device	69
16.3 Indication of current or voltage control	69
17 Instructions and markings	70
17.1 Instructions	70
17.2 Markings	71
Annex A (informative) Nominal voltages of supply networks	72
Annex B (informative) Example of a combined dielectric test	73
Annex C (normative) Unbalanced load in case of AC tungsten inert-gas welding power	
sources	74
C.1 General	74
C.2 Unbalanced load	74
C.3 Example for an unbalanced load	
Annex D (informative) Extrapolation of temperature to time of shutdown	
Annex E (normative) Construction of supply circuit terminals	
E.1 Size of terminals	77
E.2 Connections at the terminals	77
E.3 Construction of the terminals	78
E.4 Fixing of the terminals	78
Annex F (informative) Cross-reference to non-SI units	79
Annex G (informative) Suitability of supply network for the measurement of the true	00
r.m.s. value of the supply current	
Annex H (informative) Plotting of static characteristics	
H.1 General	
H.2 Method	
H.3 Analysis of the results	
Annex I (normative) Test methods for a 10 Nm impact	82
I.1 Pendulum impact hammer	82
I.2 Free fall spherical steel weight	83
Annex J (normative) Thickness of sheet metal for enclosures	84
Annex K (informative) Examples of rating plates	87
Annex L (informative) Graphical symbols for arc welding equipment	94
L.1 General	94
L.2 Use of symbols	94
L.2.1 General	94
L.2.2 Selection of symbols	94
L.2.3 Size of symbols	94
L.2.4 Use of colour	94
L.3 Symbols	95
L.3.1 General	95
L.3.2 Letter symbols	95
L.3.3 Graphical symbols	96
L.4 Examples of combinations of symbols	.116
L.5 Examples of control panels	.118
Annex M (informative) Efficiency and idle state power measurement	.121
M.1 Measuring efficiency	. 121
M.2 Measuring idle state power	
Annex N (normative) Touch current measurement in fault condition	.123

Ar	nnex O ((normative) Battery-powered welding power sources	128
	0.1	General	128
	0.4	Environmental conditions	129
	O.5	Tests	129
	0.5.1	Test conditions	129
	O.5.3	B Conformity of components	130
	0.6	Protection against electric shock	
	0.6.1		
	0.6.2	9	
	0.7	Thermal requirements	
	0.7.1	· · · · · · · · · · · · · · · · · · ·	
	0.7.2	•	
	0.7.4	Š	
	0.7.2	9 9	
	0.8	Thermal protection	
	0.8.1	•	
	0.8.4	1 9 1 9	
	0.9	Abnormal operation	
	O.9.1 O.9.2	•	
	O.9.2		
	O.9.4		
	0.9.4		
	0.9.2		
	0.9.2	·	
	0.9.2		
	0.9.2	•	
	0.9.2		
	0.9.2	• •	
		Connection to the supply network	
	0.10		
	0.10	.8 Supply circuit on/off switching device	140
	0.14	Mechanical provisions	
	0.14	.1 General requirements	141
	0.14	.2 Enclosure	141
	0.14	.4 Drop withstand	141
	0.15	Rating plate	142
	O.15	.3 Contents	142
	O.17	Instructions and markings	144
	0.17	.1 Instructions	144
	0.17	· · · · · · · · · · · · · · · · · · ·	
Bi	bliograp	vhy	146
Fi	gure 1 –	- Example of insulation configuration for Class I equipment	28
Fi	gure 2 –	- Measurement of welding circuit touch current	36
Fi	gure 3 –	- Measurement of touch current in normal condition	36
Fi	gure 4 -	- Measurement of r.m.s. values	55
	_	- Measurement of peak values	
	_		, ,

Figure 6 – Principle of the rating plate	64
Figure B.1 – Combined high-voltage transformers	73
Figure C.1 – Voltage and current during AC tungsten inert-gas welding	74
Figure C.2 – Unbalanced voltage during AC tungsten inert-gas welding	75
Figure C.3 – AC welding power source with unbalanced load	75
Figure I.1 – Test set-up	82
Figure K.1 – Single-phase transformer	87
Figure K.2 – Three-phase rotating frequency converter	88
Figure K.3 – Subdivided rating plate: single-/three-phase transformer rectifier	89
Figure K.4 – Engine-generator-rectifier	90
Figure K.5 – Single-/three-phase inverter type	91
Figure K.6 – Battery powered welding power source with integral battery	92
Figure K.7 – Battery powered welding power source with detachable / separable battery	93
Figure L.1 – Input voltage power switch	119
Figure L.2 – Arc force control potentiometer	119
Figure L.3 – Remote receptacle and selector switches	119
Figure L.4 – Terminals with inductance selector for MIG/MAG welding	119
Figure L.5 – Process switch (MMA, TIG, MIG)	120
Figure L.6 – Selector switch on AC/DC equipment	120
Figure L.7 – Panel indicator lights (overheat, fault, arc striking, output voltage)	120
Figure L.8 – Setting pulsing parameters using digital display	120
Figure N.1 – Measuring network for weighted touch current	123
Figure N.2 – Diagram for touch current measurement on fault condition at operating temperature for single-phase connection of appliances other than those of class II	125
Figure N.3 – Diagram for touch current measurement on fault condition for three-phase four-wire system connection of appliances other than those of class II	127
Figure O.1 – Marking of battery voltage class B electric components	145
Table 1 – Minimum clearances for overvoltage category III	29
Table 2 – Minimum creepage distances	31
Table 3 – Insulation resistance	32
Table 4 – Dielectric test voltages	33
Table 5 – Minimum distance through insulation	37
Table 6 – Temperature limits for windings, commutators and slip-rings	
Table 7 – Temperature limits for external surfaces	43
Table 8 – Cross-section of the output short-circuit conductor	
Table 9 – Current and time requirements for protective circuits	49
Table 10 - Minimum cross-sectional area of the external protective copper conductor	49
Table 11 – Verification of continuity of the protective circuit	
Table 12 – Pull	
Table 13 – Summary of allowable rated no-load voltages	
Table 14 – Hazard reducing device requirements	60

Table E.1 – Range of conductor dimensions to be accepted by the supply circuit terminals	77
Table F.1 – Cross-reference for mm ² to American wire gauge (AWG)	79
Table I.1 – Angle of rotation $ heta$ to obtain 10 Nm impact	82
Table I.2 – Mass of the free fall weight and height of the free fall	83
Table J.1 – Minimum thickness of sheet metal for steel enclosures	85
Table J.2 – Minimum thickness of sheet metal for enclosures of aluminium, brass or copper	86
Table L.1 – Letters used as symbols	95

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT -

Part 1: Welding power sources

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-1 has been prepared by IEC technical committee 26: Electric welding.

This fifth edition cancels and replaces the fourth edition published in 2012 and constitutes a technical revision.

The significant changes with respect to the previous edition are the following:

- improvement of Figure 1 (6.1.1);
- modification of Table 3 (6.1.4);
- description of energy efficiency measurements in Annex M;
- inclusion of battery supplied welding power sources in the scope. Requirements therefore are described in Annex O.

The text of this standard is based on the following documents:

FDIS	Report on voting
26/610/FDIS	26/613/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- conformity statements: in italic type.
- terms defined in Clause 3: in bold type.

A list of all parts of the IEC 60974 series can be found, under the general title *Arc welding equipment*, on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed.
- · withdrawn,
- · replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ARC WELDING EQUIPMENT -

Part 1: Welding power sources

1 Scope

This part of IEC 60974 is applicable to power sources for arc welding and allied processes designed for **industrial and professional use**, and supplied by a voltage not exceeding 1000 V, battery supplied or driven by mechanical means.

This document specifies safety and performance requirements of welding power sources and plasma cutting systems.

This document is not applicable to limited duty arc welding and cutting power sources which are designed mainly for use by laymen and designed in accordance with IEC 60974-6.

This document includes requirements for battery-powered welding power sources and battery packs, which are given in Annex O.

This document is not applicable to testing of power sources during periodic maintenance or after repair.

- NOTE 1 Typical allied processes are electric arc cutting and arc spraying.
- NOTE 2 AC systems having a nominal voltage between 100 V and 1000 V are given in Table 1 of IEC 60038:2009.
- NOTE 3 This document does not include electromagnetic compatibility (EMC) requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices (available at: http://www.electropedia.org)

IEC 60050-851, International Electrotechnical Vocabulary – Part 851: Electric welding (available at: http://www.electropedia.org)

IEC 60245-6, Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 6: Arc welding electrode cables

IEC 60417, *Graphical symbols for use on equipment* (available at: http://www.graphical-symbols.info/equipment)

IEC 60445, Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests