

BSI Standards Publication

Information technology equipment — Safety

Part 22: Equipment to be installed outdoors (IEC 60950-22:2016)



BS EN 60950-22:2017 BRITISH STANDARD

This is a preview of "BS EN 60950-22:2017". Click here to purchase the full version from the ANSI store.

National foreword

This British Standard is the UK implementation of EN 60950-22:2017. It is identical to IEC 60950-22:2016. It supersedes BS EN 60950-22:2006 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/108, Safety of electronic equipment within the field of audio/video, information technology and communication technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 85977 9

ICS 29.020; 35.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2017.

Amendments/corrigenda issued since publication

Date Text affected

EN 60050 22

This is a preview of "BS EN 60950-22:2017". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

April 2017

ICS 29.020; 35.020

Supersedes EN 60950-22:2006

English Version

Information technology equipment - Safety - Part 22: Equipment to be installed outdoors (IEC 60950-22:2016)

Matériels de traitement de l'information - Sécurité -Partie 22: Matériels destinés à être installés à l'extérieur (IEC 60950-22:2016) Einrichtungen der Informationstechnik - Sicherheit -Teil 22: Einrichtungen für den Außenbereich (IEC 60950-22:2016)

This European Standard was approved by CENELEC on 2016-02-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60950-22:2017

This is a preview of "BS EN 60950-22:2017". Click here to purchase the full version from the ANSI store.

European foreword

The text of document 108/615/FDIS, future edition 2 of IEC 60950-22, prepared by IEC/TC 108 "Safety of electronic equipment within the field of audio/video, information technology and communication technology" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60950-22:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-04-14 the document have to be withdrawn

This document supersedes EN 60950-22:2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60950-22:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60364-4-43:2008	NOTE	Harmonized as HD 60364-4-43:2010 (modified).
IEC 60364-5-53 (Clause 534)	NOTE	Harmonized as HD 60364-5-534.
IEC 60664-1	NOTE	Harmonized as EN 60664-1.
IEC 60721-3-4	NOTE	Harmonized as EN 60721-3-4.
IEC 60896-21	NOTE	Harmonized as EN 60896-21.
IEC 60896-22	NOTE	Harmonized as EN 60896-22.
IEC 61439-5:2014	NOTE	Harmonized as EN 61439-5:2015 (not modified).
IEC 61587-1:2011	NOTE	Harmonized as EN 61587-1:2012 (not modified).
IEC 61643	NOTE	Harmonized in EN 61643 / CLC/TS 61643 series.
IEC 61643-11	NOTE	Harmonized as EN 61643-11.

EN 60950-22:2017

This is a preview of "BS EN 60950-22:2017". Click here to purchase the full version from the ANSI store.

IEC 62305-1:2010 NOTE Harmonized as EN 62305-1:2011 (modified).

ISO 4628-3 NOTE Harmonized as EN ISO 4628-3.

EN 60950-22:2017

This is a preview of "BS EN 60950-22:2017". Click here to purchase the full version from the ANSI store.

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-2-11	-	Basic environmental testing procedures - Part 2-11: Tests - Test Ka: Salt mist	EN 60068-2-11	-
IEC 60364	series	Low-voltage electrical installations	HD 384 / HD 60364	series
IEC 60529	1989	Degrees of protection provided by	EN 60529	1991
-	-	enclosures (IP Code)	+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60950-1 (mod)	2005	Information technology equipment -	EN 60950-1	2006
-	-	Safety - Part 1: General requirements	+ AC	2011
-	-		+ A11	2009
+ A1 (mod)	2009		+ A1	2010
-	-		+ A12	2011
+ A2 (mod)	2013		+ A2	2013
IEC 62368-1 (mod)	2014	Audio/video, information and	EN 62368-1	2014
-	-	communication technology equipment - Part 1: Safety requirements	+ AC	2015
-	-		+ AC	2017-03
ISO 178	-	Plastics - Determination of flexural properties	EN ISO 178	-
ISO 179	series	Plastics - Determination of Charpy impact properties	EN ISO 179	series
ISO 180	-	Plastics - Determination of Izod impact strength	EN ISO 180	-
ISO 527	series	Plastics - Determination of tensile properties	EN ISO 527	series

ISO 3231	-	Paints and varnishes - Determination of resistance to humid atmospheres containing sulfur dioxide	EN ISO 3231	-
ISO 4892-1	-	Plastics - Methods of exposure to laboratory light sources - Part 1: General guidance	EN ISO 4892-1	-
ISO 4892-2	-	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2	-
ISO 4892-4	-	Plastics - Methods of exposure to laboratory light sources - Part 4: Open-flame carbon-arc lamps	-	-
ISO 8256	-	Plastics - Determination of tensile- impact strength	EN ISO 8256	-
ISO/TS 18173	2005	Non-destructive testing - General terms and definitions	-	-
ASTM D 471	1998	Standard Test Method for Rubber Property-Effect of Liquids	-	-



CONTENTS

1.1 Equipment covered	FC	REWC)RD	4
1.1 Equipment covered 7 1.2 Additional requirements 7 2 Normative references 7 3 Terms and definitions 8 4 Conditions for outdoor equipment 8 4.1 Ambient air temperature 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.2.3 Mains transient voltage on DC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection requirements for outdoor enclosures 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 General 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13	ΙN	TRODU	JCTION	6
1.2 Additional requirements 77 2 Normative references 7 3 Terms and definitions 8 4 Conditions for outdoor equipment 8 4.1 Ambient air temperature 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.1 General 11 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.5.1 General 13 8.5.2 Oil resistance 13 8.5.3 Securing means 14 9 Protection from plants and vermin	1	Scop	oe	7
2 Normative references .7 3 Terms and definitions .8 4 Conditions for outdoor equipment .8 4.1 Ambient air temperature .8 4.2 Mains supply .9 4.2.1 General .9 4.2.2 Mains transient voltage on AC mains supply .9 4.2.3 Mains transient voltage on DC mains supply .9 4.3 Rise of earth potential .0 5 Marking and instructions .0 6 Protection from electrical shock in an outdoor location .0 6.1 Voltage limits of user-accessible parts in outdoor locations .0 6.2 Limited current circuits in outdoor locations .0 6.3 Protection for socket-outlet in outdoor locations .0 6.3 Protection for socket-outlet in outdoor locations .0 7 Wiring terminals for connection of external conductors .11 8 Construction requirements for outdoor enclosures .11 8.1 General .1 8.2 Resistance to ultra-violet radiation .11 8.3		1.1	Equipment covered	7
3 Terms and definitions 8 4 Conditions for outdoor equipment 8 4.1 Ambient air temperature 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for onnection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus		1.2	Additional requirements	7
4 Conditions for outdoor equipment 8 4.1 Ambient air temperature 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.2.3 Mains transient voltage on DC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to ultra-violet radiation 11 8.3 Resistance to ultra-violet radiation 12 </td <td>2</td> <td>Norn</td> <td>native references</td> <td>7</td>	2	Norn	native references	7
4.1 Ambient air temperature. 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.2.3 Mains transient voltage on DC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to ultra-violet radiation 11 8.3 Test apparatus 12 8.3.1 General 12 8.3.2 <	3	Term	ns and definitions	8
4.1 Ambient air temperature. 8 4.2 Mains supply 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.2.3 Mains transient voltage on DC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to ultra-violet radiation 11 8.3 Test apparatus 12 8.3.1 General 12 8.3.2 <	4	Cond	ditions for outdoor equipment	8
4.2 Mains supply. 9 4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply. 9 4.2.3 Mains transient voltage on DC mains supply. 9 4.3 Rise of earth potential 10 5 Marking and instructions. 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations. 10 6.2 Limited current circuits in outdoor locations. 10 6.3 Protection for socket-outlet in outdoor locations. 10 6.3 Protection for socket-outlet in outdoor locations. 10 7 Wiring terminals for connection of external conductors. 11 8 Construction requirements for outdoor enclosures. 11 8.1 General. 11 8.2 Resistance to ultra-violet radiation. 11 8.3 Resistance to corrosion. 12 8.3.1 General. 12 8.3.2 Test apparatus. 12 8.3.3 Test procedure. 13 8.4 Bottoms of fire enclosures. 13 8.5. Gaskets. 13 8.5.1 General. 13 8.5.2 Oil resistance. 14 8.5.3 Securing				
4.2.1 General 9 4.2.2 Mains transient voltage on AC mains supply 9 4.2.3 Mains transient voltage on DC mains supply 9 4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 9.5 Protection from moisture 14 9.1 Protection from pl			•	
4.2.2 Mains transient voltage on DC mains supply. 9 4.2.3 Mains transient voltage on DC mains supply. 9 4.3 Rise of earth potential. 10 5 Marking and instructions. 10 6 Marking and instructions. 10 6 Protection from electrical shock in an outdoor location. 10 6.1 Voltage limits of user-accessible parts in outdoor locations. 10 6.2 Limited current circuits in outdoor locations. 10 6.3 Protection for socket-outlet in outdoor locations. 10 7 Wiring terminals for connection of external conductors. 11 8 Construction requirements for outdoor enclosures. 11 8.1 General. 11 8.2 Resistance to ultra-violet radiation. 11 8.3 Resistance to corrosion. 12 8.3.1 General. 12 8.3.2 Test apparatus. 12 8.3.3 Test procedure. 13 8.4 Bottoms of fire enclosures. 13 8.5 Gaskets. 13 8.5.1 General.<			• • •	
4.3 Rise of earth potential 10 5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protec		4.2.2	Mains transient voltage on AC mains supply	9
5 Marking and instructions 10 6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.2 Protection from plants and vermin 15		4.2.3	Mains transient voltage on DC mains supply	9
6 Protection from electrical shock in an outdoor location 10 6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15		4.3	Rise of earth potential	10
6.1 Voltage limits of user-accessible parts in outdoor locations 10 6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9.1 Protection from moisture 14 9.1 Protection from plants and vermin 15 9.3.1 General 15 9.3.2 IP5X equipment 15 </td <td>5</td> <td>Mark</td> <td>ring and instructions</td> <td>10</td>	5	Mark	ring and instructions	10
6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3.1 General 15 9.3.2 IP5X equipment 15 <td>6</td> <td>Prote</td> <td>ection from electrical shock in an outdoor location</td> <td>10</td>	6	Prote	ection from electrical shock in an outdoor location	10
6.2 Limited current circuits in outdoor locations 10 6.3 Protection for socket-outlet in outdoor locations 10 7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3.1 General 15 9.3.2 IP5X equipment 15 <td></td> <td>6.1</td> <td>Voltage limits of user-accessible parts in outdoor locations</td> <td>10</td>		6.1	Voltage limits of user-accessible parts in outdoor locations	10
7 Wiring terminals for connection of external conductors 11 8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		6.2		
8 Construction requirements for outdoor enclosures 11 8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		6.3	Protection for socket-outlet in outdoor locations	10
8.1 General 11 8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16	7	Wirir	ng terminals for connection of external conductors	11
8.2 Resistance to ultra-violet radiation 11 8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16	8	Cons	struction requirements for outdoor enclosures	11
8.3 Resistance to corrosion 12 8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		8.1	General	11
8.3.1 General 12 8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 15 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		8.2	Resistance to ultra-violet radiation	11
8.3.2 Test apparatus 12 8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		8.3	Resistance to corrosion	12
8.3.3 Test procedure 13 8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		8.3.1	General	12
8.3.4 Compliance criteria 13 8.4 Bottoms of fire enclosures 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16		8.3.2	• •	
8.4 Bottoms of fire enclosures. 13 8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means. 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture. 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16			•	
8.5 Gaskets 13 8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16			·	
8.5.1 General 13 8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
8.5.2 Oil resistance 14 8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
8.5.3 Securing means 14 9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
9 Protection of equipment within an outdoor enclosure 14 9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
9.1 Protection from moisture 14 9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16	0			
9.2 Protection from plants and vermin 15 9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16	9			
9.3 Protection from excessive dust 15 9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
9.3.1 General 15 9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16			·	
9.3.2 IP5X equipment 15 9.3.3 IP6X equipment 16 10 Mechanical strength of enclosures 16 10.1 General 16 10.2 Impact test 16				
9.3.3 IP6X equipment				
10 Mechanical strength of enclosures1610.1 General1610.2 Impact test16			and the state of t	
10.1 General 16 10.2 Impact test 16	10		·	
10.2 Impact test	-		-	
•				
	11	Outd	·	

11.1 Risk of explosion from lead acid, NiCd and NiMH batteries1	6
11.2 Ventilation preventing an explosive gas concentration	7
11.3 Ventilation test	
Annex A (normative) Water-saturated sulphur dioxide atmosphere (see 8.3.2 and 8.3.320	0
Annex B (normative) Water spray test (see 9.1)	1
Annex C (normative) Ultraviolet light conditioning test (see 8.2)24	4
C.1 Test apparatus24	4
C.2 Mounting of test samples24	4
C.3 Carbon-arc light-exposure apparatus24	4
C.4 Xenon-arc light-exposure apparatus24	4
Annex D (normative) Gasket tests (see 8.5)29	5
D.1 Gasket tests29	5
D.2 Tensile strength and elongation tests29	5
D.3 Compression test	5
D.4 Oil immersion test	6
Annex E (informative) Rationale	7
E.1 General2	7
E.2 Electric shock	7
E.3 Energy related hazards2	7
E.4 Fire	7
E.5 Mechanical hazards28	8
E.6 Heat related hazards28	8
E.7 Radiation	8
E.8 Chemical hazards28	8
E.9 Biological hazards28	8
E.10 Explosion hazards29	9
Bibliography30	0
Figure B.1 – Water-spray test spray-head piping2	2
Figure B.2 – Water-spray test spray head	
Figure D.1 – Gasket test	О
Table 1 – Minimum property retention limits after UV exposure	2
Table 2 – Examples of the provision of pollution degree environments14	4
Table 3 – Values for current $I_{\mbox{float}}$ and $I_{\mbox{boost}}$, factors $f_{\mbox{g}}$ and $f_{\mbox{s}}$, and voltages $U_{\mbox{float}}$ and $U_{\mbox{boost}}$	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INFORMATION TECHNOLOGY EQUIPMENT - SAFETY -

Part 22: Equipment to be installed outdoors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60950-22 has been prepared by IEC TC 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology.

This second edition cancels and replaces the first edition published in 2005. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

more extensive requirements for battery ventilation.

The text of this standard is based on the following documents:

FDIS	Report on voting	
108/615/FDIS	108/634/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 22 of IEC 60950 is intended to be used with IEC 60950-1:2005. The subclauses of IEC 60950-1 apply as far as reasonable. Where safety aspects are similar to those of Part 1 the relevant Part 1 clause or subclause is shown for reference in parentheses after the clause or subclause title in Part 22. Where a requirement in Part 22 refers to a requirement or criterion of Part 1, a specific reference to IEC 60950-1, is made.

A list of all parts in the IEC 60950 series, published under the general title *Information technology equipment – Safety*, can be found on the IEC website.

In this standard, the following print types are used:

- requirements proper and normative annexes: roman type;
- compliance statements and test specifications: italic type;
- notes in the text and in tables: smaller roman type;
- terms that are defined on Clause 3 and in IEC 60950-1: SMALL CAPITALS.

The following differing practices of a less permanent nature exist in the countries indicated below.

- 4.1: Outdoor equipment demand special design at temperatures down to -50 °C (Finland, Norway, Sweden)
- 4.3: Rise of earth potential requirements (USA, Canada)
- 8.5.1: Enclosure types specifications (USA, Canada).
- D.4: In Canada and United States, IRM Immersion Oil No. 903 is accepted (USA, Canada).

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

INTRODUCTION

This standard proposes safety requirements for information technology equipment intended to be installed, when exposed wholly or partly, in a location where protection from the weather and other outdoor influences such as rain, dust, etc. normally provided by a building or other structure is limited or non-existent. There are many examples of information technology equipment in use throughout the world that are housed in special ENCLOSURES located on pavements, mounted on telecommunications poles and situated underground. Presently, IEC 60950 has no requirements for such equipment and this proposal would rectify this omission. The proposed requirements would not apply to portable or transportable equipment that may be occasionally used outdoors, but are not intended to be installed in conditions of inclement weather.

It is expected that IEC TC108 will continue to coordinate the output of its work with other technical committees dealing with equipment installed outdoors, such as IEC TC70 (Degrees of protection provided by enclosures, responsible for IEC 60529) and IEC TC 48 (Electrical connectors and mechanical structures for electrical and electronic equipment).

Annex E describes the rationale behind the treatment of specific safety aspects in this standard.

INFORMATION TECHNOLOGY EQUIPMENT - SAFETY -

Part 22: Equipment to be installed outdoors

1 Scope

1.1 Equipment covered

This part of IEC 60950 applies to information technology equipment intended to be installed in an OUTDOOR LOCATION.

The requirements for OUTDOOR EQUIPMENT also apply, where relevant, to OUTDOOR ENCLOSURES suitable for direct installation in the field and supplied for housing information technology equipment to be installed in an OUTDOOR LOCATION.

1.2 Additional requirements

Each installation may have particular requirements. Some examples are given in 4.2. In addition, requirements for protection of the OUTDOOR EQUIPMENT against the effects of direct lightning strikes are not covered by the standard. For information on this subject, see IEC 62305-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-11, Environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist

IEC 60364 (all parts), Low-voltage electrical installations

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60950-1:2005, Information technology equipment – Safety – Part 1: General requirements

IEC 60950-1:2005/AMD1:2009 IEC 60950-1:2005/AMD2:2013

IEC 62368-1:2014, Audio/video, information and communication technology equipment – Part 1: Safety requirements

ISO 178, Plastics – Determination of flexural properties

ISO 179 (all parts), Plastics – Determination of Charpy impact properties

ISO 180, Plastics - Determination of Izod impact strength

ISO 527 (all parts), Plastics – Determination of tensile properties