### BS EN IEC 61000-3-11:2019

This is a preview of "BS EN IEC 61000-3-11...". Click here to purchase the full version from the ANSI store.



**BSI Standards Publication** 

### **Electromagnetic compatibility (EMC)**

Part 3-11: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — Equipment with rated current  $\leq$  75 A and subject to conditional connection

# bsi.

#### **National foreword**

This British Standard is the UK implementation of EN IEC 61000-3-11:2019. It is identical to IEC 61000-3-11:2017. It supersedes BS EN 61000-3-11:2001, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/210, EMC - Policy committee.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 87340 9

ICS 33.100.10; 45.060.01; 91.140.50

## Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2019.

#### Amendments/corrigenda issued since publication

Date

Text affected

#### 

#### EN IEC 61000 2 11

This is a preview of "BS EN IEC 61000-3-11...". Click here to purchase the full version from the ANSI store.

#### **EUROPÄISCHE NORM**

November 2019

ICS 33.100.10

Supersedes EN 61300-3-11:2000 and all of its amendments and corrigenda (if any)

**English Version** 

#### Electromagnetic compatibility (EMC) - Part 3-11: Limits -Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and subject to conditional connection (IEC 61000-3-11:2017)

Compatibilité électromagnétique (CEM) - Partie 3-11: Limites - Limitation des variations de tension, des fluctuations de tension et du papillotement dans les réseaux publics d'alimentation basse tension - Équipements ayant un courant assigné ≤75 A et soumis à un raccordement conditionnel (IEC 61000-3-11:2017) Elektromagnetische Verträglichkeit (EMV) - Teil 3-11: Grenzwerte – Begrenzung von Spannungsänderungen, Spannungsschwankungen und Flicker in öffentlichen Niederspannungs-Versorgungsnetzen für Geräte mit einem Bemessungsstrom ≤ 75 A je Leiter, die einer Sonderanschlussbedingung unterliegen (IEC 61000-3-11:2017)

This European Standard was approved by CENELEC on 2017-05-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

#### European foreword

The text of document 77A/929/CDV, future edition 2 of IEC 61000-3-11, prepared by SC 77A "EMC - Low frequency phenomena" of IEC/TC 77 "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61000-3-11:2019.

The following dates are fixed:

•	latest date by which the document has to be implemented at national	(dop)	2020-05-01
	level by publication of an identical national standard or by endorsement		

• latest date by which the national standards conflicting with the (dow) 2022-11-01 document have to be withdrawn

This document supersedes EN 61300-3-11:2000 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 61000-3-11:2017 was approved by CENELEC as a European Standard without any modification.

(normative)

## Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="http://www.cenelec.eu">www.cenelec.eu</a>.

Publication	Year	<u>Title</u>	<u>EN/HD</u>	Year
IEC 60050-161	-	International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility	-	-
IEC 61000-3-3	2013	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC/TR 60725	-	Consideration of reference impedances and public supply network impedances for use in determining disturbance characteristics of electrical equipment having a rated current =< 75 A per phase	-	-

#### CONTENTS

FOREWORD					
INTRODUCTION					
1 Scope					
2 Normative references					
3 Terms and definitions					
Requirements7					
5 Limits					
6 Test, measurement and evaluation procedures9					
6.1 Overview					
6.2 Test and measurement procedures9					
6.2.1 Test impedance Z <sub>test</sub> 9					
6.2.2 Test of equipment against Z <sub>test</sub> 10					
6.2.3 Evaluation against Z <sub>ref</sub> 10					
6.3 Evaluation and declaration by the manufacturer of the maximum permissible system impedance					
6.3.1 Comparison of calculated and measured emission values with Clause 5 limits to enable a declaration of compliance with IEC 61000-3-310					
6.3.2 Calculation of the maximum permissible system impedance					
6.4 Evaluation and declaration by the manufacturer of the minimum permissible service current capacity					
Annex A (informative) Explanation of flicker exponents					
A.1 Overview					
A.2 Explanation of Clause 6					
Annex B (informative) Flow chart showing the evaluation and test procedures leading to the connection of equipment					
Figure A.1 – Typical motor starting RMS voltage variation plot					
Figure A.2 – Visualization of the relationship between items of equipment " $n$ " and $P_{st}$					
Figure A.3 – Impedance requirements as a function of individual $P_{st@Zref}$ values and penetration level <i>n</i>					
Figure B.1 – Flow chart showing the evaluation and test procedures leading to the connection of equipment					
Figure B.2 – Reference network for single and three-phase supplies derived from a three-phase, four-wire supply					
Table 1 – Suffixes and their applications					

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### ELECTROMAGNETIC COMPATIBILITY (EMC) -

## Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤75 A and subject to conditional connection

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-3-11 has been prepared by sub-committee 77A: EMC – Low-frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This second edition cancels and replaces the first edition published in 2000. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) addition of a new Annex A which explains the limitations and effectiveness of IEC 61000-3-11 regarding the connection of multiple items of similar equipment at the same location in the supply network.

The text of this International Standard is based on the following documents:

CDV	Report on voting
77A/929/CDV	77A/947/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000, published under the general title *Electromagnetic compatibility* (*EMC*), can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

#### Part 1: General

General considerations (introduction, fundamental principles) Definitions, terminology

#### Part 2: Environment

Description of the environment Classification of the environment Compatibility levels

#### Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of product committees)

#### Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

#### Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

#### Part 9: Miscellaneous

Each part is further subdivided into several parts published either as International Standards or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-3-11).

#### ELECTROMAGNETIC COMPATIBILITY (EMC) -

## Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤75 A and subject to conditional connection

#### 1 Scope

This part of IEC 61000 is concerned with the emission of voltage changes, voltage fluctuations and flicker produced by equipment and impressed on the public low-voltage supply system.

It specifies the limits of voltage changes produced by equipment tested under specified conditions.

This document is primarily applicable to electrical and electronic equipment having a rated input current from 16 A up to and including 75 A, which is intended to be connected to public low-voltage distribution systems having nominal system voltages of between 220 V and 250 V, line-to-neutral at 50 Hz, and which is subject to conditional connection.

This document is also applicable to equipment within the scope of IEC 61000-3-3 that does not meet the limits when tested or evaluated with reference impedance  $Z_{ref}$  and is therefore subject to conditional connection. Equipment which meets the requirements of IEC 61000-3-3 is excluded from this part of IEC 61000.

Equipment tests made in accordance with this document are type tests.

NOTE 1 The flicker limits specified in this document, being the same as those in IEC 61000-3-3, are based on the subjective severity of the flicker imposed on the light from 230 V/60 W coiled-coil filament lamps when subjected to fluctuations of the supply voltage. For systems with nominal voltages less than 220 V, line-to-neutral and/or frequency of 60 Hz, the limits and reference circuit values are under consideration.

NOTE 2 The limits in this document relate to the voltage changes experienced by consumers connected at the interface between the public supply low-voltage network and the equipment user's installation. Therefore, it cannot be guaranteed that the users of equipment compliant with this standard will not experience supply disturbance within their own installation due to the operation of this equipment alone, as the impedance at the point of connection of the equipment to the supply within the installation can have an impedance greater than the maximum permissible impedance as determined by the procedures in this document.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility (available at www.electropedia.org)

IEC TR 60725, Consideration of reference impedances and public supply network impedances for use in determining the disturbance characteristics of electrical equipment having a rated current  $\leq$ 75 A per phase

IEC 61000-3-3:2013, Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq$  16 A per phase and not subject to conditional connection