



BSI Standards Publication

Thermal insulation products for buildings - In-situ formed loose-fill mineral wool (MW) products

Part 1: Specification for the loose-fill products before installation

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 14064-1:2018. It supersedes BS EN 14064-1:2010, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/72, Rigid cellular materials.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018

Published by BSI Standards Limited 2018

ISBN 978 0 580 88143 5

ICS 91.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 14064-1:2018". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

October 2018

ICS 91.100.60

Supersedes EN 14064-1:2010

English Version

Thermal insulation products for buildings - In-situ formed loose-fill mineral wool (MW) products - Part 1: Specification for the loose-fill products before installation

Produits isolants thermiques pour le bâtiment -
Isolation thermique formée sur chantier à base de laine
minérale (MW) - Partie 1: Spécification des produits en
vrac avant l'installation

Wärmedämmstoffe für Gebäude - An der
Verwendungsstelle hergestellte Wärmedämmung aus
Mineralwolle (MW) - Teil 1: Spezifikation für
Schüttdämmstoffe vor dem Einbau

This European Standard was approved by CEN on 2 March 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	5
1 Scope	7
2 Normative references	7
3 Terms, definitions, symbols and abbreviations	8
3.1 Terms and definitions	8
3.2 Symbols and abbreviations	9
4 Characteristics	10
4.1 General.....	10
4.2 For all applications.....	10
4.2.1 Thermal conductivity – Thermal resistance.....	10
4.2.2 Weight of the sale unit.....	11
4.2.3 Settlement.....	11
4.2.4 Reaction to fire.....	12
4.2.5 Durability characteristics	12
4.3 For specific applications.....	13
4.3.1 General.....	13
4.3.2 Airflow resistivity	13
4.3.3 Water absorption.....	13
4.3.4 Water vapour diffusion resistance	13
4.3.5 Reaction to fire of product in standardized assemblies simulating end-use applications.....	13
4.3.6 Release of dangerous substances.....	13
4.3.7 Continuous glowing combustion	14
5 Test methods	14
5.1 Sampling.....	14
5.2 Conditioning.....	14
5.3 Testing.....	14
5.3.1 General.....	14
5.3.2 Thermal resistance and thermal conductivity.....	15
5.3.3 Reaction to fire.....	16
6 Designation code	16
6.1 General.....	16
6.2 Assessment and Verification of the Constancy of Performance (AVCP)General.....	16
6.3 Factory production control	17
7 Marking and labelling	17
Annex A (normative) Determination of the declared values of thermal resistance and thermal conductivity	20
A.1 General.....	20
A.2 Input data.....	20
A.3 Declared values.....	20
Annex B (normative) Factory production control	24

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

Annex C (normative) Specimen preparation method for thermal resistance and thermal conductivity test.....	26
C.1 Principle.....	26
C.2 Procedure.....	26
Annex D (normative) Specimen preparation method for water absorption test.....	29
D.1 Principle.....	29
D.2 Procedure.....	29
Annex E (normative) Specimen preparation method for air flow resistivity test — Principle.....	30
Annex F (normative) Testing for reaction to fire of products	31
F.1 Scope	31
F.2 Product and installation parameters	31
F.3 Standardized Mounting and fixing	32
Annex G (normative) Testing for reaction to fire of products in standardized assemblies simulating end-use application(s).....	33
G.1 Scope	33
G.2 Product and installation parameters	33
G.3 Standardized Mounting and fixing	34
Annex H (normative) Rules for creating performance charts for loose-fill insulation and examples of performance charts.....	35
H.1 General	35
H.2 Performance chart for loft application when method 1 or 2 (Annex A) are used.....	35
H.3 Performance chart for masonry cavity wall insulation, and frame constructions insulation (method 1 Annex A).....	38
Annex I (normative) Specimen preparation method for coverage and density measurement	40
I.1 Principle.....	40
I.2 Procedure for attics floors application.....	40
I.3 Procedure for closed construction.....	41
Annex J (normative) Thermal insulating products for lofts and closed cavities - Determination of settlement for blown or injected loose fill insulation.....	46
J.1 Settlement after ageing	46
J.2 Test report	50
Annex K (informative) Masonry cavity walls - Method for determining suitable spacings for blowing holes	51
K.1 Test house	51
K.2 Test method.....	51
K.3 Observations	51
K.4 Installation procedure.....	51

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011.....	53
Bibliography.....	57

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 14064-1:2018) has been prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019 and conflicting national standards shall be withdrawn at the latest by July 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14064-1:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

For relationship with EU Regulation(s), see informative Annex ZA, which is an integral part of this document.

EN 14064-1:2018 includes the following significant technical changes with respect to EN 14064-1:2010:

- Improved clarification regarding how to determine lambda value in the application: Annex A has been totally revised and Annex C has been revised to be more precise;
- New ways to assess settlement in cavity wall application and then a new Annex J has been defined;
- Clarification of Annex H;
- Specimen preparation method for coverage and density measurement: Annex I has been totally revised;
- Introduction of glowing combustion;
- New Annex ZA.

EN 14064, *Thermal insulation products for buildings — In situ formed loose-fill mineral wool (MW) products*, consists of two parts which form a package. The first part (this European Standard), which is the harmonized part satisfying the mandate, Construction Product regulation (CPR) and is the basis for the CE marking, covers the products, which are placed on the market. The second part, which is the non-harmonized part, covers the specification for the installed products. Both parts need to be used for the application of the insulation product in the end-use applications covered by EN 14064.

This European Standard contains twelve annexes:

- Annex A (normative) Determination of the declared values of thermal resistance and thermal conductivity
- Annex B (normative) Factory production control
- Annex C (normative) Specimen preparation for thermal resistance and thermal conductivity test

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

- Annex D (normative) Specimen preparation for water absorption test
- Annex E (normative) Specimen preparation for airflow resistivity test
- Annex F (normative) Testing for reaction to fire of products
- Annex G (normative) Testing for reaction to fire of products in standardized assemblies simulating end-use applications
- Annex H (normative) Rules for creating performance charts for loose-fill insulation and examples of performance charts
- Annex I (normative) Specimen preparation method for coverage and density measurement
- Annex J (normative) Determination of settlement for blown loose fill insulation
- Annex K (informative) Masonry cavity walls – Method for determining suitable spacing for blowing holes
- Annex ZA (informative) Relationship of this European Standard with Regulation (EU) No.305/2011

This European Standard is one of a series for mineral wool, expanded clay, expanded perlite, exfoliated vermiculite, polyurethane/polyisocyanurate, cellulose and bound expanded polystyrene *in situ* formed insulation products used in buildings, but this standard may be used in other areas where appropriate.

The reduction in energy used and emissions produced during the installed life of insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 14064-1:2018". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This document specifies the requirements for blown and injected loose-fill mineral wool products for *in situ* installation in lofts, masonry cavity walls and frame constructions.

This document is a specification for the insulation products before installation. It describes the product characteristics and includes procedures for testing, marking and labelling.

This document does not specify the required level of a given property to be achieved by a product to demonstrate fitness for purpose in a particular application. The levels required for a given application are to be found in regulations or non-conflicting standards.

NOTE To avoid water penetration in masonry walls special tests adjusted to local climate might be needed.

This document does not cover factory made mineral wool (MW) insulation products or *in situ* products intended to be used for the insulation of building equipment and industrial installations.

Products with a declared thermal resistance lower than 0,25 m²·K/W or a declared thermal conductivity greater than 0,060 W/(m·K) at 10 °C are not covered by this document.

This document does not cover products intended for airborne sound insulation and for acoustic absorption applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 823, *Thermal insulating products for building applications - Determination of thickness*

EN 1609, *Thermal insulating products for building applications - Determination of short term water absorption by partial immersion*

EN 12667, *Thermal performance of building materials and products - Determination of thermal resistance by means of guarded hot plate and heat flow meter methods - Products of high and medium thermal resistance*

EN 13172, *Thermal insulation products - Evaluation of conformity*

EN 13501-1, *Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests*

EN 13820, *Thermal insulating materials for building applications - Determination of organic content*

EN 13823, *Reaction to fire tests for building products - Building products excluding floorings exposed to the thermal attack by a single burning item*

EN 15715, *Thermal insulation products - Instructions for mounting and fixing for reaction to fire testing - Factory made products*

EN 16516:2017, *Construction products: Assessment of release of dangerous substances - Determination of emissions into indoor air*

EN 16733, *Reaction to fire tests for building products - Determination of a building product's propensity to undergo continuous smouldering*

EN 29053, *Acoustics - Materials for acoustical applications - Determination of airflow resistance (ISO 9053)*