Incorporating corrigendum October 2014



BSI Standards Publication

Rolling bearings — Radial bearings — Geometrical product specifications (GPS) and tolerance values



BS ISO 492:2014 BRITISH STANDARD

This is a preview of "BS ISO 492:2014". Click here to purchase the full version from the ANSI store.

This British Standard is the UK implementation of ISO 492:2014. It supersedes BS ISO 492:2002 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/7, Rolling bearings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 88150 3

ICS 21.100.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2014.

Amendments/corrigenda issued since publication

Date	Text affected
31 October 2014	Implementation of ISO corrected text 15 September 2014: Title corrected

ISO

This is a preview of "BS ISO 492:2014". Click here to purchase the full version from the ANSI store.

Fifth edition 2014-07-15

Corrected version 2014-09-15

Rolling bearings — Radial bearings — Geometrical product specifications (GPS) and tolerance values

Roulements — Roulements radiaux — Spécification géométrique des produits (GPS) et valeurs de tolérance



BS ISO 492:2014 ISO 492:2014(E)

This is a preview of "BS ISO 492:2014". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Con	tent	S	Page
Forev	vord		iv
Intro	ductio	n	v
1	Scop	e	1
2	Normative references		1
3	Term	ns and definitions	1
4	Symb	ools	1
5	Limit 5.1 5.2 5.3 5.4 5.5	t deviations and tolerance values General Radial bearings except tapered roller bearings Radial tapered roller bearings Radial bearings, outer ring flanges Basically tapered bores, tapers 1:12 and 1:30	17 18 28 41
Anne	x A (in: giver	formative) Symbols and terms as given in ISO 492:2002 in relation to descriptions n in this International Standard	44
Anne		formative) Example of drawing indications of characteristics with specification for all bearings	
Anne	x C (inf	formative) Illustration of ISO 1132-1 and ISO 14405-1 terms and definitions	50
Anne	x D (in	formative) Description with illustrations for specification modifiers of linear sizes	s57
Rihlia	ogrank		66

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 4, *Rolling bearings*, Subcommittee SC 4, *Tolerances, tolerance definitions and symbols (including GPS)*.

This fifth edition cancels and replaces the fourth edition (ISO 492:2002), which has been technically revised.

This corrected version of ISO 492:2014 incorporates the correction of the title.

Introduction

This International Standard is a machine element geometry standard as defined in the geometrical product specification (GPS) system as presented in master plan of ISO/TR 14638.[12]

The fundamental rules of ISO/GPS given in ISO 8015[8] apply to this International Standard and the default decision rules given in ISO 14253-1[10] apply to the specifications made in accordance with this International Standard, unless otherwise indicated.

The connection between functional requirements, measuring technique and measuring uncertainty is always intended to be considered. The traditionally used measuring technique is described in ISO 1132-2. [5] For measurement uncertainty it is intended that ISO 14253-2[11] should be considered.

This is a preview of "BS ISO 492:2014". Click here to purchase the full version from the ANSI store.	

Rolling bearings — Radial bearings — Geometrical product specifications (GPS) and tolerance values

1 Scope

This International Standard specifies dimensional and geometrical characteristics, limit deviations from nominal sizes, and tolerance values to define the interface (except chamfers) of radial rolling bearings. Nominal boundary dimensions are defined in ISO 15, ISO 355[2] and ISO 8443[9].

This International Standard does not apply to certain radial bearings of particular types (e.g. needle roller bearings) or for particular fields of application (e.g. airframe bearings and instrument precision bearings). Tolerances for such bearings are given in the relevant International Standards.

Chamfer dimension limits are given in ISO 582.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15, Rolling bearings — Radial bearings — Boundary dimensions, general plan

ISO 582, Rolling bearings — Chamfer dimensions — Maximum values

ISO 1101, Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out

ISO 5593, Rolling bearings — Vocabulary

ISO 14405-1, Geometrical product specifications (GPS) — Dimensional tolerancing — Part 1: Linear sizes

ISO/TS 17863, Geometrical product specification (GPS) — Geometrical tolerancing of moveable assemblies

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1101, ISO 5593, ISO 14405-1, and ISO/TS 17863 apply.

4 Symbols

To express that the ISO/GPS system, ISO $8015^{[8]}$, is applied, the dimensional and geometrical characteristics shall be included in the technical product documentation (for example, on the drawing). The dimensional and geometrical specifications, associated to these characteristics are described in Table 1 and Figures 1 to 17.

Descriptions for symbols are in accordance with GPS terminology; relationships with traditional terms are described in Annex A.

A tolerance value associated to a characteristic is symbolised by t followed by the symbol for the characteristic, for example t_{VBs} .

In this International Standard, the ISO default specification operator for size is in accordance with ISO 14405-1, i.e. the two-point size is valid. Some specification modifiers are described in Annex D.