

BSI Standards Publication

Series 1 freight containers — Specification and testing

Part 3: Tank containers for liquids, gases and pressurized dry bulk



BS ISO 1496-3:2019 BRITISH STANDARD

This is a preview of "BS ISO 1496-3:2019". Click here to purchase the full version from the ANSI store.

National foreword

This British Standard is the UK implementation of ISO 1496-3:2019. It supersedes BS ISO 1496-3:1995, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee TW/1, Freight containers and swap bodies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 88288 3

ICS 55.180.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2019.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL

ISO

This is a preview of "BS ISO 1496-3:2019". Click here to purchase the full version from the ANSI store.

Fifth edition 2019-04-25

Series 1 freight containers — Specification and testing —

Part 3:

Tank containers for liquids, gases and pressurized dry bulk

Conteneurs de la série 1 — Spécifications et essais —

Partie 3: Conteneurs-citernes pour les liquides, les gaz et les produits solides en vrac pressurisés



Reference number ISO 1496-3:2019(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Post	Con	Contents						
2 Normative references 1 3 Terms and definitions 1 4 Dimensions and ratings 2 4.1 External dimensions 2 4.2 Ratings 2 5 Design requirements 2 5.1 General 3 5.2 Corner fittings 3 5.2.1 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Tank 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.7 Sealing (customs requirements) 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 7 5.7.5 Tank heating and refrigeration 7 6.2 Test No. 1 — Stacking 8 <	Forev	word		v				
2 Normative references 1 3 Terms and definitions 1 4 Dimensions and ratings 2 4.1 External dimensions 2 4.2 Ratings 2 5 Design requirements 2 5.1 General 3 5.2 Corner fittings 3 5.2.1 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Tank 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.7 Sealing (customs requirements) 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 7 5.7.5 Tank heating and refrigeration 7 6.2 Test No. 1 — Stacking 8 <	1	Scop)e	1				
3 Terms and definitions 1 4 Dimensions and ratings 2 4.1 External dimensions 2 4.2 Ratings 2 4.2 Ratings 2 5 Design requirements 2 5.1 General 3 5.2 Corner fittings 3 5.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.6 Tank 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 5 5.6.7 Valid ways 6 5.6.6 Journal openings 6 6.6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6	2	-						
4 Dimensions and ratings 2 4.1 External dimensions 2 4.2 Ratings 2 4.2 Ratings 2 5 Design requirements 2 5.1 General 2 5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.5 Inspection and maintenance openings 6 5.6.7 Scaling (customs requirements) 6 5.7.0 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.2 Tank heating and refrigeration 7 6 Testing 7 6.1 General<								
4.1 External dimensions 2 4.2 Rattings 2 S pesign requirements 2 5.1 General 3 5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Scaling (customs requirements) 6 5.6.7 Optional features 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 7 5.7.2 Walkways 6 5.7.3 Ladders 7 5.7.	3	Terms and definitions						
4.2 Design requirements 2 5.1 General 2 5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.6.7 Sealing (customs requirements) 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 7 5.7.5 Tank heating and refrigeration 7 6 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 9 6.2.2 Procedure 8 6.3.1 General 9 <th>4</th> <th></th> <th></th> <th></th>	4							
5 Design requirements 2 5.1 General 2 5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 6.5.7.1 Gooseneck tunnels 7 5.7.2 Tank heating and refrigeration 7 6.1								
5.1 General 2 5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Scaling (customs requirements) 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 6.7.2 Tank heating and refrigeration 7 6 Testing 7 6.1 General		4.2	Ratings	2				
5.2 Corner fittings 3 5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 5 5.6.7 Sealing (customs requirements) 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 6.5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 7	5							
5.2.1 General 3 5.2.2 Doubler plates 3 5.3 Base structure 3 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.3.3 Requirements 9 6.3.1 General 9 6.4.2 Procedure 9 <td></td> <td></td> <td></td> <td></td>								
5.2 Doubler plates 3 5.3 Base structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Goseneck tunnels 6 5.7.2 Walkways 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure		5.2						
5.3 Base structure 4 5.4 End structure 4 5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 8 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 9								
5.4 End structure 4 5.5 Side structure 4 5.6 Tank. 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 Gen		53	1					
5.5 Side structure 4 5.6 Tank 4 5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Fressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Scaling (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank hinsulation 7 6.7 Tank insulation 7 6.7 Tank heating and refrigeration 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 9 6.3.1 General 9								
5.6.1 Design and construction 4 5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 7 6.2.2 Procedure 8 6.2.3 Requirements 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requireme								
5.6.2 Corrosion allowance 4 5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.2 Walkways 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 <td< td=""><td></td><td>5.6</td><td></td><td></td></td<>		5.6						
5.6.3 Tank openings 4 5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.4 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9								
5.6.4 Pressure and vacuum relief devices 5 5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9<								
5.6.5 Inspection and maintenance openings 6 5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1								
5.6.6 Gauging devices 6 5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1 General 10 6.5.2 Procedure 9 6.4.3 Requirements 10 6.5.2 Procedure 10								
5.6.7 Sealing (customs requirements) 6 5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.5.1 General 10 6.5.2								
5.7 Optional features 6 5.7.1 Gooseneck tunnels 6 5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.2 Procedure 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 <								
5.7.2 Walkways 6 5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.5.1 General 10		5.7						
5.7.3 Ladders 6 5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
5.7.4 Tank insulation 6 5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10			, and the second					
5.7.5 Tank heating and refrigeration 7 6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4.1 General 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6 Testing 7 6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.1 General 7 6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3						
6.2 Test No. 1 — Stacking 8 6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10	6							
6.2.1 General 8 6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10 6.6.3 Requirements 10								
6.2.2 Procedure 8 6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		0.2	<u> </u>					
6.2.3 Requirements 8 6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.3 Test No. 2 — Lifting from the four top corner fittings 9 6.3.1 General 9 6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.3.2 Procedure 9 6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		6.3						
6.3.3 Requirements 9 6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.4 Test No. 3 — Lifting from the four bottom corner fittings 9 6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6.1 General 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.4.1 General 9 6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		<i>C</i> 1						
6.4.2 Procedure 9 6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		6.4						
6.4.3 Requirements 10 6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.5 Test No. 4 — External restraint (longitudinal) 10 6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.5.1 General 10 6.5.2 Procedure 10 6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10		6.5						
6.5.3 Requirements 10 6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.6 Test No. 5 — Internal restraint (longitudinal) (dynamic) 10 6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.6.1 General 10 6.6.2 Procedure 10 6.6.3 Requirements 10								
6.6.2 Procedure 10 6.6.3 Requirements 10		6.6						
6.6.3 Requirements								
1								
		6.7	1					

		6.7.1	General	10	
		6.7.2	Procedure	11	
		6.7.3	Requirements	11	
	6.8	Test No.	. 7 — Rigidity (transverse)		
		6.8.1	General		
		6.8.2	Procedure	11	
		6.8.3	Requirements	11	
	6.9	Test No.	.8 — Rigidity (longitudinal)	12	
		6.9.1	General	12	
		6.9.2	Procedure	12	
		6.9.3	Requirements	12	
	6.10	Test No.	. 9 — Load-transfer area test	12	
		6.10.1	General	12	
		6.10.2	Procedure	12	
		6.10.3	Requirements	12	
	6.11	Test No.	. 10—Walkways (where provided)		
		6.11.1	General	13	
		6.11.2	Procedure	13	
		6.11.3	Requirements	13	
	6.12	Test No.	. 11 — Ladders (where provided)	13	
		6.12.1	General	13	
		6.12.2	Procedure	13	
		6.12.3	Requirements	13	
	6.13	Test No.	. 12 — Pressure test	13	
		6.13.1	General	13	
		6.13.2	Procedure	13	
		6.13.3	Requirements	14	
7	Identi	fication	and marking	14	
Annex	A (nor	mative)	Diagrammatic representation of capabilities appropriate to all types		
			nk containers, except where otherwise stated	15	
Annex B (normative) Dynamic longitudinal impact test					
Riblio	rranhv	7		25	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 104, *Freight containers*, Subcommittee SC 2, *Specific purpose containers*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This fifth edition cancels and replaces the fourth edition (ISO 1496-3:1995) which has been technically revised. It also incorporates the Amendment ISO 1496-3:1995/Amd 1:2006. The main changes compared to the previous edition are as follows:

- the container type codes have been revised in accordance to ISO 6346;
- the ratings and stacking forces have been revised in accordance to ISO 668;
- the load transfer areas of base structure have been referenced to ISO 668;
- the stacking test no. 1 ratings have been revised in accordance with ISO 668;
- the insulation thermal test has been referenced to ISO 1496-2.

A list of all parts in the ISO 1496 series can be found on the ISO website.



Series 1 freight containers — Specification and testing —

Part 3:

Tank containers for liquids, gases and pressurized dry bulk

1 Scope

This document specifies the basic specifications and testing requirements for ISO series 1 tank containers suitable for the carriage of gases, liquids and solid substances (dry bulk) which can be loaded or unloaded as liquids by gravity or pressure discharge, for international exchange and for conveyance by road, rail and sea, including interchange between these forms of transport.

Except where otherwise stated, the requirements of this document are minimum requirements.

The container types covered by this document are given in <u>Table 1</u>.

Table 1 — Container types (in accordance with ISO 6346:1995/Amd 3:2012, Table E1)

Code	Type designation	Type group code
K	Pressurized tank containers (liquids and gases)	KL
	Pressurized and non-pressurized tank containers (dry)	NH
N		NN
		NP

The marking requirements for these containers are given in ISO 6346.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 668, Series 1 freight containers — Classification, dimensions and ratings

ISO 830, Freight containers — Vocabulary

ISO 1161, Series 1 freight containers — Corner fittings — Specification

ISO 6346, Freight containers — Coding, identification and marking

ISO 6487, Road vehicles — Measurement techniques in impact tests — Instrumentation

EN 13374, Temporary edge protection systems — Product specification — Test methods

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 830 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/