

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

BS EN ISO 8308:2015



BSI Standards Publication

Rubber and plastics hoses and tubing — Determination of transmission of liquids through hose and tubing walls

bsi.

...making excellence a habit.™

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

This British Standard is the UK implementation of EN ISO 8308:2015. It supersedes BS EN ISO 8308:2008 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/66, Rubber and plastics tubing, hoses and hose assemblies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 89090 1

ICS 23.040.70

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

October 2015

ICS 23.040.70

Supersedes EN ISO 8308:2008

English Version

Rubber and plastics hoses and tubing - Determination of transmission of liquids through hose and tubing walls (ISO 8308:2015)

Tuyaux et tubes en caoutchouc et en plastique -
Détermination de la transmission des liquides à travers
les parois des tuyaux et des tubes (ISO 8308:2015)

Gummi- und Kunststoffschläuche mit und ohne
Einlagen - Bestimmung der Durchlässigkeit von
Schlauchwandungen gegenüber Flüssigkeiten (ISO
8308:2015)

This European Standard was approved by CEN on 29 August 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN ISO 8308:2015) has been prepared by Technical Committee ISO/TC 45 "Rubber and rubber products" in collaboration with Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2016, and conflicting national standards shall be withdrawn at the latest by April 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8308:2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 8308:2015 has been approved by CEN as EN ISO 8308:2015 without any modification.

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
3.1 Method A.....	1
3.2 Method B.....	1
4 Test liquid	1
5 Method A	2
5.1 Apparatus.....	2
5.2 Test pieces.....	2
5.3 Test temperature.....	3
5.4 Test pressure.....	3
5.5 Procedure.....	3
5.6 Expression of results.....	3
5.7 Test report.....	4
6 Method B	4
6.1 Apparatus.....	4
6.2 Test piece.....	5
6.3 Test temperature.....	5
6.4 Procedure.....	5
6.5 Expression of results.....	6
6.6 Test report.....	7

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 1, *Hoses (rubber and plastics)*.

This fourth edition cancels and replaces the third edition (ISO 8308:2006), which has been technically revised with changes in [Clause 1](#), [5.2](#), [5.4](#), [5.7 b\)](#) and [6.6 b\)](#).

This is a preview of "BS EN ISO 8308:2015". [Click here to purchase the full version from the ANSI store.](#)

Rubber and plastics hoses and tubing — Determination of transmission of liquids through hose and tubing walls

1 Scope

This International Standard specifies two methods for the determination of transmission of liquids through hose and tubing walls. Both methods are applicable to rubber and plastics hose and tubing, and comprise:

- method A, for all hose and tubing sizes and constructions: a practical comparative test, simulating working conditions;
- method B, for hose and tubing up to 16 mm inside diameter.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4671, *Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies*

ISO 4788, *Laboratory glassware — Graduated measuring cylinders*

ISO 23529, *Rubber — General procedures for preparing and conditioning test pieces for physical test methods*

3 Principle

3.1 Method A

This method is carried out on an assembly mounted in a test apparatus fitted with equipment to fill and measure a charged volume of a volatile liquid. The system is put under pressure, and the change in volume measured at 24 h intervals until the change has become constant with time, i.e. an equilibrium state has been reached. The test result is this steady-state evaporation rate, expressed as the volume of liquid lost per hour per unit inside surface area of the hose or tubing.

3.2 Method B

This method uses a pressureless reservoir. A length of hose or tubing is attached to the reservoir, the other end of the hose or tubing being plugged. The reservoir is partially filled with test liquid and sealed. The assembly is weighed at the start of the test, and once every 24 h for eight days. The test result is the maximum mass of liquid lost in any one 24 h period per unit inside surface area of the hose or tubing.

NOTE The method accounts for loss by permeation and evaporation and helps to minimize selective permeation of components in a fuel mixture since the liquid is agitated daily.

4 Test liquid

The test liquid shall be that specified in the appropriate product standard.