



BSI Standards Publication

# Safety of transformers, reactors, power supply units and combinations thereof

---

Part 1: General requirements and tests

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## National foreword

This British Standard is the UK implementation of EN IEC 61558-1:2019. It is identical to IEC 61558-1:2017. It supersedes BS EN 61558-1:2005+A1:2009, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PEL/96, Small transformers.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019  
Published by BSI Standards Limited 2019

ISBN 978 0 580 91205 4

ICS 29.180

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2019.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## EUROPÄISCHE NORM

June 2019

ICS 29.180

Supersedes EN 61558-1:2005

English Version

## Safety of transformers, reactors, power supply units and combinations thereof - Part 1: General requirements and tests (IEC 61558-1:2017)

Sécurité des transformateurs, bobines d'inductance, blocs d'alimentation et des combinaisons de ces éléments -  
Partie 1: Exigences générales et essais  
(IEC 61558-1:2017)

Sicherheit von Transformatoren, Netzgeräten, Drosseln und entsprechenden Kombinationen - Teil 1: Allgemeine Anforderungen und Prüfungen  
(IEC 61558-1:2017)

This European Standard was approved by CENELEC on 2017-11-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## European foreword

The text of document 96/466/FDIS, future edition 3 of IEC 61558-1, prepared by IEC/TC 96 "Transformers, reactors, power supply units, and combinations thereof" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61558-1:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-12-21
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-21

This document supersedes EN 61558-1:2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

## Endorsement notice

The text of the International Standard IEC 61558-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60038:2009	NOTE	Harmonized as EN 60038:2011
IEC 60051 (series)	NOTE	Harmonized as EN 60051-9:1989/A2 (series)
IEC 60317-43	NOTE	Harmonized as EN 60317-43
IEC 60364-4-41:2005	NOTE	Harmonized as HD 60364-4-41:2017
IEC 60584-1:2013	NOTE	Harmonized as EN 60584-1:2013 (not modified)
IEC 60695-10-2:2014	NOTE	Harmonized as EN 60695-10-2:2014 (not modified)
IEC 60738-1:2006	NOTE	Harmonized as EN 60738-1:2006 (not modified)
IEC 60998-1:2002	NOTE	Harmonized as EN 60998-1:2004
IEC 61000-3-2:2014	NOTE	Harmonized as EN 61000-3-2:2014 (not modified)
IEC 61000-3-3:2013	NOTE	Harmonized as EN 61000-3-3:2013 (not modified)
IEC 61180:2016	NOTE	Harmonized as EN 61180:2016 (not modified)
IEC 61558-2 (series)	NOTE	Harmonized as EN 61558-2 (series)
IEC 61558-2-4	NOTE	Harmonized as EN 61558-2-4
IEC 61558-2-6	NOTE	Harmonized as EN 61558-2-6
IEC 61558-2-23	NOTE	Harmonized as EN 61558-2-23
IEC 62041:2010	NOTE	Harmonized as EN 62041:2010 (not modified)
CISPR 11:2015	NOTE	Harmonized as EN 55011:2016

This is a preview of "BS EN IEC 61558-1:20...". Click here to purchase the full version from the ANSI store.

(normative)

## Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC (mod)	600652014	Audio, video and similar electronic apparatus - Safety requirements	EN 60065	2014
-	-		+ A11	2017
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	2008
IEC 60068-2-75	-	Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	2014
IEC 60076-1	-	Power transformers - Part 1: General	EN 60076-1	2011
IEC 60076-11	2004	Power transformers -- Part 11: Dry-type transformers	EN 60076-11	2004
IEC/TR 60083	2015 <sup>1</sup>	Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC		-
IEC 60085	2007	Electrical insulation - Thermal evaluation and designation	EN 60085	2008

<sup>1</sup> Dated as no European equivalent exists.

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

IEC 60112	2003	Method for the determination of the proof and the comparative tracking indices of solid insulating materials	EN 60112	2003
IEC 60127	series	Miniature fuses	EN 60127	series
IEC 60127-3	-	Miniature fuses - Part 3: Sub-miniature fuse-links	EN 60127-3	2015
IEC 60216	series	Electrical insulating materials - Thermal endurance properties	EN 60216	series
IEC 60227	series	Polyvinyl chloride insulated cables - of rated voltages up to and including 450/750 V	-	-
IEC 60227-5	2011	Polyvinyl chloride insulated cables - of rated voltages up to and including 450/750 V - Part 5: Flexible cables (cords)	-	-
IEC 60245	series	Rubber insulated cables - Rated - voltages up to and including 450/750 V -- Part 1: General requirements	-	-
IEC 60245-4	2011	Rubber insulated cables - Rated - voltages up to and including 450/750 V - Part 4: Cords and flexible cables	-	-
IEC 60269	series	Low-voltage fuses	EN 60269	series
IEC 60269-22013 (mod)		Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to K	HD 60269-2	2013
IEC 60269-32010 (mod)		Low-voltage fuses - Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household or similar applications) - Examples of standardized systems of fuses A to F	HD 60269-3	2010
IEC 60309	series	Plugs, socket-outlets and couplers for industrial purposes	EN 60309	series
IEC 60317	series	Specifications for particular types of winding wires	EN 60317	series

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

IEC 60317-0-7	2012	Specifications for particular types of winding wires -- Part 0-7: General requirements - Fully insulated (FIW) zero-defect enamelled round copper wire with nominal conductor diameter of 0,040 mm to 1,600 mm	EN 60317-0-7	2012
IEC 60317-56	-	Specifications for particular types of winding wires – Part 56: Solderable fully insulated (FIW) zero-defect polyurethane enamelled round copper wire with nominal conductor diameter 0,040 mm to 1,600 mm, class 180	EN 60317-56	2017
IEC 60320	series	Appliance couplers for household and similar general purposes	EN 60320	series
IEC 60320-2-3	2018 <sup>1</sup>	Appliance couplers for household - and similar general purposes – Part 2-3: Appliance couplers with a degree of protection higher than IPX0	-	-
IEC 60384-14	2013	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN 60384-14	2013
IEC 60417	1973 <sup>1</sup>	Graphical symbols for use on - equipment. Index, survey and compilation of the single sheets.	-	-
IEC 60454	series	Specifications for pressure-sensitive adhesive tapes for electrical purposes	EN 60454	series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum	1993
			May	
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

IEC 60664-3	2016	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	2017
IEC 60691	2015	Thermal-links - Requirements and application guide	EN 60691	2016
IEC 60695-2-10	2013	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2013
IEC 60695-2-11	2014	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	EN 60695-2-11	2014
IEC 60721-3-2	-	Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation	EN IEC 60721-3-2	2018
IEC 60730	series	Automatic electrical controls	EN 60730	series
IEC 60730-1 (mod)	2013	Automatic electrical controls - Part 1: General requirements	EN 60730-1	2016
IEC 60851-3	2009	Winding wires - Test methods - Part 3: Mechanical properties	EN 60851-3	2009
IEC 60851-5	2008	Winding wires - Test methods - Part 5: Electrical properties	EN 60851-5	2008
IEC 60851-6	2012	Winding wires - Test methods - Part 6: Thermal properties	EN 60851-6	2012
IEC 60884-1	2002	Plugs and socket-outlets for household and similar purposes -- Part 1: General requirements	-	-
+ A1	2006		-	-
+ A2	2013		-	-
IEC 60884-2-4	2007 <sup>1</sup>	Plugs and socket-outlets for household and similar purposes - Part 2-4: Particular requirements for plugs and socket-outlets for SELV	-	-



This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

IEC 60898	series	Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations	EN 60898	series
IEC 60906-1	2009 <sup>1</sup>	IEC system of plugs and socket-outlets for household and similar purposes - Part 1: Plugs and socket-outlets 16 A 250 V a.c.	-	-
IEC 60906-3	1994 <sup>1</sup>	IEC System of plugs and socket-outlets for household and similar purposes - Part 3: SELV plugs and socket-outlets, 16 A 6V, 12 V, 24 V, 48 V, a.c. and d.c.	-	-
IEC 60947-7-1	-	Low-voltage switchgear and controlgear - Part 7-1: Ancillary equipment - Terminal blocks for copper conductors	EN 60947-7-1	2009
IEC 60990	2016	Methods of measurement of touch current and protective conductor current	EN 60990	2016
IEC 60998-2-1 (mod)	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units	EN 60998-2-1	2004
IEC 60998-2-2 (mod)	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units	EN 60998-2-2	2004
IEC 60999-1	-	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm <sup>2</sup> up to 35 mm <sup>2</sup> (included)	EN 60999-1	2000
IEC 61032	-	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

IEC 61058-1	2016	Switches for appliances - Part 1: EN IEC 61058-1 2018 General requirements	
IEC 61058-1-1	2016	Switches for appliances - Part 1-1: EN 61058-1-1 2016 Requirements for mechanical switches	
-	-		EN 61058-1-1: 2016/AC:2019- 02
IEC 61140	2016	Protection against electric shock - EN 61140 Common aspects for installation and equipment	2016
IEC 61373	-	Railway applications - Rolling stock EN 61373 equipment - Shock and vibration tests	2010
ISO 8820	series	Road vehicles - Fuse-links	-
-	-	Specification for flat non-wirable EN 50075 two-pole plugs 2.5 A 250 V, with cord, for the connection of class II- equipment for household and similar purposes	1990
DIN 43671	1975	Copper bus bars; design for - continuous current	-
DIN 43670	1975	Aluminium bus bars; design for - continuous current	-
DIN 43670-2	1985	Aluminium bus bars copper - cladding; design for continuous current	-

This is a preview of "BS EN IEC 61558-1:20...". Click here to purchase the full version from the ANSI store.

(informative)

## **Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered**

This European Standard has been prepared under a Commission's standardization request relating to harmonized standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZ.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

For other hazards not covered by IEC 61558-1 (e.g. EMF functional safety linked to electric, magnetic and electromagnetic disturbances) the manufacturer has to perform a risk assessment.

**Table ZZ.1 – Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]**

<b>Safety objectives of Directive 2014/35/EU</b>	<b>Clause(s) / sub-clause(s) of this EN</b>	<b>Remarks / Notes</b>
1 General conditions		
a) the essential characteristics, the recognition and observance of which will ensure that electrical equipment will be used safely and in applications for which it was made, shall be marked on the electrical equipment, or, if this is not possible, on an accompanying document	Clause 8	
b) the electrical equipment, together with its component parts, shall be made in such a way as to ensure that it can be safely and properly assembled and connected	Clauses 5; 8; 10; 20; 22; 23; 24; 25	
c) the electrical equipment shall be so designed and manufactured as to ensure that protection against the hazards set out in points 2 and 3 is assured, providing that the equipment is used in applications for which it was made and is adequately maintained	Clauses 1; 3; 7; 13; 19	See also Basic Protection Requirements in points 2 and 3 in this table
2 Protection against hazards arising from the electrical equipment		
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that: a) persons and domestic animals are adequately protected against the danger of physical injury or other harm which might be caused by direct or indirect contact	Clauses 4; 5; 7; 9; 17; 18; 19; 20; 21; 24; 26; Annex H	

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

2014/35/EU	clause(s) of this EN	
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that: b) temperatures, arcs or radiation which would cause a danger, are not produced	Clauses 4; 5; 14; 15; 18; 27	
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that: c) persons, domestic animals and property are adequately protected against non- electrical dangers caused by the electrical equipment which are revealed by experience	Clauses 4; 5; 19; Annex H	
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that: d) the insulation is suitable for foreseeable conditions	Clauses 4; 5; 17; 18; 19; 20; 26; 27	
3 Protection against hazards which may be caused by external influences on the electrical equipment		
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment: a) meets the expected	Clauses 4; 5; 16; 22; 25; 28	
mechanical requirements in such a way that persons, domestic animals and property are not endangered		
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment: b) is resistant to non-mechanical influences in expected environmental conditions, in such a way that persons, domestic animals and property are not endangered	Clauses 4; 5; 11; 12; 17; 24; 28	
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment: c) does not endanger persons, domestic animals and property in foreseeable conditions of overload	Clause 4; 5; 15; 26; Annex H	

**WARNING 1** — Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2** — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## CONTENTS

FOREWORD .....	9
INTRODUCTION .....	11
1 Scope .....	14
2 Normative references .....	16
3 Terms and definitions .....	19
3.1 Transformers .....	20
3.2 General terms .....	23
3.3 Operations and protections .....	24
3.4 Circuits and windings .....	26
3.5 Ratings .....	27
3.6 No-load values .....	29
3.7 Insulation .....	29
3.8 Touch current and protective earthing conductor current .....	33
4 General requirements .....	33
5 General notes on tests .....	34
6 Ratings .....	36
7 Classification .....	36
8 Marking and other information .....	37
9 Protection against electric shock .....	43
9.1 General .....	43
9.2 Protection against contact with hazardous-live-parts .....	44
9.2.1 Determination of hazardous-live-parts .....	44
9.2.2 Accessibility to hazardous-live-parts .....	44
9.2.3 Accessibility to non hazardous-live-part .....	47
9.3 Protection against hazardous electrical discharge .....	47
10 Change of input voltage setting .....	47
11 Output voltage and output current under load .....	48
12 No-load output voltage .....	49
13 Short-circuit voltage .....	49
14 Heating .....	49
14.1 General requirements .....	49
14.1.1 Temperature-rise test .....	49
14.1.2 Alternative temperature-rise test .....	51
14.1.3 Determination of steady-state conditions .....	54
14.2 Application of 14.1 or 14.3 according to the insulation system .....	55
14.3 Accelerated ageing test for undeclared class of insulation system .....	56
14.3.1 General .....	56
14.3.2 Heat run .....	56
14.3.3 Vibration .....	57
14.3.4 Moisture treatment .....	57
14.3.5 Measurements .....	57
15 Short circuit and overload protection .....	57
15.1 General requirements .....	57
15.1.1 Short circuit and overload test method .....	57

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

15.1.2	Alternative short circuit and overload test method .....	60
15.2	Inherently short-circuit proof transformers .....	60
15.3	Non-inherently short-circuit proof transformers.....	60
15.4	Non-short-circuit proof transformers .....	61
15.5	Fail-safe transformers .....	61
16	Mechanical strength .....	62
16.1	General.....	62
16.2	Stationary transformers.....	62
16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring).....	63
16.4	Portable transformers provided with integral pins for introduction in socket-outlets of the fixed wiring .....	63
16.4.1	General requirements .....	63
16.4.2	Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring .....	64
16.5	Additional requirements for transformers to be used in vehicles and railway applications .....	65
16.5.1	Transformers to be used in vehicles and railway applications .....	65
16.5.2	Test requirements for the transportation of transformers.....	66
17	Protection against harmful ingress of dust, solid objects and moisture .....	67
17.1	Degrees of protection provided by enclosures (IP code).....	67
17.1.1	General requirements .....	67
17.1.2	Tests on transformers with enclosure .....	68
17.2	Humidity treatment.....	70
18	Insulation resistance, dielectric strength and leakage current .....	71
18.1	General.....	71
18.2	Insulation resistance .....	71
18.3	Dielectric strength test .....	72
18.4	Insulation between and within windings.....	74
18.5	Touch current and protective earthing conductor current.....	74
18.5.1	General .....	74
18.5.2	Touch current .....	75
18.5.3	Protective earthing conductor current .....	76
19	Construction .....	77
19.1	General construction.....	77
19.1.1	General .....	77
19.1.2	Auto-transformers.....	77
19.1.3	Separating transformers .....	78
19.1.4	Isolating transformers and safety isolating transformers .....	79
19.2	Flammability of materials .....	81
19.3	Short-circuit characteristics of portable transformers.....	81
19.4	Class II transformer contact prevention of accessible conductive parts .....	81
19.5	Class II transformer insulation reassembling after service .....	81
19.6	Loosening of wires, screws or similar parts .....	82
19.7	Resistor or capacitor connection with accessible conductive parts .....	82
19.8	Bridging of separated conductive parts by resistors or capacitors .....	82
19.9	Insulating material separating input and output windings.....	83
19.10	Accidental contact protection against hazardous-live-parts provided by isolating coating.....	83

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

19.11	Insulating material of handles, operating levers, knobs and similar parts.....	84
19.12	Winding construction.....	84
19.13	Fixing of handles, operating levers and similar parts .....	88
19.14	Fixing of covers providing protection against electric shock .....	88
19.15	Strain on fixed socket-outlets caused by pin-transformers connection .....	89
19.16	Portable transformers for use in irregular or harsh conditions .....	89
19.17	Drain hole of transformers protected against ingress of water .....	89
19.18	Plug connected transformers protected against ingress of water .....	89
19.19	Flexible cable or flexible cord connection for class I portable transformers .....	89
19.20	SELV- and PELV-circuit separation of live parts.....	89
19.21	Protection against contact for FELV-circuit.....	90
19.22	Protective earthing regarding class II transformers .....	90
19.23	Protective earthing regarding class III transformers .....	91
20	Components .....	91
21	Internal wiring.....	96
22	Supply connection and other external flexible cables or cords .....	96
23	Terminals for external conductors .....	103
24	Provisions for protective earthing.....	104
25	Screws and connections .....	106
26	Creepage distances, clearances and distances through insulation.....	108
26.1	General.....	108
26.2	Creepage distances and clearances.....	109
26.2.1	General .....	109
26.2.2	Windings covered with adhesive tape .....	109
26.2.3	Uncemented insulating parts .....	109
26.2.4	Cemented insulating parts .....	109
26.2.5	Enclosed parts (e.g. by impregnation or potting) .....	110
26.3	Distance through insulation.....	111
27	Resistance to heat, fire and tracking.....	122
27.1	General.....	122
27.2	Resistance to heat .....	122
27.2.1	General .....	122
27.2.2	External accessible parts.....	122
27.2.3	Internal parts .....	123
27.3	Resistance to abnormal heat under fault conditions .....	123
27.4	Resistance to fire .....	124
27.4.1	General .....	124
27.4.2	External accessible parts.....	125
27.4.3	Internal parts .....	125
27.5	Resistance to tracking.....	126
28	Resistance to rusting.....	126
Annex A (normative)	Measurement of creepage distances and clearances.....	127
Annex B (normative)	Testing a series of transformers .....	131
B.1	General.....	131
B.2	Requirements .....	131
B.3	Constructional inspection .....	132
Annex C (void)	.....	133

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

Annex D (void).....	134
Annex E (normative) Glow-wire test.....	135
E.1    General.....	135
E.2    Severity.....	135
E.3    Conditioning.....	135
E.4    Test procedure.....	135
Annex F (normative) Requirements for manually operated switches which are parts of transformers assembly.....	136
F.1    General.....	136
F.2    Switches tested as a separate component.....	136
F.3    Switches tested as part of the transformer.....	136
Annex G (normative) Tracking test.....	139
G.1    General.....	139
G.2    Test specimen.....	139
G.3    Test apparatus.....	139
G.4    Procedure.....	139
Annex H (normative) Electronic circuits.....	140
H.1    General.....	140
H.2    General notes on tests (addition to Clause 5).....	140
H.3    Short circuit and overload protection (addition to Clause 15).....	140
H.4    Creepage distances, clearances and distances through insulation (addition to Clause 26).....	142
Annex I (informative) Dimensions for rectangular cross-section connectors of transformers, basic dimensions and coordination.....	144
Annex J (normative) Measuring network for touch-currents.....	146
Annex K (normative) Insulated winding wires.....	147
K.1    General.....	147
K.2    Type tests.....	147
K.2.1    General.....	147
K.2.2    Dielectric strength test.....	147
K.2.3    Flexibility and adherence.....	147
K.2.4    Heat shock.....	148
K.2.5    Retention of dielectric strength after bending.....	148
K.3    Testing during manufacturing.....	149
K.3.1    General.....	149
K.3.2    Routine test.....	149
K.3.3    Sampling test.....	149
Annex L (normative) Routine tests (production tests).....	150
L.1    General.....	150
L.2    Protective earthing continuity test.....	150
L.3    Checking of no-load output voltage.....	150
L.4    Dielectric strength test.....	150
L.5    Checking of protective devices mounting.....	151
L.6    Visual inspection.....	151
L.7    Repetition test after routine dielectric strength test.....	151
Annex M (informative) Examples to be used as a guide for 19.1.....	152
M.1    General.....	152
M.2    Coil-former.....	152



This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

M.2.1	Concentric type .....	152
M.2.2	Side-by-side type.....	153
M.3	Windings.....	153
M.3.1	Without screen .....	153
M.3.2	With screen .....	154
Annex N (informative)	Examples for checking points of dielectric strength test voltages.....	155
Annex O (void)	.....	157
Annex P (informative)	Examples for measurement points of creepage distances and clearances .....	158
Annex Q (informative)	Explanation of IP numbers for degrees of protection .....	161
Q.1	General.....	161
Q.2	Degrees of protection against access to hazardous parts and against solid foreign objects .....	161
Q.3	Degrees of protection against ingress of water.....	163
Annex R (normative)	Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007 .....	164
R.1	Impulse dielectric test .....	164
R.2	Example.....	164
Annex S (void)	.....	166
Annex T (void)	.....	167
Annex U (void)	.....	168
Annex V (informative)	Symbols to be used for thermal cut-outs.....	169
V.1	General.....	169
V.2	Non-self-resetting thermal cut-out (see 3.3.4) .....	169
V.3	Self-resetting thermal cut-out (see 3.3.3) .....	169
Annex W (normative)	Coated printed circuit boards.....	170
W.1	Preamble .....	170
W.2	General.....	170
W.3	Cold.....	170
W.4	Rapid change of temperature .....	170
W.5	Additional tests .....	170
Bibliography	.....	171
Index of defined terms	.....	173
Figure 1	– IEC 61558 principle.....	12
Figure 2	– Mounting box for flush-type transformer .....	35
Figure 3	– Test pin (see IEC 61032, test probe 13).....	45
Figure 4	– Standard test finger (see IEC 61032, test probe B) .....	46
Figure 5	– Example of back-to-back method – Single phase .....	53
Figure 6	– Example of back-to-back method – Three phase .....	53
Figure 7	– Amplitude spectrum density for random testing .....	66
Figure 8	– Normalised spectrum of shock .....	67
Figure 9	– Test voltage sequence .....	74
Figure 10	– Test configuration: single-phase equipment on star TN or TT system .....	76
Figure 11	– Abrasion resistance test for insulating coated layers .....	84
Figure 12	– Flexing test apparatus.....	100

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

Figure 13 – Test arrangement for checking mechanical withstanding of insulating materials in thin sheet layers .....	114
Figure 14 – Ball-pressure apparatus .....	122
Figure A.1 – Example 1.....	127
Figure A.2 – Example 2.....	128
Figure A.3 – Example 3.....	128
Figure A.4 – Example 4.....	128
Figure A.5 – Example 5.....	129
Figure A.6 – Example 6.....	129
Figure A.7 – Example 7.....	130
Figure A.8 – Example 8.....	130
Figure H.1 – Example of an electronic circuit with low-power points.....	143
Figure J.1 – Measuring network for touch-current .....	146
Figure M.1 – Examples for concentric type constructions .....	152
Figure M.2 – Examples for side-by-side type constructions .....	153
Figure M.3 – Examples for winding constructions without screen .....	153
Figure M.4 – Examples for wrapped winding constructions .....	154
Figure M.5 – Examples for winding constructions with screen .....	154
Figure N.1 – Transformer of class I construction with metal enclosure .....	155
Figure N.2 – Transformer of class II construction with metal enclosure .....	156
Figure N.3 – Transformer of class II construction with enclosure of insulating material .....	156
Figure P.1 – Transformer of class I construction .....	158
Figure P.2 – Transformer of class I construction with earthed metal screen .....	159
Figure P.3 – Transformer of class II construction with metal enclosure .....	159
Figure P.4 – Transformer of class II construction with enclosure of insulating material.....	160
Figure V.1 – Restored by manual operation .....	169
Figure V.2 – Restored by disconnection of the supply .....	169
Figure V.3 – Thermal link (see 3.3.5).....	169
Figure V.4 – Self-resetting thermal cut-out.....	169
Table 1 – Symbols used on equipment or in instructions .....	41
Table 2 – Values of maximum temperatures in normal use.....	54
Table 3 – Explanation of the maximum winding temperatures required in Table 2 .....	55
Table 4 – Test temperature and testing time (in days) per cycle.....	56
Table 5 – Maximum values of temperatures under short-circuit or overload conditions.....	59
Table 6 – Values of $T$ and $k$ for fuses .....	60
Table 7 – Pull force on pins .....	64
Table 8 – Conditions for vibration testing (random) .....	65
Table 9 – Amplitude spectrum density ASD values for accelerated life testing .....	65
Table 10 – Frequency values depending on the weight of the specimen.....	66
Table 11 – Excitation values for vibration testing .....	66
Table 12 – Solid-object-proof transformer test .....	69
Table 13 – Values of insulation resistance .....	72

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

Table 14 – Table of dielectric strength test voltages.....	73
Table 15 – Limits for currents .....	76
Table 16 – Nominal cross-sectional areas of external flexible cables or cords.....	98
Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers.....	102
Table 18 – Torque to be applied to screws and connections .....	107
Table 19 – Torque test on glands.....	108
Table 20 – Clearances in mm .....	115
Table 21 – Creepage distances in mm .....	116
Table 22 – Distance through insulation in mm.....	117
Table 23 – Creepage distances and clearance between terminals for external connection .....	118
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase.....	120
Table A.1 – Width of groove values depending on the pollution degree .....	127
Table F.1 – Peak surge current of additional loads.....	137
Table I.1 – Dimensions of rectangular copper connectors .....	144
Table K.1 – Mandrel diameter .....	148
Table K.2 – Oven temperature .....	148
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral.....	162
Table Q.2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral.....	162
Table Q.3 – Degrees of protection indicated by the second characteristic numeral .....	163
Table R.1 – Impulse test voltage according to 6.1.2.2.1 of IEC 60664-1:2007 .....	164

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY OF TRANSFORMERS, REACTORS,  
POWER SUPPLY UNITS AND COMBINATIONS THEREOF –**

**Part 1: General requirements and tests**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61558-1 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof.

This third edition cancels and replaces the second edition published in 2005 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) fully insulated winding wires (FIW), new tables and aging tests for FIW constructions,
- b) overvoltage categories 1, 2, 3 and 4 for clearances and dielectric strength tests (new tables) are included,
- c) development of new symbols for the different overvoltage categories,
- d) symbol for maximum altitudes, if higher than 2 000 m,
- e) symbol for plug in power supply units, if the pins are damaged (tumbling barrel test),

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

- f) symbol for minimum temperature (even during the transportation),
- g) alternative temperature measurement, simulated load and back to back method according to IEC 60076-11,
- h) short circuit and overload protection, simulated load and back to back method according to IEC 60076-11,
- i) adjustment of temperatures in Table 2 according to CENELEC Guide 29,
- j) establishing partial discharge test above 750 V for FIW constructions,
- k) requirements for toroidal core constructions, division for basic and for supplementary isolation,
- l) modification of protection indexes for enclosures (IP-code),
- m) dimensioning of rectangular cross section connectors for transformers,
- n) repetition test, 80 % of required dielectric strength test voltage of Table 14,
- o) vibration test for vehicles and railway applications,
- p) two Y1 Capacitors for working voltages above 250 V and not exceeding 500 V with overvoltage category 3.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
96/466/FDIS	96/468/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a group safety publication in accordance with IEC Guide 104.

A list of all parts of the IEC 61558 series, published under the general title *Safety of transformers, reactors, power supply units and combination thereof*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

In this document, the following print types are used:

- proper requirements: in roman type;
- *test specifications: in italic type;*
- explanatory matters: in smaller roman type.

In the text of the document, the words in **bold** are defined in Clause 3.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## INTRODUCTION

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of **transformers** is IEC 62041. However, that document also includes tests that can subject the **transformer** to conditions involving safety aspects.

The objective of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.


If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformers**, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.

This is a preview of "BS EN IEC 61558-1:20...". Click here to purchase the full version from the ANSI store.

The principle for the preparation of the different parts of IEC 61558-2 is as shown in Figure 1.



IEC

**Figure 1 – IEC 61558 principle**

Relevant clauses of this document (e.g. clauses dealing with thermal endurance test for windings) apply also to **transformers** forming an integral part of an appliance and which cannot be tested separately.

The IEC 61558 series consists of the following parts, under the general title *Safety of transformers, reactors, power supply units and combination thereof*:<sup>1</sup>

- Part 1: General requirements and tests
- Part 2-1: Particular requirements and tests for separating transformers for general applications
- Part 2-2: Particular requirements and tests for control transformers
- Part 2-3: Particular requirements and tests for ignition transformers for gas and oil burners
- Part 2-4: Particular requirements and tests for isolating transformers
- Part 2-5: Particular requirements and tests for shaver transformers and shaver supply units
- Part 2-6: Particular requirements and tests for safety isolating transformers
- Part 2-7: Particular requirements and tests for transformers for toys
- Part 2-8: Particular requirements and tests for transformers for bells and chimes
- Part 2-9: Particular requirements and tests for transformers for class III handlamps for tungsten filament lamps

<sup>1</sup> Some of the parts of this series published earlier appeared under the general title *Safety of power transformers, power supplies, reactors and similar products* or *Safety of power transformers, power supply units and similar* or *Safety of power transformers, power supply units and similar devices*. Future editions of these parts will be issued under the new general title indicated above.

This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

- Part 2-10: Particular requirements and tests for separating transformers with high insulation level and separating transformers with output voltages exceeding 1 000 V
- Part 2-12: Particular requirements and tests for constant voltage transformers
- Part 2-13: Particular requirements and tests for auto transformers
- Part 2-14: Particular requirements and tests for variable transformers
- Part 2-15: Particular requirements and tests for isolating transformers for the supply of medical locations
- Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units
- Part 2-20: Particular requirements and tests for small reactors
- Part 2-23: Particular requirements and tests for transformers and power supply units for construction sites
- Part 2-26: Particular requirements and tests for transformers and power supply units all for saving energy and other purposes

Other parts are under consideration.



This is a preview of "BS EN IEC 61558-1:20...". [Click here to purchase the full version from the ANSI store.](#)

## SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

### Part 1: General requirements and tests

#### 1 Scope

This part of IEC 61558 deals with safety aspects of **transformers**, reactors, power supply units and combinations thereof such as electrical, thermal and mechanical safety.

This document covers the following **independent** or **associated** stationary or portable types of **dry-type transformers**, **power supply units**, including **switch mode power supply units**, **reactors** and combinations thereof in the field of safety. The windings can be encapsulated or non-encapsulated. They are not forming a part of the distribution network.

NOTE 1 The distinction between transformers, power supply units and switch mode power supply units is as follows:

- for **transformers**, there is no change in frequency. However, **transformers** (e.g. constant voltage **transformers**) can have an internal resonance frequency not exceeding 30 kHz;
- for **power supply units**, the **internal operational frequency** and waveform are different from the **supply frequency** and waveform, and the **internal operational frequency** does not exceed 500 Hz (see definition 3.1.19);
- for **switch mode power supply units**, the **internal operational frequency** and waveform are different from the **supply frequency** and waveform and the **internal operational frequency** exceeds 500 Hz and does not exceed 100 MHz.

The relevant parts of IEC 61558-2 can be found in the introduction of this document.

a) Stationary or portable, single-phase or poly-phase, air-cooled (natural or forced), **isolating** and **safety isolating transformers**, **independent** or **associated** with the following characteristics:

- **rated supply voltage** not exceeding 1 000 V AC;
- **rated supply frequency** not exceeding 500 Hz;

and complying with the following values, unless otherwise specified in the relevant part of IEC 61558-2:

- for **isolating transformers**:
  - rated output for single phase **transformers**, not exceeding 25 kVA, and for poly-phase **transformers** not exceeding 40 kVA;
  - **no-load output voltage** and the **rated output voltage** exceeding 50 V AC, and not exceeding 500 V a.c, or 1 000 V AC to be in accordance with the national wiring rules or for a special application.
- for **safety isolating transformers**:
  - **rated output** for single phase **transformers** not exceeding 10 kVA, and for poly-phase **transformers** not exceeding 16 kVA;
  - **no-load output voltage** and the **rated output voltage** not exceeding 50 V AC between conductors, or between any conductor and protective earthing.

NOTE 2 **Isolating** and **safety isolating transformers** are used where **double** or **reinforced insulation** between circuits is required by the installation rules or by the appliance specification (for example toys, bells, portable **tools**, handlamps).

b) **Stationary** or **portable**, single-phase or polyphase, air-cooled (natural or forced) **separating transformers**, **auto-transformers**, **variable transformers** and small **reactors**, **independent** or **associated** with the following characteristics:

- **rated supply voltage** not exceeding 1 000 V AC;