

BSI Standards Publication

Plastics — Polypropylene (PP) and propylene-copolymer thermoplastics — Determination of isotactic index



BS ISO 9113:2019 BRITISH STANDARD

This is a preview of "BS ISO 9113:2019". Click here to purchase the full version from the ANSI store.

National foreword

This British Standard is the UK implementation of ISO 9113:2019.

The UK participation in its preparation was entrusted to Technical Committee PRI/82, Thermoplastic materials.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 92860 4

ICS 83.080.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2019.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL

ISO

This is a preview of "BS ISO 9113:2019". Click here to purchase the full version from the ANSI store.

Second edition 2019-07-09

Plastics — Polypropylene (PP) and propylene-copolymer thermoplastics — Determination of isotactic index

Plastiques — Thermoplastiques à base de polypropylène (PP) et de copolymères de propylène — Détermination de l'indice d'isotacticité



BS ISO 9113:2019 **ISO 9113:2019(E)**

This is a preview of "BS ISO 9113:2019". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntents	Page
Fore	eword	iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Apparatus	1
5	Procedure 5.1 Preparation of the sample 5.2 Determination	3 3
6	Calculation and expression of results	
7	Calculation of isotactic index (II)	4
8	Test report	5
Ribl	liography	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, Plastics, Subcommittee SC 9, $Thermoplastic \ materials$.

This second edition cancels and replaces the first edition (ISO 9113:1986), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

- the normative references have been updated;
- the mandatory <u>Clause 3</u> has been added and the subsequent clauses have been renumbered;
- minor editorial changes have been applied.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Plastics — Polypropylene (PP) and propylene-copolymer thermoplastics — Determination of isotactic index

1 Scope

This document specifies a method for determining the percentage of matter which can be extracted from crystalline propylene plastics by boiling n-heptane under standard conditions of testing. Isotactic index is determined by conventional chemical extraction as an absolute method.

This method provides for the identification and coding of types H, B and R propylene plastics according to ISO 19069-1[1].

This method is suitable only for base polymers and is not applicable for mixtures.

This method starts with solid propylene plastics in the form of particles of specified fineness.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Apparatus

4.1 Extractor, a type of which is shown in Figure 1. Any other type of extractor giving the same results may be used. This extractor shall be suitable for use at the boiling point of *n*-heptane.