This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.



BSI Standards Publication

Vacuum technology — Vacuum gauges — Specifications, calibration and measurement uncertainties for Pirani gauges

bsi.

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

National foreword

This British Standard is the UK implementation of ISO 19685:2017.

The UK participation in its preparation was entrusted to Technical Committee MCE/8/-/4, Vacuum technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 93829 0

ICS 23.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2017.

Amendments/corrigenda issued since publication

Date	Text affected

INTERNATIONAL ISO

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

First edition
2017-09

Vacuum technology — Vacuum gauges — Specifications, calibration and measurement uncertainties for Pirani gauges

Technique du vide — Manomètres à vide — Spécifications, étalonnage et incertitudes de mesure pour les jauges Pirani

Reference number
ISO 19685:2017(E)

© ISO 2017

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

© ISO 2017 – All rights reserved

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Symbols and abbreviated terms ... **4**

5 Principle of Pirani gauge ... **4**

6 Specifications for Pirani gauge ... **5**
6.1 General ... 5
6.2 Measuring principle ... 5
6.3 Type of output ... 5
6.4 Range of output and output display resolution ... 5
6.5 Measurement range and full scale ... 5
6.6 Expected measurement uncertainty ... 5
6.7 Material exposed to gas ... 5
6.8 Connecting flange ... 5
6.9 Interface and pin-connections ... 6
6.10 Warm-up period ... 6
6.11 Compatibility between gauge tube and controller ... 6
6.12 Normal operating (environment) conditions ... 6
6.13 Electrical power supply ... 6
6.14 Cable length ... 6
6.15 Maximum bake-out temperature ... 6
6.16 Dimensions of gauge head and controller ... 6
6.17 Mounting orientation ... 6

7 Additional (optional) specifications for Pirani gauge ... **6**
7.1 Long-term instability ... 6
7.2 Relative sensitivity factor ... 7
7.3 Hysteresis ... 7
7.4 Response time ... 7
7.5 Inspection record and calibration certificate ... 7
7.6 Configuration ... 7
7.7 Weight ... 7
7.8 Storage and transport condition ... 7
7.9 Photographs ... 7
7.10 Maximum power consumption ... 7
7.11 Set point of pressure ... 7

8 Calibration and other measurement procedures ... **7**
8.1 General ... 7
8.2 Conditions for calibrations ... 8
8.3 Assembly and adjustments of calibration item ... 8
8.4 Calibration ... 9
8.5 Measurement uncertainties during calibration ... 9
8.6 Calibration certificate ... 9
8.7 Measurement procedure for hysteresis ... 10
8.8 Measurement procedure of response time ... 10

9 Measurement uncertainties at use ... **10**

Annex A (informative) **Typical Pirani gauge** ... **12**

Bibliography ... **13**

© ISO 2017 – All rights reserved

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 112, *Vacuum technology.*

© ISO 2017 – All rights reserved

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

Introduction

ISO 3567 and ISO 27893 are basic standards with no specific guidelines of a special type of vacuum gauge and are generally applicable. Detailed guidance for a specific gauge is intended to be given in separate technical specifications for the calibration of special types of gauges.

This document complements ISO 3567 and ISO 27893 when characterizing or calibrating Pirani gauges or using them as reference gauges.

Pirani gauges are widely used to measure pressures in the medium vacuum up to atmospheric pressure. The relevant parameters, calibration guidelines and uncertainties for the dissemination of the pressure scale and measurement of low and medium vacuum pressures by a Pirani gauge are described in this document.

© ISO 2017 – All rights reserved

INTERNATIONAL STANDARD ISO 19685:2017(E)

This is a preview of "BS ISO 19685:2017". Click here to purchase the full version from the ANSI store.

Vacuum technology — Vacuum gauges — Specifications, calibration and measurement uncertainties for Pirani gauges

1 Scope

This document identifies parameters of Pirani gauges, their calibration procedure, and describes measurement uncertainties to be considered when operating these gauges.

This document applies to Pirani vacuum gauges operating over a pressure range of 0,01 Pa to 150 kPa.

This document complements ISO 3567 and ISO 27893 when calibrating Pirani gauges and using them as reference standards.

In addition, this document defines procedures to characterize Pirani gauges for response time and hysteresis.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3567:2011, *Vacuum gauges — Calibration by direct comparison with a reference gauge*

ISO 27893, *Vacuum technology — Vacuum gauges — Evaluation of the uncertainties of results of calibrations by direct comparison with a reference gauge*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at http://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

3.1 Definitions of components

3.1.1
thermal conductivity gauge
vacuum gauge in which the pressure is determined in relation to the transfer of thermal energy between the surfaces of two fixed elements maintained at different temperatures

Note 1 to entry: This gauge is based on the thermal conductivity of a gas being pressure dependent.

[SOURCE: ISO 3529-3:2014, 2.4.2.2, modified — Example has been deleted.]

© ISO 2017 – All rights reserved