

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Railway applications — Railway rolling stock cables having special fire performance — Thin wall

Part 3: Single core and multicore cables screened and thin wall sheathed

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 50306-3:2020. It supersedes BS EN 50306-3:2002, which will be withdrawn on 30 December 2022.

The UK participation in its preparation was entrusted to Technical Committee GEL/20/12, Electric Cables - Railway Applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 580 93928 0

ICS 29.060.20; 45.060.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

March 2020

ICS 13.220.40; 29.060.20; 45.060.01

Supersedes EN 50306-3:2002 and all of its amendments
and corrigenda (if any)

English Version

Railway applications - Railway rolling stock cables having special fire performance - Thin wall - Part 3: Single core and multicore cables screened and thin wall sheathed

Applications ferroviaires - Câbles pour matériel roulant ferroviaire ayant des performances particulières de comportement au feu - Isolation mince - Partie 3 : Câbles monoconducteurs et multiconducteurs blindés avec gaine d'épaisseur mince

Bahnanwendungen - Kabel und Leitungen für Schienenfahrzeuge mit verbessertem Verhalten im Brandfall - Reduzierte Isolierwanddicken - Teil 3: Ein- und mehradrige Kabel und Leitungen geschirmt mit reduzierten Mantelwanddicken

This European Standard was approved by CENELEC on 2019-12-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Single and multicore screened cables	6
4.1 General	6
4.2 Marking and code designation	6
4.2.1 Marking of cable	6
4.2.2 Code Designation	6
4.2.3 Marking on the insulation of cores for multi core cables	7
4.3 Rated voltage	7
4.4 Construction	7
4.4.1 Cores	7
4.4.2 Laying-up of cores in multicore cables	7
4.4.3 Metallic braid screening	7
4.4.4 Sheath	8
5 Tests	9
5.1 Definitions relating to tests	9
5.2 Voltage test	9
5.3 Voltage test on sheath	9
5.4 Spark test on the sheath	9
5.5 Water absorption of sheath	10
5.6 Hot set test of sheath	10
5.7 Ageing test of sheath	10
5.8 Mineral oil resistance of sheath	10
5.9 Fuel resistance of sheath	11
5.10 Acid and alkali resistance of sheath	11
5.11 Pressure test at high temperature	12
5.12 Dynamic cut through	12
5.13 Notch propagation of sheath	12
5.14 Bending test at low temperature	12
5.15 Abrasion resistance of sheath	12
5.16 Ozone resistance	12
5.17 Stress cracking test	13
5.18 Fire performance tests	13
Annex A (informative) Guidance on selection of cables for type approval	16
Bibliography	17

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 50306-3:2020) has been prepared by CLC/TC 20, "Electric cables".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-12-30
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-12-30

This document supersedes EN 50306-3:2002 and all of its amendments and corrigenda (if any).

This edition includes the following significant technical changes with respect to the previous edition:

- The documents have been updated to reflect the changes in the test standard EN 50305;
- The reference to cited standards (e.g. EN 60811 series) has been updated.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The EN 50306 series covers a range of sheathed and unsheathed cables with thin wall thickness insulation and based on halogen free materials, for use in railway rolling stock. It is divided into four parts.

Part 1: General requirements;

Part 2: Single core cables;

Part 3: Single core and multicore cables screened and thin wall sheathed;

Part 4: Multicore and multipair screened or not screened sheathed cables.

Special test methods referred to in the EN 50306 series are given in EN 50305. A guide to use is given in EN 50355 and rules for installation are given in EN 50343.

EN 50306-1, General requirements, contains a more extensive introduction to EN 50306 series and should be read in conjunction with this document.

This is a preview of "BS EN 50306-3:2020". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This document specifies requirements for, and constructions and dimensions of, multicore cables, rated voltage $U_0/U = 300/500$ V, of the following type:

Screened (0,5 mm² to 2,5 mm², number of cores from 1 to 8).

All cables have stranded tinned copper conductors, and thin wall thickness, halogen-free, insulation and sheath. They are for use in railway rolling stock as fixed wiring or wiring where limited flexing in operation is encountered.

These cables are rated for occasional thermal stresses causing ageing equivalent to continuous operational life at a temperature of 90 °C. For standard cables, this is determined by the acceptance test defined in EN 50305, using accelerated long-term (5 000 h) thermal ageing indicating a 110 °C/20 000 h temperature index. If the customer were to require lifetime predictions this would be demonstrated based on the temperature index of the product as supplied by the manufacturer. The maximum temperature for short circuit conditions is 160 °C based on duration of 5 s.

Under fire conditions, the cables exhibit special performance characteristics in respect of maximum permissible flame propagation (flame spread) and maximum permissible emission of smoke and toxic gases. These requirements are specified to permit the cables to satisfy Hazard Level 3 of EN 45545-1 and EN 45545-2.

EN 50306-3:2020 is expected to be used in conjunction with EN 50306-1:2020, General Requirements, and EN 50306-2:2020, Single core cables.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 45545-1, *Railway applications - Fire protection on railway vehicles - Part 1: General*

EN 60332-1-2, *Tests on electric and optical fibre cables under fire conditions - Part 1-2: Test for vertical flame propagation for a single insulated wire or cable - Procedure for 1 kW pre-mixed flame*

EN 61034-2, *Measurement of smoke density of cables burning under defined conditions - Part 2: Test procedure and requirements*

EN 50305:2020, *Railway applications - Railway rolling stock cables having special fire performance - Test methods*

EN 50306-1:2020, *Railway applications - Railway rolling stock cables having special fire performance - Thin wall - Part 1: General requirements*

EN 50306-2:2020, *Railway applications - Railway rolling stock cables having special fire performance - Thin wall - Part 2: Single core cables*

EN 60811 (all parts), *Electric and optical fibre cables - Test methods for non-metallic materials*

EN 62230, *Electric cables - Spark-test method*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: