BS EN 50121-3-1:2017



BSI Standards Publication

Railway applications — Electromagnetic compatibility

Part 3-1: Rolling stock — Train and complete vehicle



This British Standard is the UK implementation of EN 50121-3-1:2017. It supersedes BS EN 50121-3-1:2015 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/9, Railway Electrotechnical Applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017. Published by BSI Standards Limited 2017

ISBN 978 0 580 94101 6

ICS 29.280; 33.100.01; 45.060.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2017.

Amendments/Corrigenda issued since publication

Date Text affected

EN 50121-2-1

This is a preview of "BS EN 50121-3-1:2017". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

January 2017

ICS 33.100.01; 45.060.01; 45.140

Supersedes EN 50121-3-1:2015

English Version

Railway applications - Electromagnetic compatibility - Part 3-1: Rolling stock - Train and complete vehicle

Applications ferroviaires - Compatibilité électromagnétique -Partie 3-1: Matériel roulant - Trains et véhicules complets Bahnanwendungen - Elektromagnetische Verträglichkeit -Teil 3-1: Bahnfahrzeuge - Zug und gesamtes Fahrzeug

This European Standard was approved by CENELEC on 2016-10-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
	•

European foreword	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions	6
3.2 Abbreviations	7
4 Applicability	7
5 Immunity requirements	7
6 Emission tests and limits	8
6.1 General	8
6.2 Interference on outside party telecommunication lines	8
6.2.1 Digital telecommunication lines	8
6.2.2 Analogue telecommunication lines	8
6.3 Radiated electromagnetic disturbances	8
6.3.1 Test site	8
6.3.2 Test conditions	9
6.3.3 Emission limits	. 10
Annex A (informative) Interference on telecommunication lines	. 12
Annex B (normative) Radiated electromagnetic disturbances - Measurement procedure	. 16
Annex C (informative) Emission values for lower frequency range	. 17
Annex ZZ (informative) Relationship between this European Standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered	. 19
Bibliography	. 20

European foreword

This document (EN 50121-3-1:2017) has been prepared by CLC/TC 9X: "Electrical and electronic applications for railways".

The following dates are fixed:

- latest date by which this document has to be (dop) 2017-10-24 implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with this document have to be withdrawn
 (dow) 2019-10-24

This document supersedes EN 50121-3-1:2015.

EN 50121-3-1:2016 includes the following significant technical changes with respect to EN 50121-3-1:2015:

- clarification of scope (Clause 1);
- set dated normative references (Clause 2);
- clarification of definition (Clause 3);
- clarification of applicability (Clause 4);
- clarification of interference on outside party telecommunication lines (6.2), psophometric current (Annex A).
- moving emission values for radiated H-field in the frequency range 9 kHz to 150 kHz into new Annex C due to the fact that:
 - a) there are very few outside world victims (e.g. radio services);
 - b) the radiated emission measured at 10m is not representative to the compatibility with internal railway apparatus;
 - c) the EMC with other railway apparatus in this frequency range is covered in other procedures and standards like the EN 50238 series;
 - d) there is low reproduceability;
- editorial corrections in the European foreword, the Scope and Annex A.
- revision of Annex ZZ.

This European Standard is to be read in conjunction with EN 50121-1.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For the relationship with EU Directive see informative Annex ZZ, which is an integral part of this document.

applications - Electromagnetic compatibility". The series consists of:

- Part 1: General;
- Part 2: Emission of the whole railway system to the outside world;
- Part 3-1: Rolling stock Train and complete vehicle;
- Part 3-2: Rolling stock Apparatus;
- Part 4: Emission and immunity of the signalling and telecommunications apparatus;
- Part 5: Emission and immunity of fixed power supply installations and apparatus.

Introduction

High power electronic equipment, together with low power microcontrollers and other electronic devices, are being installed on trains in great numbers. Electromagnetic compatibility has therefore become a critical issue for the design of train-related apparatus as well as of the train as a whole.

This Product Standard for rolling stock sets limits for electromagnetic emission and immunity in order to ensure a well functioning system within its intended environment.

Immunity limits are not given for the complete vehicle. EN 50121-3-2 defines requirements for the apparatus installed in the rolling stock, since it is impractical to test the complete unit. An EMC plan includes equipment covered by this standard.

1 Scope

This European Standard specifies the emission and immunity requirements for all types of rolling stock. It covers traction stock, hauled stock and trainsets including urban vehicles for use in city streets. This European standard specifies the emission limits of the rolling stock to the outside world.

The scope of this part of the standard ends at the interface of the rolling stock with its respective energy inputs and outputs. In the case of locomotives, trainsets, trams etc., this is the current collector (pantograph, shoe gear). In the case of hauled stock, this is the AC or DC auxiliary power connector. However, since the current collector is part of the traction stock, it is not entirely possible to exclude the effects of this interface with the power supply line. The slow moving test has been designed to minimize these effects.

There may be additional compatibility requirements within the railway system identified in the EMC plan (e.g. as specified in EN 50238).

Basically, all apparatus to be integrated into a vehicle meet the requirements of EN 50121-3-2. In exceptional cases, where apparatus meets another EMC Standard, but full compliance with EN 50121-3-2 is not demonstrated, EMC is ensured by adequate integration measures of the apparatus into the vehicle system and/or by an appropriate EMC analysis and test which justifies deviating from EN 50121-3-2.

Electromagnetic interference concerning the railway system as a whole is dealt with in EN 50121-2.

These specific provisions are to be used in conjunction with the general provisions in EN 50121-1.

The frequency range considered is from 0 Hz (DC) to 400 GHz. No measurements need to be performed at frequencies where no requirement is specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

EN 50121-2:2017, Railway applications - Electromagnetic compatibility - Part 2: Emission of the whole railway system to the outside world

EN 55016-1-1:2010+A2:2014, Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus (CISPR 16-1-1:2010)

EN 50121-1:2017, Railway applications - Electromagnetic compatibility - Part 1: General

EN 50121-3-2:2016, Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

traction stock

electric and diesel locomotive, high speed trainset, elementary fixed combination of traction stock and hauled stock, electric and diesel multiple unit (no locomotive, distributed traction equipment), Light Railway Vehicle (LRV) such as tram, trolley bus or any other electrical vehicle for urban mass transit, underground trainset