BS EN 17092-4:2020

This is a preview of "BS EN 17092-4:2020". Click here to purchase the full version from the ANSI store.



BSI Standards Publication

Protective garments for motorcycle riders

Part 4: Class A garments – Requirements



National foreword

This British Standard is the UK implementation of EN 17092-4:2020. Together with BS EN 17092-1:2020, BS EN 17092-2:2020, BS EN 17092-3:2020, BS EN 17092-5:2020 and BS EN 17092-6:2020, it supersedes BS EN 13595-1:2002, BS EN 13595-2:2002, BS EN 13595-3:2002 and BS EN 13595-4:2002, which are withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PH/3/9, Motorcyclists Personal Protective Equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

BSI, as a member of CEN, is obliged to publish EN 17092-4:2020 as a British Standard. However, attention is drawn to the fact that during the final stages of development of the EN 17092 series, the UK committee noted that Vertical Group 9 of the European Coordination Group of Notified Bodies, tasked with addressing specific concerns regarding testing and certification of products in the field of protective clothing for motorcycle riders, had developed a number of Recommendations for Use (RfU) sheets, which have not been incorporated into EN 17092-4:2020.

The UK committee is concerned that users of this standard might develop products according to its requirements but be unaware of the additional checks that would be required by Notified Bodies, as defined in the vertical RfU sheets, which could result in products failing to satisfy the essential requirements of the Personal Protective Equipment (PPE) Regulation (EU) 2016/425, irrespective of the presumption of conformity inherent in a harmonized standard.

The UK committee therefore draws attention to the European Commission website <u>https://ec.europa.eu/growth/</u> <u>sectors/mechanical-engineering/personal-protective-equipment</u>, which provides details of existing vertical RfU sheets and recommends that users of this standard make themselves aware of any documents that relate to this version of EN 17092-4.

The UK committee would further like to note that following the publication of the EN 17092 series, EN 13595-2:2002 for abrasion resistance and EN 13595-4:2002 for cut resistance have been withdrawn. However, these two standards are dated normative references in EN 13634:2017. The UK committee has raised its concerns with CEN.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020 Published by BSI Standards Limited 2020

ISBN 978 0 580 96799 3

ICS 13.340.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2020.

Amendments/corrigenda issued since publication

Date

Text affected

<u>FN 17007_/</u>

This is a preview of "BS EN 17092-4:2020". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

February 2020

ICS 13.340.10

Supersedes EN 13595-1:2002, EN 13595-2:2002, EN 13595-3:2002, EN 13595-4:2002

English Version

Protective garments for motorcycle riders - Part 4: Class A garments - Requirements

Vêtements de protection pour les motocyclistes - Partie 4 : Vêtements de classe A - Exigences Motorradfahrerschutzkleidung - Teil 4: Kleidungsstücke der Klasse A - Anforderungen

This European Standard was approved by CEN on 25 November 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Introduction41Scope72Normative references73Terms and definitions84Requirements104.1General104.1.1General104.1.2Innocuousness104.1.3Dimensional stability of garments114.1.4Garment and samples performance after cleaning114.2.1Impact energy absorption114.2.2Impact protector location and fixation124.3Impact protector location and fixation124.4Structurally strong seams134.4.2Seam strength134.5Tear strength144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint.144.6.4Restraint144.7Additional garment construction requirements154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.4Dore ensith materials174.7.7Use of open mesh materials185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	European foreword			
2Normative references73Terms and definitions84Requirements104.1General104.1Tests104.1.1Tests104.1.2Innocuousness104.1.3Dimensional stability of garments104.1.4Garment and samples performance after cleaning114.1.4Garment and samples performance after cleaning114.2.1Impact energy absorption114.2.2Impact protector location and fixation124.3Impact abrasion resistance124.4Structurally strong seams134.4.1General134.4.2Seam strength134.4.3Garment sleeve restraint144.6.4Restraint144.6.5Two-piece suit requirements for joint between upper part and lower part144.6.1General154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retoreeflective materials (optional)184.7.9Fit and ergonomics19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	Introduction			
3Terms and definitions84Requirements104.1General104.1.1Tests104.1.2Innocuousness104.1.3Dimensional stability of garments114.1.4Garment and samples performance after cleaning114.1.4Garment and samples performance after cleaning114.1.2Impact energy absorption114.2.1General114.2.2Impact protector location and fixation124.3Impact abrasion resistance124.4Structurally strong seams134.4.1General134.4.2Seam strength134.5Tear strength144.6.6Restraint144.6.7Garment sleeve restraint144.6.8Garment sleeve restraint144.7Additional garment construction requirements154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar materials174.7.7Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21 <td>1</td> <td>Scope</td> <td>7</td>	1	Scope	7	
4 Requirements 10 4.1 General 10 4.1.1 Tests 10 4.1.2 Innocuousness 10 4.1.3 Dimensional stability of garments 11 4.1.4 Garment and samples performance after cleaning 11 4.1.4 Garment and samples performance after cleaning 11 4.1.4 Garment and samples performance after cleaning 11 4.2.2 Impact energy absorption 11 4.2.2 Impact protector location and fixation 12 4.3 Impact abrasion resistance 12 4.3 Impact abrasion resistance 12 4.4 Structurally strong seams 13 4.4.2 Seam strength 13 4.4.3 General 13 4.4.4 General 13 4.5 Tear strength 14 4.6.1 General 14 4.6.2 Two-piece suit requirements for joint between upper part and lower part. 14 4.6.3 Garment sleeve restraint. 14 4.7 Additional garment construction require	2	Normative references	7	
4.1General104.1.1Tests104.1.2Innocuousness104.1.3Dimensional stability of garments114.1.4Garment and samples performance after cleaning114.1.4Garment and samples performance after cleaning114.2.1Impact energy absorption114.2.2Impact protector location and fixation124.3Impact protector location and fixation124.4Structurally strong seams134.4.1General134.4.2Seam strength134.4.2Seam strength134.4.3Tear strength144.6.6Restraint144.6.7Two-piece suit requirements for joint between upper part and lower part144.6.8Garment sleeve restraint144.6.9Garment sleeve restraint154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential21	3	Terms and definitions	8	
4.1General104.1.1Tests104.1.2Innocuousness104.1.3Dimensional stability of garments114.1.4Garment and samples performance after cleaning114.1.4Garment and samples performance after cleaning114.2.1Impact energy absorption114.2.2Impact protector location and fixation124.3Impact protector location and fixation124.4Structurally strong seams134.4.1General134.4.2Seam strength134.4.2Seam strength134.4.3Tear strength144.6.6Restraint144.6.7Two-piece suit requirements for joint between upper part and lower part144.6.8Garment sleeve restraint144.6.9Garment sleeve restraint154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential21	4	Requirements	10	
4.1.2Innocuousness	4.1	General	10	
4.1.3Dimensional stability of garments	4.1.1	Tests	10	
41.4 Garment and samples performance after cleaning 11 4.2 Impact energy absorption 11 4.2.1 General 11 4.2.2 Impact brotector location and fixation 12 4.3 Impact barasion resistance 12 4.4 Structurally strong seams 13 4.4.1 General 13 4.4.2 Seam strength 13 4.5 Tear strength 14 4.6 Restraint 14 4.6.2 Two-piece suit requirements for joint between upper part and lower part 14 4.6.3 Garment sleeve restraint 14 4.7 Additional garment construction requirements 15 4.7.3 Vents 15 4.7.4 Additional garment construction requirements 15 4.7.2 Structural closures 15 4.7.3 Vents 15 4.7.4 Pockets 15 4.7.4 Dockets 15 4.7.5 Zone intrusions 15 4.7.6 Collar material 17 4.7.7	4.1.2	Innocuousness	10	
4.2 Impact energy absorption 11 4.2.1 General 11 4.2.2 Impact protector location and fixation 12 4.3 Impact abrasion resistance 12 4.4 Structurally strong seams 13 4.4.1 General 13 4.4.2 Seam strength 13 4.4.3 General 13 4.4.4 General 13 4.5 Tear strength 14 4.6 Restraint 14 4.6.2 Two-piece suit requirements for joint between upper part and lower part 14 4.6.3 Garment sleeve restraint 14 4.6.3 Garment construction requirements 15 4.7.1 General 15 4.7.2 Structural closures 15 4.7.3 Vents 15 4.7.4 Pockets 15 4.7.5 Zone intrusions 15 4.7.6 Collar material 17 4.7.7 Use of retroreflective materials (optional) 18 4.7.9 Fit and ergonomics 1	4.1.3	Dimensional stability of garments	11	
4.2.1 General 11 4.2.2 Impact protector location and fixation 12 4.3 Impact abrasion resistance 12 4.4 Structurally strong seams 13 4.4.1 General 13 4.4.2 Seam strength 13 4.4.5 Tear strength 13 4.6 Restraint 14 4.6 Restraint 14 4.6.3 General 14 4.6.3 Garment sleeve restraint 14 4.6.3 Garment sleeve restraint 14 4.7 Additional garment construction requirements 15 4.7.1 General 15 4.7.2 Structural closures 15 4.7.3 Vents 15 4.7.4 Pockets 15 4.7.5 Zone intrusions 15 4.7.6 Collar material 17 4.7.7 Use of retroreflective materials (optional) 18 4.7.9 Fit and ergonomics 18 5 Marking 18 6 In	4.1.4	Garment and samples performance after cleaning	11	
4.2.2Impact protector location and fixation124.3Impact abrasion resistance124.4Structurally strong seams134.4.1General134.4.2Seam strength134.4.3Seam strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.4General144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials (optional)184.7.8Use of retroreflective materials (optional)185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.2	Impact energy absorption	11	
4.3Impact abrasion resistance124.4Structurally strong seams134.4.1General134.4.2Seam strength134.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.4General144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of retroreflective materials (optional)184.7.8Use of retroreflective materials (optional)185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.2.1	General	11	
4.4Structurally strong seams134.4.1General134.4.2Seam strength134.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.2.2	Impact protector location and fixation	12	
4.4.1General134.4.2Seam strength134.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.4General144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of pen mesh materials.184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.3	Impact abrasion resistance	12	
4.4.1General134.4.2Seam strength134.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.4General144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of pen mesh materials.184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.4	•		
4.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.3Garment sleeve restraint144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.4.1	General	13	
4.5Tear strength144.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.3Garment sleeve restraint144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.4.2	Seam strength	13	
4.6Restraint144.6.1General144.6.2Two-piece suit requirements for joint between upper part and lower part144.6.3Garment sleeve restraint144.6.4Garment sleeve restraint144.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.5	0		
4.6.2Two-piece suit requirements for joint between upper part and lower part.144.6.3Garment sleeve restraint.144.7Additional garment construction requirements154.7.1General.154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials.184.7.8Use of retroreflective materials (optional)185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered.21	4.6	Restraint	14	
4.6.3 Garment sleeve restraint	4.6.1	General	14	
4.6.3 Garment sleeve restraint	4.6.2	Two-piece suit requirements for joint between upper part and lower part	14	
4.7Additional garment construction requirements154.7.1General154.7.2Structural closures154.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19AnnexZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.6.3			
4.7.1General	4.7			
4.7.3Vents154.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials.184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.7.1	General	15	
4.7.4Pockets154.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19AnnexZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.7.2	Structural closures	15	
4.7.5Zone intrusions154.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.7.3	Vents	15	
4.7.6Collar material174.7.7Use of open mesh materials184.7.8Use of retroreflective materials (optional)184.7.9Fit and ergonomics185Marking186Information to be supplied to the user - Wearer information and instructions for use19Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered21	4.7.4	Pockets	15	
4.7.7Use of open mesh materials	4.7.5	Zone intrusions	15	
 4.7.8 Use of retroreflective materials (optional)	4.7.6	Collar material	17	
 4.7.8 Use of retroreflective materials (optional)	4.7.7	Use of open mesh materials	18	
 4.7.9 Fit and ergonomics	4.7.8			
6 Information to be supplied to the user - Wearer information and instructions for use 19 Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered	4.7.9			
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered	5	Marking	18	
requirements of Regulation (EU) 2016/425 aimed to be covered	6	Information to be supplied to the user - Wearer information and instructions for use	19	
requirements of Regulation (EU) 2016/425 aimed to be covered	Annex ZA (informative) Relationship between this European Standard and the essential			
			21	
Bibliography	Bibliog			

European foreword

This document (EN 17092-4:2020) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2020, and conflicting national standards shall be withdrawn at the latest by February 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document, together with EN 17092-1:2020, EN 17092-2:2020, EN 17092-3:2020, 17092-5:2020 and EN 17092-6:2020, supersedes EN 13595-1:2002, EN 13595-2:2002, EN 13595-3:2002, and EN 13595-4:2002.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) 2016/425.

For relationship with EU Regulation, see informative Annex ZA, which is an integral part of this document.

This standard is part of a series of standards specifying test methods and requirements for motorcyclists' protective garments. EN 17092 comprises multiple parts:

- Part 1: Test methods
- Part 2: Class AAA garments Requirements
- Part 3: Class AA garments Requirements
- Part 4: Class A garments Requirements
- Part 5: Class B garments Requirements
- Part 6: Class C garments Requirements

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Motorcyclists' protective jackets, trousers, one-piece suits, two-piece suits, impact protector ensemble garments and other protective garments (hereinafter: "garments") are intended to give some amount of protection to riders without significantly reducing the ability of the rider to control the motorcycle. In addition, they are designed to provide adequate protection against the risks against which they are intended to protect, such as a fall from a motorcycle or another accident. Additional, particular, hazards encountered during a motorcycle accident may include: impact with and abrasion from the riding surface, impacts with the rider's motorcycle, conflicting vehicles, and other objects. Motorcyclists' protective garments are not intended to and cannot prevent traumas caused by high-energy impacts, traumas caused by severe forces of bending, twisting, torsion, flexion, or crushing as the result of striking an object, traumas caused by extreme abrasion, traumas caused by extreme movements, or traumas caused by massive penetrations. No protective garments can offer complete protection against all injuries. The principle of this standard is to define the basic performance requirements considered essential for motorcyclists' protective garments, in order for them to offer useful, classes of protection to riders according to the risks they may encounter, in the situations described above, during various riding activities and in various riding environments. This standard does not cover risks caused by extreme weather conditions. Where additional protective features are claimed (e.g. high visibility), the assessment of said protective features will be done with reference to the appropriate additional standards.

Motorcycling encompasses a diverse range of riders participating in a diverse range of activities. While all motorcyclists face similar fundamental risks when involved in an accident or a fall from a motorcycle, the type and degree of risk or hazard that a motorcyclist will encounter and the class of protection that they will need is closely linked to the riding activity, the riding environment, and the nature of the accident. In addition, because each motorcyclist participates in their chosen riding activity in different ways, within specific riding activities motorcyclists are also exposed to varying levels of risk and, therefore, require varying classes of protection. The elements that are a part of the fundamental design and functionality of a particular type of motorcyclists' protective garment, while appropriate and minimally constraining or limiting when used in a specific environment for a specific riding activity, may, on the other hand, present unacceptable constraints and liabilities in other riding environments and for other riding activities, such as increased penalties of weight, decreased range of motion and/or heat stress, and therefore, may not be acceptable for use by all riders during all motorcycle activities. This series of standards has been developed to encompass a large range of motorcycle disciplines and motorcyclists' activities, each with their own particular risks and appropriate classes of protection, to ensure that the best possible protection of an appropriate type is available for riders during their riding activities.

This standard is a part of a series of standards including also EN 17092-2, EN 17092-3, EN 17092-5, and EN 17092-6, which together describe the requirements for motorcyclists' garments, according to the various classes of protection offered and EN 17092-1, which specifies the test methods to assess the conformity of said garments to the requirements of the applicable product standard of the EN 17092 series.

Classes of motorcycle protective garments and the principle of risk category zoning

Classes of Protection

Garments designed to provide protection for motorcycle riders are tested according to the class of protection they afford. The performance requirements for the classes of protection are detailed by specific standards as follows:

Garments designed to provide protection for motorcycle riders are tested according to the class of protection they afford. The performance requirements for the classes of protection are detailed by specific standards as follows:

— EN 17092-2 — Class AAA garments

offer protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of this standard series.

Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

Some common examples are: one-piece or two-piece suits.

— EN 17092-3 — Class AA garments.

offer protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of this standard series.

Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

Some common examples are: garments designed to be worn by themselves or to be worn over other clothing.

- EN 17092-4 - Class A garments.

Offer a minimum necessary degree of protection from impact and abrasion, using materials and construction that meet lower requirements than for parts 2 and 3 of this standard series.

Class A garments are expected to have the least ergonomic and weight penalties.

Some common examples are: garments, designed to be worn by themselves or to be worn over other clothing by riders in warm environments.

— EN 17092-5 — Class B garments.

This class is for specialized garments, designed to provide the equivalent abrasion protection of Class A garments but without the inclusion of impact protectors.

Class B garments do not offer impact protection and it is recommended that they be worn with, at least, EN 1621-1 shoulder and elbow impact protectors, in the case of a jacket, or EN 1621-1 knee impact protectors, in the case of trousers, in order to offer complete minimum protection.

Some common examples are: modular garments suitable to be combined with other garments providing impact protection.

— EN 17092-6 — Class C garments.

This class is for specialized non-shell, impact protector ensemble garments, designed only to hold one or more impact protectors in place, either as an undergarment or as an overgarment.

Class C garments are designed to provide impact protection for areas covered by the impact protector(s) only and they do not offer complete minimum abrasion protection and may not offer complete minimum impact protection.

Class C garments are designed to offer supplemental *impact* protection only. It is intended that Class C garments be worn in combination with Class AAA, AA, A or B garments to *enhance* the protection Class AAA, AA, A or B garments offer.

Some common examples are: modular garments suitable to be combined with other garments providing impact and abrasion protection or only abrasion protection.

This standard contains the requirements for Class A garments.

Risk category zoning

The performance requirements of the various aforementioned standards for motorcyclists' protective garments are, in turn, based on specific performance requirements for the garments' "risk category zones". Risk category zones are defined according to the likelihood that the area of the garment included in the zone will be subject to mechanical stress, in the event of an accident. There are three zones, as follows:

- Zone 1 the areas of motorcyclists' protective garments that have a high risk of damage e.g. impact, abrasion, and tearing.
- Zone 2 the areas of motorcyclists' protective garments that have a moderate risk of damage e.g. abrasion and tearing.
- Zone 3 the areas of motorcyclists' protective garments that have a low risk of damage e.g. abrasion and tearing.

1 Scope

This document specifies general requirements for motorcyclists' protective garments of Class A: protective garments, which are intended to provide limited protection to the wearer against abrasion and impact injury. It applies to protective garments for motorcycle on-road.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1150:1999, Protective Clothing - Visibility clothing for non-professional use – Test methods and requirements

EN 1621-1:2012, Motorcyclists' protective clothing against mechanical impact - Part 1: Motorcyclists' limb joint impact protectors - Requirements and test methods

EN 1621-2:2014, Motorcyclists' protective clothing against mechanical impact - Part 2: Motorcyclists' back protectors - Requirements and test methods

EN 1621-3:2018, Motorcyclists' protective clothing against mechanical impact — Part 3: Motorcyclists' chest protectors - Requirements and test methods

EN 1621-4:2013, Motorcyclists' protective clothing against mechanical impact - Part 4: Motorcyclists' inflatable protectors - Requirements and test methods

EN 13356:2001, Visibility accessories for non-professional use — Test methods and requirements

EN 13594:2015, Protective gloves for motorcycle riders - Requirements and test methods

EN 13634:2017, Protective footwear for motorcycle riders - Requirements and test methods

EN ISO 3377-1:2011, Leather - Physical and mechanical tests - Determination of tear load - Part 1: Single edge tear (ISO 3377-1:2011)

EN ISO 13688:2013, Protective clothing - General requirements (ISO 13688:2013)

EN ISO 4674-1:2016, Rubber- or plastics-coated fabrics - Determination of tear resistance - Part 1: Constant rate of tear methods (ISO 4674-1:2016)

EN ISO 5077:2008, Textiles - Determination of dimensional change in washing and drying (ISO 5077:2007)

EN 17092-1:2020, Protective garments for motorcycle riders — Part 1: Test methods