

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

BS 6349-2:2019



BSI Standards Publication

Maritime works

Part 2: Code of practice for the design of quay walls, jetties
and dolphins

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2019

Published by BSI Standards Limited 2019

ISBN 978 0 580 98478 5

ICS 47.020.99; 93.140

The following BSI references relate to the work on this document:

Committee reference CB/502

Draft for comment 19/30360217 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	2
4 General design of quay walls, jetties and dolphins	5
4.1 General	5
4.2 Design situations	10
4.3 Actions	11
4.4 Deflection control and deformations	14
<i>Table 1 — Operational deflection limits for maritime structures other than flexible dolphins</i>	15
4.5 Choice of structure	15
4.6 Construction tolerances	18
4.7 Environmental impact	20
4.8 Control of external water effects	20
4.9 Specific recommendations for quay walls	21
4.10 Durability	24
4.11 Services and equipment	25
<i>Figure 1 — Examples of crane rail foundation arrangements</i>	27
5 Embedded retaining walls	28
5.1 General	28
5.2 Suitability of embedded retaining wall structures	28
5.3 Materials for embedded retaining walls	29
<i>Figure 2 — Soldier-piled wall: typical cross-section</i>	31
5.4 Bending resistance of wall	31
5.5 Effects of actions on embedded retaining walls	32
5.6 Design of embedded retaining wall structures	35
<i>Figure 3 — Examples of anchored embedded retaining wall structures</i>	36
<i>Figure 4 — Effects of flexibility of single-anchored or propped and cantilever embedded walls on earth pressure and resistance</i>	38
<i>Figure 5 — Location of anchorages in relation to failure planes in retained fill</i>	39
<i>Figure 6 — Cantilevered embedded retaining wall structure</i>	40
<i>Figure 7 — Distribution of active earth pressure and passive earth pressures on cantilevered embedded retaining wall structures</i>	41
<i>Figure 8 — Embedded retaining walls with relieving platform</i>	42
<i>Figure 9 — Pressure distribution on embedded retaining wall in front of relieving platform</i>	43
<i>Figure 10 — Embedded retaining wall with auxiliary anchorage: failure planes</i>	47
<i>Figure 11 — Examples of deadman anchorages</i>	48
<i>Figure 12 — Examples of cantilever anchorages</i>	49
<i>Figure 13 — Example of a raking pile anchorage</i>	50
<i>Figure 14 — Examples of ground anchors</i>	51
<i>Figure 15 — Examples of anchoring arrangements at corners</i>	52
5.7 Toe level	53
5.8 Construction sequence	53
5.9 Services and crane tracks	54
6 Gravity walls	55
6.1 Design of gravity walls	55
6.2 Concrete blockwork walls	59
<i>Figure 16 — Angle of friction on virtual back of blockwork wall</i>	61

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

	<i>Figure 17 — Precast reinforced concrete wall</i>	63
6.4	Concrete caissons	64
	<i>Figure 18 — Example of capping arrangement for a concrete caisson</i>	64
	<i>Figure 19 — Examples of joints between caissons</i>	68
6.5	Cellular sheet pile structures	68
	<i>Figure 20 — Examples of cellular sheet pile structures</i>	69
	<i>Figure 21 — Modes of failure of cellular sheet pile structure</i>	71
	<i>Figure 22 — Distribution of active earth pressure and passive earth resistance on a cellular sheet pile structure</i>	72
6.6	Double-wall sheet pile structures	73
	<i>Figure 23 — Example of double-wall sheet pile structure</i>	74
	<i>Figure 24 — Distribution of active earth pressure and passive earth resistance on a double-wall sheet pile structure</i>	74
6.7	In-situ mass concrete walls	75
	<i>Figure 25 — Example of in-situ mass concrete wall</i>	76
6.8	In-situ reinforced concrete walls	76
	<i>Figure 26 — Example of in-situ reinforced concrete wall</i>	77
6.9	Gravity diaphragm walls	77
	<i>Figure 27 — Example of gravity diaphragm wall</i>	78
6.10	Monoliths	79
	<i>Figure 28 — Example of monolith</i>	80
	<i>Figure 29 — Examples of joints between monoliths</i>	81
7	Suspended deck structures	82
7.1	General	82
7.2	Suitability	82
7.3	Types of structure	83
	<i>Table 2 — Pile systems for suspended deck structures</i>	83
	<i>Figure 30 — Examples of suspended deck structures</i>	84
7.4	Overall stability	86
7.5	Earthworks at marginal quays	86
7.6	Types of bearing pile	87
7.7	Installation of piles	90
7.8	Choice of superstructure	91
7.9	Design approach	92
	<i>Figure 31 — Typical fender support arrangements</i>	93
7.10	Design of piles	96
	<i>Figure 32 — Examples of pile/deck connections</i>	97
8	Dolphins	100
8.1	Types of structure	100
	<i>Figure 33 — Examples of flexible dolphins</i>	102
	<i>Figure 34 — Examples of rigid dolphins</i>	103
8.2	Actions	103
8.3	Design of flexible dolphins	104
8.4	Design of rigid dolphins	105
8.5	Mooring equipment	106
8.6	Working space	106
9	Safety and access	106
9.1	General	106
9.2	Pontoons	107

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

9.4	Stairways for small vessel access	109
	<i>Figure 35 — Typical stairway arrangement for quay walls</i>	110
9.5	Ladders	110
	<i>Figure 36 — Typical emergency ladder dimensions</i>	112
9.6	Guard-rails	114
9.7	Toe kerbs	114
9.8	Wearing surfaces and durability	114
9.9	Life-saving equipment	115
Annex A	(informative) Types of construction for concrete blockwork walls	116
	<i>Figure A.1 — Concrete blockwork walls</i>	117
Annex B	(informative) Types of superstructure for suspended decks	119
	<i>Figure B.1 — Access trestles</i>	120
	Bibliography	122

Summary of pages

This document comprises a front cover, and inside front cover, pages i to vi, pages 1 to 125, an inside back cover and a back cover.

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

Foreword

Publishing information

This part of BS 6349 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 June 2019. It was prepared by Technical Committee CB/502, *Maritime works*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This part of BS 6349 supersedes BS 6349-2:2010, which is withdrawn.

Relationship with other publications

BS 6349 is published in the following parts:

- Part 1-1: *General – Code of practice for planning and design for operations*;
- Part 1-2: *General – Code of practice for assessment of actions*;
- Part 1-3: *General – Code of practice for geotechnical design*;
- Part 1-4: *General – Code of practice for materials*;
- Part 2: *Code of practice for the design of quay walls, jetties and dolphins*;
- Part 3: *Code of practice for the design of shipyards and sea locks*;
- Part 4: *Code of practice for design of fendering and mooring systems*;
- Part 5: *Code of practice for dredging and land reclamation*;
- Part 6: *Design of inshore moorings and floating structures*;
- Part 7: *Guide to the design and construction of breakwaters*;
- Part 8: *Code of practice for the design of Ro-Ro ramps, linkspans and walkways*.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- reorganization of the clauses to consolidate common recommendations in [Clause 4](#);
- rationalization arising from the publication of BS 6349-1-2, which now deals with the assessment of actions;
- deletion of the clause that consisted solely of a reference to BS 6349-8.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

As a code of practice, this part of BS 6349 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

action that deviates from its recommendations.

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions in this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS 6349-2:2019". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This part of BS 6349 provides recommendations and guidance on the design of quay walls, jetties and dolphins.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document¹. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 4211, *Specification for permanently fixed ladders*

BS 4592 (all parts), *Industrial type flooring and stair treads*

BS 5395-1, *Stairs, ladders and walkways — Part 1: Code of practice for the design, construction and maintenance of straight stairs and winders*

BS 6031, *Code of practice for earthworks*

BS 6349-1-1, *Maritime works — Part 1-1: General — Code of practice for planning and design for operations*

BS 6349-1-2, *Maritime works — Part 1-2: General — Code of practice for assessment of actions*

BS 6349-1-3, *Maritime works — Part 1-3: General — Code of practice for geotechnical design*

BS 6349-1-4, *Maritime works — Part 1-4: General — Code of practice for materials*

BS 6349-4, *Maritime structures — Part 4: Code of practice for design of fendering and mooring systems*

BS 6349-5, *Maritime structures — Part 5: Code of practice for dredging and land reclamation*

BS 8002, *Code of practice for earth retaining structures*

BS 8004, *Code of practice for foundations*

BS 8300-1, *Design of an accessible and inclusive built environment — Part 1: External environment — Code of practice*

BS EN 1537, *Execution of special geotechnical work — Ground anchors*

BS EN 1538, *Execution of special geotechnical works — Diaphragm walls*

BS EN 1990, *Eurocode — Basis of structural design*

BS EN 1991 (all parts), *Eurocode 1 — Actions on structures*²

BS EN 1992 (all parts), *Eurocode 2 — Design of concrete structures*

BS EN 1993 (all parts), *Eurocode 3 — Design of steel structures*²

BS EN 1994 (all parts), *Eurocode 4 — Design of composite steel and concrete structures*

BS EN 1995 (all parts), *Eurocode 5 — Design of timber structures*

BS EN 1996 (all parts), *Eurocode 6 — Design of masonry structures*

BS EN 1997 (all parts), *Eurocode 7 — Geotechnical design*²

BS EN 1998 (all parts), *Eurocode 8 — Design of structures for earthquake resistance*²

¹ Documents that are referred to solely in an informative manner are listed in the Bibliography.

² This part of BS 6349 gives dated references to BS EN 1991-1-1:2002, BS EN 1991-2:2003, BS EN 1993-1-1:2005, BS EN 1997-1:2004, and BS EN 1998-2:2005+A2:2011. It also gives an informative reference to BS EN 1993-5:2007.