

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Packaging for terminally sterilized medical devices

Part 8: Re-usable sterilization containers for steam sterilizers
conforming to EN 285 – Requirements and test methods

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 868-8:2018. It supersedes BS EN 868-8:2009, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CH/198, Sterilization and Associated Equipment and Processes.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 98600 0

ICS 11.080.30; 55.120

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

Packaging for terminally sterilized medical devices - Part 8: Re-usable sterilization containers for steam sterilizers conforming to EN 285 - Requirements and test methods

Emballages des dispositifs médicaux stérilisés au stade terminal - Partie 8: Conteneurs réutilisables de stérilisation pour stérilisateur à la vapeur d'eau conformes à l'EN 285 - Exigences et méthodes d'essai

Verpackungen für in der Endverpackung zu sterilisierende Medizinprodukte - Teil 8: Wiederverwendbare Sterilisierbehälter für Dampf-Sterilisatoren nach EN 285 - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 20 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)

Contents		Page
European foreword		iii
Introduction		iv
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Requirements	5
4.1	General	5
4.2	Requirements for construction and design	6
4.2.1	Shape and dimension	6
4.2.2	Lids and lid-latching devices	6
4.2.3	Tamper evident closure system	6
4.2.4	Gasket	6
4.2.5	Carrying devices	7
4.2.6	Stacking capability	7
4.2.7	Sterilizing agent port	7
4.2.8	Load	7
4.3	Service life	8
4.4	Material requirements	8
4.5	Marking	9
5	Information to be supplied by the manufacturer	9
Annex A (informative) Details of significant technical changes between this document and the previous edition		10
Annex B (informative) Guidance on dimensions		11
Annex C (normative) Carrying device strength test		12
Annex D (normative) Stacking test — Procedure		13
Annex E (normative) Stacking device capability test		14
Annex F (normative) Determination of sterilization performance		15
Annex G (normative) Load dryness tests		16
Annex H (informative) Guidance on determination of service life with respect to sterilization		18
Bibliography		19

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 868-8:2018) has been prepared by Technical Committee CEN/TC 102 "Sterilizers and associated equipment for processing of medical devices", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 886-8:2009.

[Annex A](#) provides details of significant technical changes between this European Standard and the previous edition.

EN 868 consists of the following parts, under the general title *Packaging for terminally sterilized medical devices*:

- *Part 2: Sterilization wrap — Requirements and test methods;*
- *Part 3: Paper for use in the manufacture of paper bags (specified in EN 868-4) and in the manufacture of pouches and reels (specified in EN 868-5) — Requirements and test methods;*
- *Part 4: Paper bags — Requirements and test methods;*
- *Part 5: Sealable pouches and reels of porous materials and plastic film construction — Requirements and test methods;*
- *Part 6: Paper for low temperature sterilization processes — Requirements and test methods;*
- *Part 7: Adhesive coated paper for low temperature sterilization processes — Requirements and test methods;*
- *Part 8: Re-usable sterilization containers for steam sterilizers conforming to EN 285 — Requirements and test methods;*
- *Part 9: Uncoated nonwoven materials of polyolefines — Requirements and test methods;*
- *Part 10: Adhesive coated nonwoven materials of polyolefines — Requirements and test methods.*

In addition, ISO/TC 198 "Sterilization of health care products" in collaboration with CEN/TC 102 "Sterilizers and associated equipment for processing of medical devices" has prepared the EN ISO 11607 series "Packaging for terminally sterilized medical devices". The EN ISO 11607 series specifies general requirements for materials, sterile barrier systems and packaging systems (Part 1) and validation requirements for forming, sealing and assembly processes (Part 2).

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The EN ISO 11607 series consists of two parts under the general title "Packaging for terminally sterilized medical devices". Part 1 of this series specifies general requirements and test methods for materials, preformed sterile barrier systems, sterile barrier systems and packaging systems that are intended to maintain sterility of terminally sterilized medical devices to the point of use. Part 2 of this series specifies validation requirements for forming, sealing and assembly processes.

General requirements for all types of sterile barrier systems are provided by EN ISO 11607-1.

The EN 868 series can be used to demonstrate compliance with one or more of the requirements specified in EN ISO 11607-1.

CEN/TC 102/WG 4 also appreciates the initiatives of CEN with regard to the minimization of adverse environmental impacts by standards. It was agreed that this subject should be given priority during the next edition of the EN ISO 11607 series that is the basic reference for all parts of the EN 868 series.

This is a preview of "BS EN 868-8:2018". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This document specifies test methods and values for re-usable containers used as sterile barrier systems that are intended to maintain sterility of terminally sterilized medical devices to the point of use. These containers are intended to be used in steam sterilizers conforming to EN 285.

NOTE 1 The need for a packaging material inside the container is determined by the manufacturers and users.

Other than the general requirements as specified in EN ISO 11607-1 and EN ISO 11607-2 this part of EN 868 specifies materials, test methods and values that are specific to the products covered by this document.

NOTE 2 When it is intended to use the containers in a steam sterilizer not conforming to EN 285 the sterilization performance of the container in the specific sterilization cycle to be used is validated by the user. Other attributes of the container are also reviewed for compatibility with the sterilizer cycle, e.g. operating temperature.

NOTE 3 The use of additional materials and/or accessories inside the sterile barrier system in order to ease the organization, drying or aseptic presentation (e.g. inner wrap, indicators, packing lists, mats, instrument organizer sets, tray liners or an additional envelope around the medical device) is not covered in this part of EN 868. However, other requirements, including the determination of the acceptability of these materials and/or accessories during validation activities, can apply.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 285:2015, *Sterilization — Steam sterilizers — Large sterilizers*

EN 10088-1, *Stainless steels — Part 1: List of stainless steels*

EN ISO 4017:2014, *Fasteners — Hexagon head screws — Product grades A and B (ISO 4017:2014)*

EN ISO 11607-1:2017, *Packaging for terminally sterilized medical devices — Part 1: Requirements for materials, sterile barrier systems and packaging systems (ISO 11607-1:2006, including Amd 1:2014)*

ISO 4582, *Plastics — Determination of changes in colour and variations in properties after exposure to glass-filtered solar radiation, natural weathering or laboratory radiation sources*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 11607-1:2017 and EN 285:2015 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Requirements

4.1 General

For any preformed sterile barrier system or sterile barrier system, the requirements of EN ISO 11607-1 shall apply.