

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Optical fibres

Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres (IEC 60793-2-10:2019)

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN IEC 60793-2-10:2019. It is identical to IEC 60793-2-10:2019. It supersedes BS EN 60793-2-10:2017, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/86/1, Optical fibres and cables.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 52317 5

ICS 33.180.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

July 2019

ICS 33.180.10

Supersedes EN 60793-2-10:2017 and all of its amendments and corrigenda (if any)

English Version

Optical fibres - Part 2-10: Product specifications - Sectional
specification for category A1 multimode fibres
(IEC 60793-2-10:2019)

Fibres optiques - Partie 2-10: Spécifications de produits -
Spécification intermédiaire pour les fibres multimodales de
catégorie A1
(IEC 60793-2-10:2019)

Lichtwellenleiter - Teil 2-10: Produktspezifikationen -
Rahmenspezifikation für Mehrmodenfasern der Kategorie
A1
(IEC 60793-2-10:2019)

This European Standard was approved by CENELEC on 2019-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

European foreword

The text of document 86A/1932/FDIS, future edition 7 of IEC 60793-2-10, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60793-2-10:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-03-26
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-26

This document supersedes EN 60793-2-10:2017 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60793-2-10:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61280-1-3	NOTE	Harmonized as EN 61280-1-3
IEC 61280-1-4	NOTE	Harmonized as EN 61280-1-4
IEC 60793-2-10:2017	NOTE	Harmonized as EN 60793-2-10:2017 (not modified)
IEC 60794-1-1	NOTE	Harmonized as EN 60794-1-1

This is a preview of "BS EN IEC 60793-2-10...". Click here to purchase the full version from the ANSI store.

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-1-20	-	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry	EN 60793-1-20	-
IEC 60793-1-21	-	Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry	EN 60793-1-21	-
IEC 60793-1-22	-	Optical fibres - Part 1-22: Measurement methods and test procedures - Length measurement	EN 60793-1-22	-
IEC 60793-1-30	-	Optical fibres - Part 1-30: Measurement methods and test procedures - Fibre proof test	EN 60793-1-30	-
IEC 60793-1-31	-	Optical fibres - Part 1-31: Measurement methods and test procedures - Tensile strength	EN IEC 60793-1-31	-
IEC 60793-1-32	-	Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability	EN IEC 60793-1-32	-
IEC 60793-1-33	-	Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility	EN 60793-1-33	-
IEC 60793-1-40	-	Optical fibres - Part 1-40: Attenuation measurement methods	EN IEC 60793-1-40	-
IEC 60793-1-41	-	Optical fibres - Part 1-41: Measurement methods and test procedures - Bandwidth	EN 60793-1-41	-
IEC 60793-1-42	-	Optical fibres - Part 1-42: Measurement methods and test procedures - Chromatic dispersion	EN 60793-1-42	-
IEC 60793-1-43	-	Optical fibres - Part 1-43: Measurement methods and test procedures - Numerical aperture measurement	EN 60793-1-43	-
IEC 60793-1-46	-	Optical fibres - Part 1-46: Measurement methods and test procedures - Monitoring of changes in optical transmittance	EN 60793-1-46	-
IEC 60793-1-47	-	Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss	EN IEC 60793-1-47	-

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

		mode delay		
IEC 60793-1-50	-	Optical fibres - Part 1-50: Measurement methods and test procedures - Damp heat (steady state) tests	EN 60793-1-50	-
IEC 60793-1-51	-	Optical fibres - Part 1-51: Measurement methods and test procedures - Dry heat (steady state) tests	EN 60793-1-51	-
IEC 60793-1-52	-	Optical fibres - Part 1-52: Measurement methods and test procedures - Change of temperature tests	EN 60793-1-52	-
IEC 60793-1-53	-	Optical fibres - Part 1-53: Measurement methods and test procedures - Water immersion tests	EN 60793-1-53	-
IEC 60793-2	-	Optical fibres - Part 2: Product specifications - General	EN 60793-2	-
IEC 61280-4-1	2009	Fibre-optic communication subsystem test procedures - Part 4-1: Installed cable plant - Multimode attenuation measurement	EN 61280-4-1	2009

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

FOREWORD	5
1 Scope	7
2 Normative references	8
3 Terms and definitions	9
4 Abbreviated terms	10
5 Specifications	10
5.1 General.....	10
5.2 Dimensional requirements.....	10
5.3 Mechanical requirements	12
5.4 Transmission requirements	12
5.5 Environmental requirements	14
5.5.1 General	14
5.5.2 Mechanical environmental requirements (common to all fibres in category A1).....	15
5.5.3 Transmission environmental requirements.....	16
Annex A (normative) Specifications for sub-categories A1-OM2, A1-OM3, A1-OM4 and A1-OM5 multimode fibres.....	17
A.1 General.....	17
A.2 Dimensional requirements.....	17
A.3 Mechanical requirements	18
A.4 Transmission requirements	18
A.5 Environmental requirements	20
Annex B (normative) Specifications for sub-category A1-OM1 multimode fibres	21
B.1 General.....	21
B.2 Dimensional requirements.....	21
B.3 Mechanical requirements	21
B.4 Transmission requirements	22
B.5 Environmental requirements	22
Annex C (normative) Specifications for sub-category A1d multimode fibres	23
C.1 General.....	23
C.2 Dimensional requirements.....	23
C.3 Mechanical requirements	23
C.4 Transmission requirements	24
C.5 Environmental requirements	24
Annex D (normative) Fibre differential mode delay (DMD), calculated effective modal bandwidth (EMB _c) and calculated overfilled modal bandwidth (OMB _c) requirements.....	25
D.1 A1-OM3 fibre DMD requirements	25
D.1.1 General	25
D.1.2 DMD templates	25
D.1.3 DMD interval masks.....	26
D.2 A1-OM3 fibre EMB _c requirements	27
D.2.1 General	27
D.2.2 Calculated effective bandwidth	27
D.3 A1-OM4 DMD requirements	29
D.3.1 General	29

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

D.3.2	DMD templates	29
D.3.3	DMD interval masks	30
D.4	A1-OM4 fibre EMB _c requirements	30
D.4.1	General	30
D.4.2	Calculated effective bandwidth	30
D.5	A1-OM5 fibre modal bandwidth requirements	30
D.5.1	General	30
D.5.2	Calculated effective modal bandwidth	31
D.6	A1-OM2, A1-OM3, A1-OM4 and A1-OM5 calculated overfilled modal bandwidth	31
Annex E (informative)	System, modal bandwidth, and transmitter considerations	33
E.1	Background	33
E.2	System considerations	33
E.2.1	A1-OM3 and A1-OM4 fibres	33
E.2.2	A1-OM5 fibre	33
E.3	Effective modal bandwidth (EMB)	34
E.4	Transmitter encircled flux (EF) and centre wavelength requirements	37
E.4.1	Encircled flux	37
E.4.2	Centre wavelength for A1-OM3 and A1-OM4 fibres	38
E.4.3	Centre wavelength for A1-OM5 fibre	38
Annex F (informative)	Bandwidth nomenclature explanation	40
Annex G (informative)	Preliminary indications for items needing further study	41
G.1	Effective modal bandwidth (EMB) at 1 300 nm	41
G.2	Scaling of EMB with DMD	41
Annex H (informative)	Applications and cabling categories supported by A1 fibres	43
Annex I (informative)	1-Gigabit, 10-Gigabit, 25-Gigabit, 40-Gigabit and 100-Gigabit Ethernet applications	44
Bibliography	50
Figure 1	– Relation between bandwidths at 850 nm and 1 300 nm	14
Figure D.1	– DMD template requirements	26
Figure E.1	– Estimated minimum wide band EMB versus wavelength for A1-OM3	35
Figure E.2	– Estimated minimum wide band EMB versus wavelength for A1-OM4	36
Figure E.3	– Estimated minimum wide band EMB versus wavelength for A1-OM5	37
Figure E.4	– Approximate position of DMD weightings relative to the EF boundaries of Equations (E.10) and (E.11)	38
Table 1	– Cross reference IEC A1 multimode fibre designations to IEC 60793-2-10:2017	8
Table 2	– Dimensional attributes and measurement methods	11
Table 3	– Dimensional requirements common to category A1 fibres	11
Table 4	– Additional dimensional attributes required in sub-category specifications	11
Table 5	– Mechanical attributes and measurement methods	12
Table 6	– Mechanical requirements common to category A1 fibres	12
Table 7	– Transmission attributes and measurement methods	13
Table 8	– Additional transmission attributes required in sub-category specifications	13
Table 9	– Environmental exposure tests	15

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

Table 10 – Attributes measured for environmental tests	15
Table 11 – Strip force for environmental tests	15
Table 12 – Tensile strength for environmental tests	16
Table 13 – Stress corrosion susceptibility for environmental tests	16
Table 14 – Change in attenuation for environmental tests	16
Table A.1 – Dimensional requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres	18
Table A.2 – Mechanical requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres	18
Table A.3 – Transmission requirements specific to A1-OM2, A1-OM3, A1-OM4 and A1-OM5 fibres	19
Table B.1 – Dimensional requirements specific to A1-OM1 fibres	21
Table B.2 – Mechanical requirements specific to A1-OM1 fibres	21
Table B.3 – Transmission requirements specific to A1-OM1 fibres	22
Table C.1 – Dimensional requirements specific to A1d fibres	23
Table C.2 – Mechanical requirements specific to A1d fibres	23
Table C.3 – Transmission requirements specific to A1d fibres	24
Table D.1 – DMD templates for A1-OM3 fibres	25
Table D.2 – DMD interval masks for A1-OM3 fibres	27
Table D.3 – DMD weightings	28
Table D.4 – DMD templates for A1-OM4 fibres	30
Table D.5 – DMD interval masks for A1-OM4 fibres	30
Table D.6 – DMD weighting for OMB_c	32
Table F.1 – Bandwidth nomenclature explanation	40
Table H.1 – Some standardised applications supported by A1-OM2, A1-OM3, A1-OM4, A1-OM5 fibres and in some cases A1-OM1 fibres	43
Table I.1 – Summary of 1 Gb/s, 10 Gb/s, 25 Gb/s, 40 Gb/s and 100 Gb/s Ethernet requirements and capabilities	45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRES –

**Part 2-10: Product specifications –
Sectional specification for category A1 multimode fibres**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-2-10 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This seventh edition cancels and replaces the sixth edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant change with respect to the previous edition: revision of the naming convention for A1 multimode fibres, which better matches with those found in ISO/IEC standards. These changes are outlined in the scope of this document along with a cross reference table for the new names.

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1932/FDIS	86A/1939/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This is a preview of "BS EN IEC 60793-2-10...". [Click here to purchase the full version from the ANSI store.](#)

OPTICAL FIBRES –

Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres

1 Scope

This part of IEC 60793 is applicable to optical fibre sub-categories A1-OM1, A1-OM2, A1-OM3, A1-OM4, A1-OM5, and A1d. These fibres are used or can be incorporated in information transmission equipment and optical fibre cables.

Sub-categories A1-OM2, A1-OM3, A1-OM4 and A1-OM5 apply to 50/125 μm graded index fibre in four bandwidth grades. Each of these bandwidth grades is defined for two levels of macrobend loss performance that are distinguished by "a" or "b" suffix. Those sub-categories with suffix "a" are specified to meet traditional macrobend loss performance levels. Those sub-categories with suffix "b" are specified to meet enhanced macrobend loss (i.e. lower loss) performance levels.

Sub-category A1-OM5 is specified to support single wavelength or multi-wavelength transmission systems in the vicinity of 850 nm to 950 nm. Although not normatively specified, bandwidth information covering this wavelength range is also included for A1-OM3 and A1-OM4.

Sub-category A1-OM1 applies to 62,5/125 μm graded index fibre and sub-category A1d applies to 100/140 μm graded index fibre.

Other applications include, but are not restricted to, the following: short reach, high bit-rate systems in telephony, distribution and local networks carrying data, voice and/or video services; on-premises intra-building and inter-building fibre installations including data centres, local area networks (LANs), storage area networks (SANs), private branch exchanges (PBXs), video, various multiplexing uses, outside telephone cable plant use, and miscellaneous related uses.

Three types of requirements apply to these fibres:

- general requirements, as defined in IEC 60793-2;
- specific requirements common to the category A1 multimode fibres covered in this document and which are given in Clause 5;
- particular requirements applicable to individual fibre sub-categories and models, or specific applications, which are defined in the normative specification Annexes A to D.

Table 1 shows the cross reference between the IEC A1 multimode optical fibre designations used in this document compared to those used in IEC 60793-2-10:2017. The table also refers to the normative annexes A, B and C for the A1 sub-category multimode fibres in this document that contains the detailed specification.