

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Space sustainability – Space debris mitigation requirements (ISO 24113:2011, modified)

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 16604-10:2019. It is derived from ISO 24113:2011. It supersedes BS EN 16604-10:2014, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/68, Space systems and operations.

A list of organizations represented on this committee can be obtained on request to its secretary.

BSI, as a member of CEN, is obliged to publish EN 16604-10:2019 as a British Standard. However, attention is drawn to the fact that during the development of this European Standard, the UK committee voted against its approval.

EN 16604-10:2019 is a modified version of ISO 24113:2011. The UK committee advises users that in July 2019 ISO published ISO 24113:2019, which contains a significant number of important changes compared to ISO 24113:2011. The UK committee expects that CEN will adopt ISO 24113:2019 as a European Standard in due course, which will then be implemented in the UK as a British Standard. In the meantime, the UK committee draws users' attention to ISO 24113:2019.

UK nationals and entities incorporated in the UK which launch, procure the launch or operate a space object or undertake any other activity in outer space must be licensed under the Outer Space Act 1986 (OSA). Before issuing a licence, the licensing authority – currently the UK Space Agency – assesses if the proposed space activity conforms to international treaties (e.g. the requirements on liability and registration) and other applicable laws and regulations. A safety evaluation is required by the UK Space Agency before issuing a licence. The safety evaluation aims to determine whether a licence applicant can safely conduct the launch, operation and disposal of a space system. In particular, the evaluation seeks to assess whether an applicant can demonstrate a clear understanding of the hazards involved, and that an appropriate risk management regime exists to limit those hazards. This is necessary to ensure that the activity will not jeopardize public health or the safety of persons or property.

The assessment carried out by the UK Space Agency also considers whether the proposed activity is compliant with international guidelines such as those relating to space debris mitigation. ISO 24113 and associated ISO debris mitigation standards provide implementable and verifiable requirements that can be used by UK nationals or entities to demonstrate compliance with broader debris mitigation guidelines.

As the implementation of debris mitigation measures can have a significant impact on the design and operation of space systems and consequently mission cost, it is clearly in the interest of those applying for a licence to confirm, at an early stage, which debris mitigation measures apply to their specific space system and with which the applicant must demonstrate compliance. ISO 24113 can be used as a basis for such an assessment by the UK Space Agency prior to granting an applicant a licence pursuant to the OSA.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 539 00972 9

ICS 49.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

June 2019

ICS 49.140

Supersedes EN 16604-10:2014

English version

Space sustainability - Space debris mitigation requirements (ISO 24113:2011, modified)

Durabilité des activités spatiales - Exigences relatives à la réduction des débris (ISO 24113:2011 modifiée)


Nachhaltigkeit im Weltraum - Anforderungen zur Eindämmung des Weltraummülls (ISO 24113:2011, modifiziert)

This European Standard was approved by CEN on 4 February 2019.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Symbols and abbreviated terms	7
4.1 Symbols.....	7
4.2 Abbreviated terms	7
5 Protected regions	8
5.1 General.....	8
5.2 LEO protected region	8
5.3 GEO protected region.....	8
6 Technical requirements	9
6.1 Avoiding the intentional release of space debris into Earth orbit during normal operations.....	9
6.1.1 General.....	9
6.1.2 Combustion-related products.....	9
6.2 Avoiding break-ups in Earth orbit	9
6.2.1 Intentional break-ups.....	9
6.2.2 Accidental break-ups	9
6.3 Removing a spacecraft or launch vehicle orbital stage from the protected regions after end of mission.....	10
6.3.1 Probability of successful disposal.....	10
6.3.2 GEO disposal manoeuvres.....	10
6.3.3 LEO disposal manoeuvres	10
6.3.4 Re-entry	11
7 Space debris mitigation plan	11
Annex A (informative) Probability of successful disposal	12
A.1 General.....	12
A.2 Case 1.....	12
A.3 Case 2.....	13
A.4 Case 3.....	13
Annex B (informative) Post-launch life cycle phases of a launch vehicle or spacecraft	15
Bibliography	17

This is a preview of "BS EN 16604-10:2019". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 16604-10:2019) has been prepared by Technical Committee CEN/CLC/JTC 5 "Space", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16604-10:2014.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document (EN 16604-10:2019) originates from ISO 24113:2011 taking into account the specificities of the ECSS Adoption Notice ECSS-U-AS-10C "Space sustainability — Adoption Notice of ISO 24113: Space systems — Space debris mitigation requirements".

EN 16604-10:2019 is a merge of EN 16604-10:2014 and ISO 24113:2011, resulting in one European Standard containing all requirements for Space debris mitigation.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g.: aerospace).

Context information:

The Standard ISO 24113, *Space systems — Space debris mitigation requirements*, has been developed by ISO TC20/SC 14. The key space debris mitigation requirements have been thoroughly discussed at international level, agreed by the ISO members and published as ISO 24113.

Aiming at the development of world wide implementation standards dealing with space debris mitigation, ECSS has proactively contributed to the preparation of ISO 24113.

ECSS decided to adopt and apply ISO 24133 with a minimum set of modifications, identified in the present document, to account for the reference and applicable space debris mitigation documents existing in Europe and of the needs of the ECSS members.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Space debris comprises all non-functional, man-made objects, including fragments and elements thereof, in Earth orbit or re-entering the Earth's atmosphere. The growing population of these objects poses an increasing hazard to missions. In response to this problem, there is international consensus that space activities need to be managed to minimize debris generation and risk. This consensus is embodied in space debris mitigation guidelines published by organizations such as the International Telecommunication Union (ITU)^[1], the Inter-Agency Space Debris Coordination Committee (IADC)^{[2][3]} and the United Nations (UN)^[4]. The transformation of debris mitigation guidelines into engineering practice is a key purpose of this Standard.

The importance of this Standard can be seen within the context of four UN treaties^[5] that were established under the United Nations Committee on the Peaceful Uses of Outer Space (UNCOPUOS) to govern the involvement of nations in space activities. These are the *Outer Space Treaty*, the *Liability Convention*, the *Registration Convention* and the *Rescue Agreement*. Through some of these treaties, a Launching State has total liability for damage caused by its spacecraft or launch vehicle orbital stages (or any parts thereof) on the surface of the Earth or to aircraft in flight, as well as in outer space where fault can be proven.

All countries are encouraged to abide by these international agreements in order not to endanger or constrain existing and future space missions. A Launching State can choose to appoint licensing or regulatory authorities to administer its approach for complying with the above-mentioned UN treaties. In several Launching States, these authorities have implemented national legislation to enforce the UN treaties. Such legislation can include the mitigation of space debris. Some Launching States meet their obligations by appointing non-regulatory government bodies, such as national space agencies, to provide the necessary guidelines or requirements, including those for space debris mitigation.

The general aim of space debris mitigation is to reduce the growth of space debris by ensuring that spacecraft and launch vehicle orbital stages are designed, operated and disposed of in a manner that prevents them from generating debris throughout their orbital lifetime. This is achieved by the following actions:

- a) avoiding the intentional release of space debris into Earth orbit during normal operations;
- b) avoiding break-ups in Earth orbit;
- c) removing spacecraft and launch vehicle orbital stages from protected orbital regions after end of mission;
- d) performing the necessary actions to minimize the risk of collision with other space objects.

Such actions are especially important for a spacecraft or launch vehicle orbital stage that has one or more of the following characteristics:

- a large collision cross-section;
- remains in orbit for many years;
- operates near manned mission orbital regions;
- operates in highly utilized regions, such as protected regions;
- operates in regions of high debris population.

This Standard transforms these objectives into a set of high-level debris mitigation requirements. Methods and processes to enable compliance with these requirements are provided in a series of lower-level implementation standards.

This is a preview of "BS EN 16604-10:2019". Click here to purchase the full version from the ANSI store.

1 Scope

This document defines the primary space debris mitigation requirements applicable to all elements of systems launched into, or passing through, near-Earth space, including launch vehicle orbital stages, operating spacecraft and any objects released as part of normal operations or disposal actions.

The requirements contained in this document are intended to reduce the growth of space debris by ensuring that spacecraft and launch vehicle orbital stages are designed, operated and disposed of in a manner that prevents them from generating debris throughout their orbital lifetime.

This document is the top-level standard in a family of standards addressing debris mitigation. It will be the main interface for the user, bridging between the primary debris mitigation requirements and the lower-level implementation standards that will ensure compliance.

This document does not cover launch phase safety for which specific rules are defined elsewhere.

This document identifies the clauses and requirements modified with respect to ISO 24113, *Space systems — Space debris mitigation requirements*, Second edition 2011-05-15 for application in ECSS.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 9000:2005, *Quality management systems — Fundamentals and vocabulary (ISO 9000:2005)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 9000:2005 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

approving agent

entity from whom approval is sought for the implementation of space debris mitigation requirements with respect to the procurement of a spacecraft, or its launch, or its operations in space, or a combination of those activities

EXAMPLE Regulatory or licensing authorities; national or international space agencies.

3.2

break-up

event that destroys an object and generates fragments that are released into space

3.3

casualty risk

probability that a person is killed or seriously injured