BS EN IEC 60079-10-1:2021

This is a preview of "BS EN IEC 60079-10-1...". Click here to purchase the full version from the ANSI store.



BSI Standards Publication

Explosive atmospheres

Part 10-1: Classification of areas - Explosive gas atmospheres



National foreword

This British Standard is the UK implementation of EN IEC 60079-10-1:2021. It is identical to IEC 60079-10-1:2020. It supersedes BS EN 60079-10-1:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EXL/31/3, Codes of practice.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021 Published by BSI Standards Limited 2021

ISBN 978 0 539 01314 6

ICS 29.260.20; 13.230

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2021.

Amendments/corrigenda issued since publication

Date Text affected

EN IEC 60070 10 1

This is a preview of "BS EN IEC 60079-10-1...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

February 2021

ICS 29.260.20

Supersedes EN 60079-10-1:2015 and all of its amendments and corrigenda (if any)

English Version

Explosive atmospheres - Part 10-1: Classification of areas -Explosive gas atmospheres (IEC 60079-10-1:2020)

Atmosphères explosives - Partie 10-1: Classification des emplacements - Atmosphères explosives gazeuses (IEC 60079-10-1:2020) Explosionsgefährdete Bereiche - Teil 10-1: Einteilung der Bereiche - Gasexplosionsgefährdete Bereiche (IEC 60079-10-1:2020)

This European Standard was approved by CENELEC on 2021-01-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 31J/307/FDIS, future edition 3 of IEC 60079-10-1, prepared by SC 31J "Classification of hazardous areas and installation requirements" of IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60079-10-1:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-10-22 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-01-22 document have to be withdrawn

This document supersedes EN 60079-10-1:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60079-10-1:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-0	NOTE	Harmonized as EN IEC 60079-0
IEC 60079-14	NOTE	Harmonized as EN 60079-14
IEC 60079-13	NOTE	Harmonized as EN 60079-13
IEC 60079-10-2	NOTE	Harmonized as EN 60079-10-2
IEC 61285	NOTE	Harmonized as EN 61285
IEC 61511-1:2016	NOTE	Harmonized as EN 61511-1:2017 (not modified)
ISO/IEC 80079-20-1	NOTE	Harmonized as EN ISO/IEC 80079-20-1

CONTENTS

F	OREWO)RD	6
IN	ITRODI	JCTION	10
1	Scop	De	11
2	Norr	native references	11
3	Tern	ns and definitions	12
4		eral	
•	4.1	Safety principles	
	4.2	Hazardous area classification objectives	
	4.3	Interior of equipment containing flammable materials	
	4.4	Explosion risk assessment	
	4.4.1	•	
	4.4.2		
	4.5	Catastrophic failures	
	4.6	Competence of personnel	
5	Haza	ardous area classification methodology	
	5.1	General	
	5.2	Classification by sources of release method	
	5.3	Use of industry codes and national standards	
	5.3.1	-	
	5.3.2		
	5.4	Simplified methods	
	5.5	Combination of methods	
6	Rele	ase of flammable substance	22
	6.1	General	22
	6.2	Sources of release	
	6.3	Forms of release	
	6.3.1	General	23
	6.3.2	2 Gaseous release	24
	6.3.3	B Liquefied under pressure release	24
	6.3.4	Liquefied by refrigeration release	24
	6.3.5	5 Flammable mists release	25
	6.3.6	S Vapours release	25
	6.3.7	Z Liquid release	25
7	Vent	ilation (or air movement) and dilution	26
	7.1	General	26
	7.2	Main types of ventilation	27
	7.2.1	General	27
	7.2.2	2 Natural ventilation	27
	7.2.3	3 Artificial ventilation	27
	7.2.4	Degree of dilution	29
8	Туре	e of zone	
	8.1	General	
	8.2	Influence of grade of the source of release	30
	8.3	Influence of dilution	
	8.4	Influence of availability of ventilation	

10 Docume	entation	31
10.1 Ge	eneral	31
10.2 Dr	rawings, data sheets and tables	
	ormative) Suggested presentation of hazardous areas	
-	azardous area – Preferred symbols for zones	
	azardous area suggested shapes	
	ormative) Estimation of sources of release	
	/mbols	
	camples of grade of release	
B.2.1	General	
B.2.1	Sources giving a continuous grade of release	
B.2.3	Sources giving a primary grade of release	
B.2.4	Sources giving a secondary grade of release	
	ssessment of grades of release	
	ummation of releases	
	ble size and source radius	
	orms of release	
-	elease rate	-
B.7.1	General	
B.7.2	Estimation of release rate	
B.7.3	Release rate of evaporative pools	
	elease from openings in buildings	
B.8.1	General	
B.8.2	Openings as possible sources of release	
B.8.3	Openings classification	
	ormative) Ventilation guidance	
-	/mbols	
-	eneral	
	ssessment of ventilation and dilution and its influence on hazardous area	
C.3.1	General	
C.3.2	Effectiveness of ventilation	
C.3.3	Criteria for dilution	
C.3.4	Assessment of ventilation velocity	
C.3.5	Assessment of the degree of dilution	
C.3.6	Dilution in a room	
C.3.7	Criteria for availability of ventilation	
	camples of ventilation arrangements and assessments	
C.4.1	Introduction	
C.4.2	Jet release in a large building	
C.4.3	Jet release in a small naturally ventilated building	
C.4.4	Jet release in a small artificially ventilated building	
C.4.5	Release with low velocity	
C.4.6	Fugitive emissions	
C.4.7	Local ventilation-extraction	
-	atural Ventilation in buildings	
	General	
C.5.1 C.5.2	General Wind induced ventilation	

C.5	, , , , ,	
Annex D	(informative) Estimation of hazardous areas	69
D.1	General	
D.2	Estimating types of the zones	69
D.3	Estimating the extent of the hazardous area	70
Annex E	(informative) Examples of hazardous area classification	72
E.1	General	72
E.2	Examples	72
E.3	Example case study for hazardous area classification	
Annex F	(informative) Schematic approach to classification of hazardous areas	96
F.1	Schematic approach to classification of hazardous areas	96
F.2	Schematic approach to classification of hazardous areas	97
F.3	Schematic approach to classification of hazardous areas	
F.4	Schematic approach to classification of hazardous areas	
Annex G	(informative) Flammable mists	100
Annex H	(informative) Hydrogen	103
Annex I	(informative) Hybrid mixtures	105
I.1	General	105
1.2	Use of ventilation	105
1.3	Concentration limits	105
1.4	Chemical reactions	105
1.5	Energy/temperature limits	
1.6	Zoning requirements	
	(informative) Useful equations in support to hazardous area classification	
J.1	General	
J.2	Dilution with air of a flammable substance release	
J.3	Estimate of the time required to dilute a flammable substance release	
	(informative) Industry codes and national standards	
K.1	General	
Bibliogra	phy	112
-	– Dilution Volume	
Figure A	.1 – Preferred symbols for zones	
	.2 – Gas or vapour at low pressure (or at high pressure in case of table release direction)	
Figure A	.3 – Gas or vapour at high pressure	
Figure A	.4 – Liquefied gas	
Figure A	.5 – Flammable liquid (non boiling evaporative pool)	
	.1 – Forms of release	
-	.2 – Specific volumetric evaporation rate of liquids	
	.1 – Chart for assessing the degree of dilution	
-	.2 – Self diffusion of an unimpeded high velocity jet release	
-		
-	.3 – Supply only ventilation	
-	.4 – Supply and extraction ventilation	
	.5 – Local extraction ventilation	64

Figure D.1 – Chart for estimating hazardous area distances Figure E.1 – Degree of dilution (Example No. 1) Figure E.2 – Hazardous distance (Example No. 1)	
	71
Figure E 2 - Hazardous distance (Example No. 1)	73
	74
Figure E.3 – Zone classification (Example No. 1)	74
Figure E.4 – Degree of dilution (Example No. 2)	76
Figure E.5 – Degree of dilution (Example No. 3)	78
Figure E.6 – Hazardous distance (Example No. 3)	79
Figure E.7 – Zones classification (Example No. 3)	79
Figure E.8 – Degree of dilution (Example No. 4)	81
Figure E.9 – Hazardous distance (Example No. 4)	
Figure E.10 – Zones classification (Example No. 4)	83
Figure E.11 – Degree of dilution (Example No. 5)	85
Figure E.12 – Hazardous distance (Example No. 5)	
Figure E.13 – Enclosed compressor handling natural gas	88
Figure E.14 – Example of hazardous area classification for a compressor facility handling natural gas (elevation)	94
Figure E.15 – Example of hazardous area classification for a compressor facility handling natural gas (plan)	95
Figure F.1 – Schematic approach to classification	96
Figure F.2 – Schematic approach to classification for continuous grade releases	97
Figure F.3 – Schematic approach to classification for primary grade releases	98
Figure F.4 – Schematic approach to classification for secondary grade releases	99
Table A.1 – Hazardous area classification data sheet – Part I: Flammable substance list and characteristics	34
Table A.2 – Hazardous area classification data sheet – Part II: List of sources of	
release	35
Table B.1 – Suggested hole cross sections for secondary grade of releases	42
Table B.2 – Effect of zones on openings as possible sources of release	51
Table C.1 – Indicative outdoor ventilation velocities (u_W)	56
Table D.1 – Zones for grade of release and effectiveness of ventilation	69
Table E.1 – Compressor facility handling natural gas	88
Table E.2 – Hazardous area classification data sheet – Part I: Flammable substance list and characteristics	91
Table E.3 – Hazardous area classification data sheet – Part II: List of sources of	
release	92

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 10-1: Classification of areas – Explosive gas atmospheres

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-10-1 has been prepared by subcommittee 31J: Classification of hazardous areas and installation requirements, of IEC technical committee 31: Equipment for explosive atmospheres.

This third edition of IEC 60079-10-1 cancels and replaces the second edition, published in 2015, and constitutes a technical revision. The significant technical changes with respect to the previous edition are as follows:

	Туре			
Changes	Clause	Minor and editorial changes	Extension	Major technical changes
Deleting commercial and industrial applications for fuel gas from the Scope exemptions	1			C1
Updating editorial details and notes to the definitions	3		Х	
Deletion of the previous edition clause 3.7.3 definition for catastrophic failure (dealt with in clause 4.5)			х	
Introduction of new Subclause 4.4.2 Zone of negligible extent	4.4.2		х	
Introduction of new clause 5.3.2 Fuel gas installations	5.3.2		х	
Renumbering of headings	7	х		
Introduction of Figure 1 – Dilution volume	7		х	
Upgrading Table A.1 with UFL and its column 15 heading with the 'source of data'	A.1	х		
Updating the flow-chart in Figure B.1	B.6		Х	
Updating equations for evaporation rate to align with the recent source modifications	B.7.3		х	
Updating the chart in Figure B.2 according to the updated equations for evaporation rate and the ventilation velocity of 0,25 m/s	B.7.3		х	
Restructuring Table C.1	C.3.4		Х	
Removal of safety factor k and deleting it from the horizontal axis of the chart in Figure C.1	C.3.5			C2
Revising equations (C.2) and (C.3)	C.5.2			C3
Revising equations (C.4) and (C.5)	C.5.3			C4
Revising the chart in Figure C.6 by changing the label on the horizontal axis	C.5.3			C5
Revising equation (C.6) and deleting equation (C.7)	C.5.4			C6
Removal of safety factor k and deleting it from the horizontal axis of the charts in Figure D.1	D.3			C7
Imposing limitations to the use of the chart in Figure D.1	D.3		х	
Updating and corrections in Annex E	Annex E		Х	
Upgrading Annex G on Flammable mists	Annex G		Х	
Introducing new items in Table K.1	Annex K		Х	
Introducing new items in the Bibliography	Bibliography		х	

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version.

Explanations:

A) Definitions

Minor and editorial changes clarification decrease of technical requirements minor technical change

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change.

editorial corrections

Extension

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements.

Major technical changes	addition of technical requirements
	increase of technical requirements

B) Information about the background of changes

- C1 The previous edition item e) was: "commercial and industrial applications where only low pressure fuel gas is used for appliances e.g. for cooking, water heating and similar uses, where the installation is compliant with relevant gas codes". Industrial applications of any kind should not be exempted from the scope of this standard. See also new clause 5.3.2.
- C2 The factor **k** was initially intended to provide for additional safety for uncertainties in determining LFL for flammable substances, particularly gas mixtures. However, this was considered as unnecessary and confusing considering the derivation of the chart.
- C3 The equations are updated to align with BS 5925
- C4 The equations are updated to align with BS 5925
- C5 The chart is revised to match the new equation (C.4)
- C6 The equation is updated to align with BS 5925
- C7 See the explanation under C2

These are changes to technical requirements (addition, increase of the level or removal).

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

The text of this standard is based on the following documents:

FDIS	Report on voting
31J/307/FDIS	31J/310/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

In areas where dangerous quantities and concentrations of flammable gas or vapour may arise, measures need to be applied in order to reduce the risk of explosions. This part of IEC 60079 sets out the essential criteria against which the ignition hazards can be assessed and gives guidance on the design and control parameters which can be used in order to reduce such hazards.

EXPLOSIVE ATMOSPHERES –

Part 10-1: Classification of areas – Explosive gas atmospheres

1 Scope

This part of IEC 60079 is concerned with the classification of areas where flammable gas or vapour hazards may arise and may then be used as a basis to support the proper design, construction, operation and maintenance of equipment for use in hazardous areas.

It is intended to be applied where there may be an ignition hazard due to the presence of flammable gas or vapour, mixed with air, but it does not apply to:

- a) mines susceptible to firedamp;
- b) the processing and manufacture of explosives;
- c) catastrophic failures or rare malfunctions which are beyond the concept of normality dealt with in this standard (see 3.7.3 and 4.5);
- d) rooms used for medical purposes;
- e) domestic premises;
- f) where a hazard may arise due to the presence of combustible dusts or combustible flyings but the principles may be used in assessment of a hybrid mixture (refer also to IEC 60079-10-2).
- NOTE Additional guidance on hybrid mixtures is provided in Annex I.

Flammable mists may form or be present at the same time as flammable vapour. In such case the strict application of the details in this document may not be appropriate. Flammable mists may also form when liquids not considered to be a hazard due to the high flash point are released under pressure. In these cases the classifications and details given in this document do not apply. Information on flammable mists is provided in Annex G.

For the purpose of this document, an area is a three-dimensional region or space.

Atmospheric conditions include variations above and below reference levels of 101,3 kPa (1 013 mbar) and 20 $^{\circ}$ C (293 K), provided that the variations have a negligible effect on the explosion properties of the flammable substances.

In any site, irrespective of size, there may be numerous sources of ignition apart from those associated with equipment. Appropriate precautions will be necessary to ensure safety in this context. This standard is applicable with judgement for other ignition sources but in some applications other safeguards may also need to be considered. E.g. larger distances may apply for naked flames when considering hot work permits.

This document does not take into account the consequences of ignition of an explosive atmosphere except where a zone is so small that if ignition did occur it would have negligible consequences (see 3.3.8 and 4.4.2).

2 Normative references

This document contains no normative references.