

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Machines for underground mines — Safety requirements for hydraulic powered roof supports

Part 3: Hydraulic and electro hydraulic control systems

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 1804-3:2020. It supersedes BS EN 1804-3:2006+A1:2010, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MRE/1, Mining mechanical equipment and machinery.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

This publication has been prepared under a mandate given to the European Standards Organizations by the European Commission and the European Free Trade Association and is intended to support essential requirements of the EU legislation detailed in the European foreword. Annex ZA/ZZ describes how the publication relates to the legislation.

For the Great Britain market (England, Scotland and Wales), if the UK Government has designated this publication for conformity with UKCA marking legislation and has not amended the essential requirements of that legislation, Annex ZA/ZZ and any references to EU law in the publication should be read in accordance with the designation as applying to UK legislation in the same way as to EU law. Further information on designated standards can be found at www.bsigroup.com/standardsandregulation.

For the Northern Ireland market, UK law will continue to implement relevant EU law subject to periodic confirmation. References to EU legislation are therefore still valid.

More information on legislation can be found at www.gov.uk.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 02209 4

ICS 73.100.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2021.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

December 2020

ICS 73.100.10

Supersedes EN 1804-3:2006+A1:2010

English Version

Machines for underground mines - Safety requirements for hydraulic powered roof supports - Part 3: Hydraulic and electro hydraulic control systems

Machines pour mines souterraines - Exigences de sécurité relatives aux soutènements marchants applicables aux piles - Partie 3 : Systèmes de commande hydrauliques et électro-hydrauliques

Maschinen für den Bergbau unter Tage - Sicherheitsanforderungen an hydraulischen Schreitausbau - Teil 3: Hydraulische und elektrohydraulische Steuerungen

This European Standard was approved by CEN on 25 October 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	9
4 Safety requirements	15
4.1 General requirements	15
4.1.1 General	15
4.1.2 Hazard areas	15
4.1.3 Arrangement of the control devices	15
4.1.4 Hold-to-run control	15
4.1.5 Shut-off devices	15
4.1.6 Pressure indicator	15
4.1.7 Arrangement of in-shield and inter-shield hose routing	15
4.1.8 Pipe and hose assemblies	16
4.1.9 Hydraulic fluids	16
4.1.10 Lifting points	17
4.2 Design requirements	17
4.2.1 Protection against ejected fluids	17
4.2.2 Roof contact advance	17
4.2.3 Pressure limiting	17
4.2.4 Interruption of the operating pressure	17
4.2.5 Travel speed	17
4.2.6 Actuating forces	17
4.2.7 Resistance to back pressure	17
4.2.8 Adjustable valves	17
4.3 Requirements of type A valves	18
4.3.1 General	18
4.3.2 Leaktightness	18
4.3.3 Yield pressure	18
4.3.4 Working pressure	18
4.3.5 Closing pressure	18
4.3.6 Pressure pulses	18
4.3.7 Impact resistance	18
4.3.8 Pressure flow behaviour	18
4.3.9 Operating reliability	18
4.3.10 Temperature effects	18
4.3.11 Resistance to back pressure	18
4.4 Requirements for type B and C valves	19
4.4.1 General	19
4.4.2 Leaktightness	19
4.4.3 Resistance to pressure	19
4.4.4 Switching behaviour	19
4.4.5 Operating reliability	19

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

4.4.6	Resistance to back pressure	19
4.5	Requirements for type D valves	19
4.6	Materials	19
4.6.1	Metallic materials	19
4.6.2	Light metal	19
4.6.3	Other materials	19
4.6.4	Seals	20
4.7	General electro hydraulic	20
4.7.1	General requirements	20
4.7.2	Arrangement of in-shield and inter-shield cable routing	20
4.7.3	Electro hydraulic valves	20
4.7.4	Stroke measurement devices	20
4.7.5	Pressure indicator	20
4.7.6	Pressure transducer	20
4.7.7	Electro hydraulic control unit	20
5	Verification of the safety requirements	23
5.1	Type testing	23
5.2	Additional tests	23
6	User Information	25
6.1	General requirements	25
6.2	Technical and application data	26
6.2.1	Introduction	26
6.2.2	General description	26
6.2.3	Performance data	26
6.2.4	Hydraulic data	26
6.2.5	List of additional drawings and documents	26
6.3	Handling, transport and storage	26
6.3.1	Introduction	26
6.3.2	Handling and transport	26
6.3.3	Storage	27
6.4	Installation and commissioning	27
6.4.1	Installation	27
6.4.2	Commissioning	27
6.5	Operation	27
6.6	Maintenance	27
6.6.1	Introduction	27
6.6.2	Technical description	27
6.6.3	Maintenance instructions	27
6.6.4	Fault diagnosis and correction	28
6.6.5	Preventive maintenance schedules	28
6.7	Spare parts identification lists	28
6.8	Marking	28
6.9	Residual risks	28
	Annex A (normative) Test for verification of the safety requirements	29
A.1	Load tests	29
A.1.1	General	29
A.1.2	Lifting points	29
A.1.3	Testing of type A valves	29
A.1.4	Testing of type B valves	33

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

A.1.5	Testing of type C valves	36
A.1.6	Testing of type D valves	37
Annex B (informative)	List of significant hazards	38
Annex ZA (informative)	Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered	41
Bibliography	43

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 1804-3:2020) has been prepared by Technical Committee CEN/TC 196 "Mining machinery and equipment - Safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2021, and conflicting national standards shall be withdrawn at the latest by June 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1804-3:2006+A1:2010.

The main differences between this document and EN 1804-3:2006+A1:2010 are as follows:

- a) Normative references (updated);
- b) Terms and definitions (revised/modified/enhanced);
- c) List of significant hazards (revised/enhanced) (see Annex B);
- d) Requirements for automatic hydraulic functions (deleted);
- e) Requirements for in- and inter-shield hose routing (added);
- f) Requirements for pipe and hose assemblies (updated);
- g) Requirements for type "A" valves (modified);
- h) Requirements for electro hydraulic control systems (added);
- i) List of verification tests (updated/enhanced);
- j) Figures and pictures (revised/added).

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This document is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in the case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard. The extent to which hazards are covered is indicated in the scope of this document.

While preparing this document, it was assumed that:

- only trained and competent persons operate the machine;
- components without specific requirements are:
 - designed in accordance with the usual engineering practice and calculation code;
 - of sound mechanical construction;
 - free of defects;
 - components are kept in good working condition / order;
- a negotiation took place between the user and the manufacturer concerning the use of the machinery.

This is a preview of "BS EN 1804-3:2020". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This document specifies the safety requirements for hydraulic and electro hydraulic control devices, including hydraulic valves and their control elements, valve combinations, control systems, pipes and hose assemblies, measuring devices, built-in pressure limiting and check valves in legs and rams and, as well emergency stop, start warning, blocking- and control unit when used as specified by the manufacturer or his authorized representative. Excluded are pressure generators, and internal valves of legs and rams (e.g. leg bottom valves, see EN 1804-2:2020).

NOTE Some components are dealt with in other parts of this standard.

This document applies to hydraulic and electro hydraulic control devices at ambient temperatures from $-10\text{ }^{\circ}\text{C}$ to $60\text{ }^{\circ}\text{C}$.

This document identifies and takes into account:

- possible hazards which can be caused by the operation of hydraulic and electro hydraulic control devices;
- areas and operating conditions which can create such hazards;
- hazardous situations which can cause injury or can be damaging to health;
- hazards which can be caused by firedamp and/or combustible dusts.

This document describes methods for the reduction of these hazards.

A list of significant hazards covered appears in Clause 4.

This document does not specify any additional requirements for:

- use in particularly corrosive environments;
- hazards occurring during construction, transportation, decommissioning;
- earthquakes.

A complete hydraulic powered roof support consists of the support units (EN 1804-1:2020), legs and support rams (EN 1804-2:2020) and the hydraulic and electro hydraulic controls (EN 1804-3:2020). Each part of this multipart document addresses the safety requirements of the components mentioned in the scopes of the respective parts of this multipart series.

This document is not applicable to hydraulic and electro hydraulic control systems manufactured before the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 853:2015, *Rubber hoses and hose assemblies — Wire braid reinforced hydraulic type — Specification*

EN 854:2015, *Rubber hoses and hose assemblies — Textile reinforced hydraulic type — Specification*

EN 856:2015+AC:2019, *Rubber hoses and hose assemblies — Rubber-covered spiral wire reinforced hydraulic type — Specification*