

This is a preview of "BS 6262-4:2018". Click [here](#) to purchase the full version from the ANSI store.

BS 6262-4:2018

Incorporating Corrigendum No. 1



BSI Standards Publication

Glazing for buildings

Part 4: Code of practice for safety related to human impact

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2018

Published by BSI Standards Limited 2018

ISBN 978 0 539 02456 2

ICS 81.040.20

The following BSI references relate to the work on this document:

Committee reference B/520

Draft for comment 17/30350485DC

Amendments/corrigenda issued since publication

Date	Text affected
31 October 2018	C1: see Foreword

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
<i>Figure 1 — Definition of size</i>	4
4 General safety considerations	5
4.1 Glazing in critical locations	5
4.2 Additional considerations for sloping glazing	5
5 Design considerations	6
6 Impact performance	6
6.1 Safety glass	6
6.2 Safety plastics	7
6.3 Adhesive backed polymeric safety film applied to glass	7
7 Marking for safety glazing	7
7.1 General	7
7.2 Safety glass	7
7.3 Safety plastics	7
7.4 Adhesive backed polymeric safety film applied to glass	7
8 Critical locations	8
8.1 General	8
<i>Figure 2 — Critical locations in vertical glazing</i>	8
8.2 Doors	9
<i>Table 1 — Recommendations on class of safety glass or safety plastics to be used in critical locations</i>	9
8.3 Door side panels	9
8.4 Low-level glazed areas	9
8.5 Inwardly sloping glazing	10
8.6 Mirror glazed doors, door side panels and low-level glazed areas	10
8.7 Protective barriers	10
8.8 Bathing areas	10
8.9 Areas of special risk	11
9 Risk areas associated with overhead sloping glazing	11
10 Permanent screen protection	12
<i>Figure 3 — Permanent screen protection</i>	13
11 Manifestation	13
12 Specialist glazing products	13
Annex A (informative) Breakage characteristics	15
Bibliography	17

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 17, an inside back cover and a back cover.

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

Foreword

Publishing information

This part of BS 6262 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 May 2018. It was prepared by Technical Committee B/520, *Glass and glazing in building*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This part of BS 6262 supersedes BS 6262-4:2005, which is withdrawn. ⓘ This part of BS 6262 also replaces Clause 8 of BS 5516-2:2004. BS 5516-2 is in the process of being incorporated into the BS 6262 series and when completed it is anticipated that it will be withdrawn. ⓘ

Information about this document

Text introduced or altered by Corrigendum No. 1 is indicated in the text by tags ⓘ ⓘ. Minor editorial corrections are not tagged.

BS 6262, *Glazing for buildings*, consists of the following parts:

- *Part 1: General methodology for the selection of glazing;*
- *Part 2: Code of practice for energy, light and sound;*
- *Part 3: Code of practice for fire, security and wind loading;*
- *Part 4: Code of practice for safety related to human impact;*
- *Part 5: Code of practice for frame design considerations;*
- *Part 6: Code of practice for special applications; and*
- *Part 7: Code of practice for the provision of information.*

Recommendations for standards of workmanship for glazing have been published separately in BS 8000-7 and therefore this subject is not dealt with in this standard.

Since the correct selection of materials to be used in glazing for buildings depends on many factors, the recommendations in this part of BS 6262 is intended to be used in conjunction with those in the other parts.

Use of this document

As a code of practice, this part of BS 6262 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 6262 is expected to be able to justify any course of action that deviates from its recommendations.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to the following specific regulations:

- the Building Regulations 2010 [\[1\]](#);
- the Building (Amendment) (Wales) Regulations 2014 [\[2\]](#);
- the Building (Scotland) Regulations 2004 [\[3\]](#);
- the Building Regulations (Northern Ireland) 2012 [\[4\]](#); and
- the Building Regulations (Isle of Man) Order 2003 [\[5\]](#).

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS 6262-4:2018". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This part of BS 6262 gives safety recommendations for the use of glass and plastics glazing sheet materials in locations likely to be subject to accidental human impact. This part of BS 6262 also gives recommendations for the type of glass or plastics glazing sheet materials to be used in sloping overhead glazing C1 (these recommendations replace those in BS 5516-2:2004). C1

The recommendations are intended to reduce impact-related injuries and in particular the risk of cutting and piercing injuries. C1 In the case of sloping glazing, this also covered the risk from falling glazing. C1

These recommendations do not apply to:

- a) glazing for furniture and fittings (see BS EN 12521 and BS EN 14749);
- b) glazing for commercial greenhouses (see BS 5502-21); and
- c) glazing for domestic greenhouses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 952-1, *Glass for glazing — Part 1: Classification*

BS 6180, *Barriers in and about buildings — Code of practice*

BS 6206:1981, *Specification for impact performance requirements for flat safety glass and safety plastics for use in buildings¹⁾*

BS EN 572-3, *Glass in building — Basic soda lime silicate glass products — Part 3: Polished wired glass*

BS EN 572-6, *Glass in building — Basic soda lime silicate glass products — Part 6: Wired patterned glass*

BS EN 12150-1, *Glass in building — Thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

BS EN 12600:2002, *Glass in building — Pendulum test — Impact test method and classification for flat glass*

BS EN 13024-1, *Glass in building — Thermally toughened borosilicate safety glass — Part 1: Definition and description*

BS EN 14179-1, *Glass in building — Heat soaked thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

BS EN 14321-1, *Glass in building — Thermally toughened alkaline earth silicate safety glass — Part 1: Definition and description*

BS EN 14428, *Shower enclosures — Functional requirements and test methods*

BS EN 14449, *Glass in building — Laminated glass and laminated safety glass — Evaluation of conformity/Product standard*

BS EN 15682-1, *Glass in building — Heat soaked thermally toughened alkaline earth silicate safety glass — Part 1: Definition and description*

¹ Most of this British Standard has been withdrawn (and superseded by BS EN 12600) with the exception of safety plastics.