

This is a preview of "BS EN ISO 18473-3:20...". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

Functional pigments and extenders for special application

Part 3: Fumed silica for silicone rubber application (ISO 18473-3:2018)

This is a preview of "BS EN ISO 18473-3:20...". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN ISO 18473-3:2019. It is identical to ISO 18473-3:2018. It supersedes BS ISO 18473-3:2018, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee STI/1, Pigments.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 539 03008 2

ICS 87.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2018.

Amendments/corrigenda issued since publication

| Date | Text affected |
|--------------|--|
| 31 July 2019 | This corrigendum renumbers BS ISO 18473-3:2018 as BS EN ISO 18473-3:2019 |

EUROPÄISCHE NORM

June 2019

ICS 87.060.10

English Version

Functional pigments and extenders for special application - Part 3: Fumed silica for silicone rubber application (ISO 18473-3:2018)

Pigments et matières de charges fonctionnels
pour applications spéciales - Partie 3: Silice fumée
pour caoutchouc silicone (ISO 18473-3:2018)

Funktionelle Pigmente und Füllstoffe für besondere
Anwendungen - Teil 3: Pyrogene Kieselsäure
für Siliconkautschuk (ISO 18473-3:2018)

This European Standard was approved by CEN on 19 May 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "BS EN ISO 18473-3:20...". Click [here](#) to purchase the full version from the ANSI store.

European foreword

The text of ISO 18473-3:2018 has been prepared by Technical Committee ISO/TC 256 "Pigments, dyestuffs and extenders" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 18473-3:2019 by Technical Committee CEN/TC 298 "Pigments and extenders" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 18473-3:2018 has been approved by CEN as EN ISO 18473-3:2019 without any modification.

This is a preview of "BS EN ISO 18473-3:20...". Click [here](#) to purchase the full version from the ANSI store.

Contents

Page

| | |
|---|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Classification and designation | 2 |
| 4.1 Classification..... | 2 |
| 4.2 Designation..... | 2 |
| 5 Requirements and test methods | 2 |
| 5.1 Appearance..... | 2 |
| 5.2 Technical requirements..... | 2 |
| 5.3 Conditional requirements..... | 3 |
| 6 Sampling | 3 |
| 7 Marking and labelling | 3 |
| 8 Test report | 3 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 256, *Pigments, dyestuffs and extenders*.

A list of all parts in the ISO ISO 18473 series can be found on the ISO website.

This is a preview of "BS EN ISO 18473-3:20...". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Fumed silica (pyrogenic silicon dioxide) is one kind of pure amorphous white inorganic powder which has high specific surface area, nano-scale primary particle size resulting in a “stable/none destroyable” aggregated structure, and a relatively high (among silica products) concentration of surface silanol groups. The properties of fumed silica can be chemically modified by reaction with these silanol groups. Commercial available fumed silica can be divided into two groups: hydrophilic fumed silica and hydrophobic fumed silica. Because of the above-mentioned features, it is widely used as an important ingredient in many industries such as the rubber, paint and plastics industries. The major application for fumed silica is the silicone rubber industry.

Silicone rubbers exhibit excellent properties, such as flexibility at low temperature, good weather resistance, electric insulation, media resistance, physiological inertia, low surface tension and surface energy, which permit them to fulfil important needs in the market. However, these unique properties cannot be demonstrated effectively without reinforcing filler due to the low strength ($< 0,4$ MPa) of cured polydimethylsiloxane (PDMS) which is the main component of silicones; therefore, silicone rubber usually contains reinforcing filler besides additive and curing agent. Fumed silica as one of the functional fillers, which is used widely in room temperature vulcanized silicone rubber (RTV), high temperature vulcanized silicone rubber (HTV) or high consistency vulcanized silicone rubber (HCR) and liquid silicone rubber (LSR), plays an important role in the strength, rheological and transparency properties of the silicone polymer. The testing methods for the dispersed fumed silica aggregate size and the silanol density, which both have obvious effects on the above properties of silicone rubber, are still being developed.

This is a preview of "BS EN ISO 18473-3:20...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN ISO 18473-3:20...". Click here to purchase the full version from the ANSI store.

Functional pigments and extenders for special application —

Part 3: Fumed silica for silicone rubber application

1 Scope

This document specifies requirements and corresponding methods of test for fumed silica in powder form for silicone rubber application. This document is applicable to untreated and surface treated fumed silica.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 787-2, *General methods of test for pigments and extenders — Part 2: Determination of matter volatile at 105 °C*

ISO 787-9, *General methods of test for pigments and extenders — Part 9: Determination of pH value of an aqueous suspension*

ISO 787-11, *General methods of test for pigments and extenders — Part 11: Determination of tamped volume and apparent density after tamping*

ISO 787-18, *General methods of test for pigments and extenders — Part 18: Determination of residue on sieve — Mechanical flushing procedure*

ISO 3262-1, *Extenders for paints — Specifications and methods of test — Part 1: Introduction and general test methods*

ISO 3262-20:2000, *Extenders for paints — Specifications and methods of test — Part 20: Fumed silica*

ISO 9277, *Determination of the specific surface area of solids by gas adsorption — BET method*

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

ISO 18451-1, *Pigments, dyestuffs and extenders — Terminology — Part 1: General terms*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 18451-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>