

This is a preview of "BS 1363-5:2016". Click [here](#) to purchase the full version from the ANSI store.

BS 1363-5:2016

Incorporating corrigendum No. 1



BSI Standards Publication

13 A plugs, socket-outlets, adaptors and connection units

Part 5: Specification for fused conversion plugs

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution

Published by BSI Standards Limited

ISBN 978 0 539 04390 7

ICS 29.120.30

The following BSI references relate to the work on this document:

Committee reference PEL/23

Amendments/corrigenda issued since publication

Date	Text affected
May 2019	C1: See Foreword

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Classification	5
5 General requirements	5
5.1 Environmental parameters	5
5.2 Performance requirement	6
5.3 Passive devices	6
6 Testing regime	6
6.1 Principle	6
6.2 Environmental conditions	6
6.3 Test samples	6
6.4 Conformity criteria	6
<i>Table 1 — Schedule of tests</i>	6
6.5 Inspection and test	7
6.6 Gauge tolerances	7
7 Marking and labelling	8
7.1 Requirements for marking	8
<i>Table 2 — Rated current and maximum fuse rating in normal use, and load for flexing and cable grip tests related to size of flexible cable</i>	9
7.2 Test method	9
7.3 Requirements for labelling	9
7.4 Symbols	9
8 Clearances, creepage distances, and solid insulation	10
8.1 General	10
8.2 Clearances	10
<i>Table 3 — Minimum clearances for basic insulation</i>	11
8.3 Creepage distances	12
<i>Table 4 — Minimum creepage distances (mm) for basic insulation</i>	12
8.4 Solid insulation	13
<i>Table 5 — Withstand voltages for insulation types</i>	13
9 Accessibility of live parts	14
9.1 Accessibility of live parts	14
9.2 Construction to protect against accidental contact with live parts	14
9.3 Construction of resilient covers	14
9.4 Supply of an assembly	15
10 Provision for earthing	15
10.1 Requirements	15
10.2 Test method	15
11 Contacts in conversion plugs	15
11.1 Requirements	15
11.2 Test method	15
12 Construction of conversion plugs	16
12.1 Disposition of the conversion plug pins	16
12.2 Conversion plug dimensions	16
12.3 Provision of fuses — contact details	17
12.4 Provision of fuses — fuse-carrier details	17

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

12.6	Non-BS 1363 type plug removal	18
12.7	Conversion plug deformation	18
12.8	Conversion plug pin construction	19
13	<i>(Not used)</i>	25
14	Resistance to ageing and to humidity	25
14.1	Resistance to ageing	25
14.2	Resistance to humidity	26
15	Insulation resistance and electric strength	26
15.1	Insulation resistance	26
15.2	Electric strength	27
16	Temperature rise	27
16.1	Requirement	27
	<i>Table 6 — Permitted temperature rises</i>	28
16.2	Test method	28
17	<i>(Not used)</i>	29
18	<i>(Not used)</i>	29
19	Connection of the non-BS 1363 type plug and non-BS 1363 type plug retention in conversion plugs	29
19.1	Retention of the non-BS 1363 type plug	29
	<i>Table 7 — Torque values for screws and nuts</i>	30
	<i>Table 8 — Plug displacement test loads</i>	31
19.2	Non-BS 1363 type plug retention	31
19.3	Clamping screws	31
19.4	Cable stress relief	32
20	Mechanical strength	32
20.1	General requirement	32
20.2	Tumbling barrel test	32
20.3	Fuse-link test	33
21	Screws, current-carrying parts and connections	33
21.1	Mechanical stress	33
21.2	Resistance to corrosion	34
22	Resistance to heat	34
22.1	Distortion	34
22.2	Resilience	35
22.3	Insulating material	35
23	Resistance to abnormal heat and fire	35
23.1	Performance requirement	35
23.2	Glow-wire test	36
	<i>Table 9 — Application of glow-wire test</i>	36
24	Resistance to excessive residual stresses and to rusting	36
24.1	Copper alloy components	36
24.2	Ferrous components	37
	<i>Figure 1 — Test pin (see Clause 12)</i>	38
	<i>Figure 2a — Apparatus for mechanical strength test on resilient covers (see Clause 9)</i>	38
	<i>Figure 2b — Hardwood block for Figure 2a</i>	39
	<i>Figure 4a — Dimensions and disposition of pins (see Clause 12)</i>	40
	<i>Figure 4b — Concave shrinkage allowance for ISODs</i>	42
	<i>Figure 5 — Gauge for plug pins (see Clause 12, Clause 20 and Clause 22)</i>	43
	<i>Figure 6 — Apparatus for testing plug cover fixing screws (see Clause 12)</i>	44

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

	<i>Figure 8 — Plug pin deflection test apparatus for resilient plugs (see Clause 12)</i>	46
	<i>Figure 9 — Apparatus for abrasion test on insulating sleeves of plug pins (see Clause 12)</i>	47
	<i>Figure 10 — Apparatus for pressure test at high temperature (see Clause 12)</i>	48
	<i>Figure 11 — GO gauge for socket-outlet (see Clause 13)</i>	49
	<i>Figure 17a — Test apparatus for temperature rise test (see Clause 16)</i>	50
	<i>Figure 17b — Dummy front plate for temperature rise (see Clause 16)</i>	51
	<i>Figure 18 — Apparatus for flexing test (see Clause 19)</i>	52
	<i>Figure 19 — Solid link for test on fuse clips (see Clause 20)</i>	53
	<i>Figure 20 — Tumbling barrel (see Clause 20)</i>	54
	<i>Figure 23 — Apparatus for pressure test (see Clause 22)</i>	55
	<i>Figure 24 — Apparatus for ball pressure test (see Clause 22)</i>	56
	<i>Figure 28 — Calibrated link (see A.1)</i>	57
	<i>Figure 29 — Calibration jig for calibrated link (see A.2)</i>	58
	<i>Figure 32a — Apparatus for tests on conversion plug pins: A plug pin under test (see Clause 12)</i>	59
	<i>Figure 32b — Apparatus for tests on conversion plug pins: Details of anvils (see Clause 12)</i>	60
	<i>Figure 33 — Apparatus for torsion test on pins (see Clause 12)</i>	60
Annex A	(normative) The construction and calibration of a calibrated link	61
Annex B	(normative) Measurement of clearances and creepage distances	62
	<i>Table B.1 — Minimum values of width X</i>	62
Annex C	(normative) Determination of the comparative tracking index (CTI) and proof tracking index (PTI)	66
Annex D	(normative) Relationship between rated impulse withstand voltage, rated voltage and Overvoltage Category	66
	<i>Table D.1 — Rated impulse withstand voltage for conversion plugs energized directly from the low voltage mains</i>	66
Annex E	(normative) Pollution degree	67
Annex F	(normative) Impulse voltage test	68
	<i>Table F.1 — Test voltages for verifying clearances at sea level</i>	69
	Bibliography	70

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 70, an inside back cover and a back cover.

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

Foreword

Publishing information

This part of BS 1363 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 August 2016. It was prepared by Technical Committee PEL/23, *Electrical accessories*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This part of BS 1363 supersedes BS 1363-5:2008, which remains current and will be withdrawn on 31 August 2019.

Information about this document

Text introduced or altered by Corrigendum No. 1 is indicated in the text by tags Ⓒ1 Ⓒ1. Minor editorial corrections are not tagged.

BS 1363 comprises five parts covering the following:

- *Part 1: Specification for rewirable and non-rewirable 13 A fused plugs;*
- *Part 2: Specification for 13 A switched and unswitched socket-outlets;*
- *Part 3: Specification for adaptors;*
- *Part 4: Specification for 13 A fused connection units switched and unswitched;*
- *Part 5: Specification for fused conversion plugs.*

NOTE In order to prevent confusion with BS 1363:1984, the figure and clause numbers have been retained.

This new edition of BS 1363-5 incorporates technical changes only. It does not represent a full review or revision of the standard, which will be undertaken in due course.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Requirements in this standard are drafted in accordance with *Rules for the structure and drafting of UK standards*, subclause J.1.1, which states, "Requirements should be expressed using wording such as: 'When tested as described in [Annex A](#), the product shall ...". This means that only those products that are capable of passing the specified test will be deemed to conform to this standard.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Conformity with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to the following specific regulations:

The Plugs and Sockets etc. (Safety) Regulations 1994. SI No. 1768.

This is a preview of "BS 1363-5:2016". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This part of BS 1363 specifies requirements, with particular reference to safety in normal use, for 13 A, fused, conversion plugs for household, commercial and light industrial purposes.

The scope of the standard covers two-pole plus earth conversion plugs that are either reusable or non-reusable and that are suitable for the connection of non-BS 1363 type plugs, conforming to a recognized standard, to socket-outlets conforming to BS 1363-2:2016.

The scope of this standard is limited to devices with the following characteristics:

- that have insulating sleeves on line and neutral pins;
- that have one plug portion and one set of contacts intended to connect to a non-BS 1363 type plug that conforms to the dimensional requirements of a standard listed in IEC TR 60083 [C1] *Text deleted* [C1];
- that are suitable for the connection of electrical equipment in a.c. circuits only, operating at voltages not exceeding 250 V r.m.s. at 50 Hz [C1] and not exceeding 13 A [C1];
- that may have the un-terminated metal earth pin replaced with a similarly dimensioned insulated shutter opening device (ISOD) designed to operate the shutter mechanism of a socket-outlet conforming to BS 1363-2:2016.

Two categories of conversion plugs are specified, covering normal and rough use.

Conversion plugs specified in this standard are intended for the connection of loads to socket-outlets; they are not intended for the connection of electrical power generators to socket-outlets.

Conversion plugs incorporating switches, transformers, thermostats, or other control means are outside the scope of this part of BS 1363.

This standard also does not cover:

- non-BS 1363 type conversion plugs, i.e. with a contact set to fit 13 A plugs, and a male plug portion suitable for a non-BS 1363 type socket-outlet;
- adaptors (see BS 1363-3:2016); or
- travel adaptors (see BS 8546:2016).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Standards publications

BS 219:1977, *Specification for soft solders*

BS 1362:1973, *Specification for general purpose fuse links for domestic and similar purposes (primarily for use in plugs)*

BS 1363-2:2016, *13 A plugs, socket-outlets, adaptors and connection units — Part 2: Specification for 13 A switched and unswitched socket-outlets*

BS 2572:1990, *Specification for phenolic laminated sheet and epoxy cotton fabric laminated sheet*

BS 2870:1980, *Rolled copper and copper alloys — sheet, strip and foil*