



BSI Standards Publication

Industrial communication networks - Fieldbus specifications

Part 5-21: Application layer service definition - Type 21 elements

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN IEC 61158-5-21:2019. It is identical to IEC 61158-5-21:2019. It supersedes BS EN 61158-5-21:2012, which will be withdrawn on 15 May 2022.

The UK participation in its preparation was entrusted to Technical Committee GEL/65/3, Industrial communications: process measurement and control, including fieldbus.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 539 04842 1

ICS 35.110; 35.100.70; 25.040.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

June 2019

ICS 25.040.40; 35.100.70; 35.110

Supersedes EN 61158-5-21:2012

English Version

Industrial communication networks - Fieldbus specifications -
Part 5-21: Application layer service definition - Type 21 elements
(IEC 61158-5-21:2019)

Réseaux de communication industriels- Spécifications des
bus de terrain - Partie 5-21 : Définition des services de la
couche application - Éléments de type 21
(IEC 61158-5-21:2019)

Industrielle Kommunikationsnetze - Feldbusse - Teil 5-21:
Dienstfestlegungen des Application Layer
(Anwendungsschicht) - Typ 21-Elemente
(IEC 61158-5-21:2019)

This European Standard was approved by CENELEC on 2019-05-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

European foreword

The text of document 65C/947/FDIS, future edition 2 of IEC 61158-5-21, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-5-21:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-02-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-15

This document supersedes EN 61158-5-21:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-5-21:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1:2019	NOTE	Harmonized as EN IEC 61158-1:2019 (not modified)
IEC 61158-2	NOTE	Harmonized as EN 61158-2

This is a preview of "BS EN IEC 61158-5-21...". Click here to purchase the full version from the ANSI store.

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC/IEEE 60559	2011	Information technology - Microprocessor Systems - Floating-Point arithmetic	-	-
IEC 61158-3-21	2019	Industrial communication networks - Fieldbus specifications - Part 3-21: Data-link layer service definition - Type 21 elements	-	-
IEC 61158-4-21	2019	Industrial communication networks - Fieldbus specifications - Part 4-21: Data-link layer protocol specification - Type 21 elements	EN IEC 61158-4-21	2019
IEC 61158-6-21	2019	Industrial communication networks - Fieldbus specifications - Part 6-21: Application layer protocol specification - Type 21 elements	EN 61158-6-21	2019
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic reference model: Naming and addressing	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824	series	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 Overview	8
1.2 Specifications	9
1.3 Conformance	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviations, and conventions	10
3.1 Terms and definitions from other ISO/IEC standards.....	10
3.1.1 ISO/IEC 7498-1 terms.....	10
3.1.2 ISO/IEC 8822 terms.....	10
3.1.3 ISO/IEC 8824-1 terms.....	10
3.1.4 ISO/IEC 9545 terms.....	11
3.2 Fieldbus data link layer terms	11
3.3 Fieldbus application layer specific definitions.....	11
3.4 Abbreviations and symbols	17
3.5 Conventions.....	17
3.5.1 Overview	17
3.5.2 General conventions.....	18
3.5.3 Conventions for class definitions	18
3.5.4 Conventions for service definitions	19
4 Concepts.....	20
4.1 Common concepts	20
4.1.1 Overview	20
4.1.2 Architectural relationships	21
4.1.3 Fieldbus application layer structure	23
4.1.4 Fieldbus application layer naming and addressing	34
4.1.5 Architecture summary.....	35
4.1.6 FAL service procedures	36
4.1.7 Common FAL attributes	37
4.1.8 Common FAL service parameters	37
4.1.9 APDU size	38
4.2 Type specific concepts.....	38
4.2.1 Node, AP, and object dictionary.....	40
4.2.2 APO ASEs.....	41
5 Data type ASE.....	41
5.1 General.....	41
5.1.1 Overview	41
5.1.2 Basic type overview.....	42
5.1.3 Fixed-length type overview	42
5.1.4 Constructed type overview.....	43
5.1.5 Specification of user-defined data types	43
5.1.6 Transfer of user data	43
5.2 Formal definition of data type objects.....	44
5.2.1 Data type class.....	44
5.3 FAL defined data types	45

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

5.3.1	Fixed-length types	45
5.3.2	String types	48
5.4	Data type ASE service specification	49
6	Communication model specification	49
6.1	ASEs	49
6.1.1	Application process ASE	49
6.1.2	Service data object ASE	55
6.1.3	Process data object ASE	65
6.1.4	Application relationship ASE	68
6.2	ARs	75
6.2.1	Point-to-point user-triggered confirmed client/server AREP (PTC-AR)	75
6.2.2	Multipoint network-scheduled unconfirmed publisher-subscriber AREP (MSU-AR)	76
6.2.3	Multipoint user-triggered unconfirmed publisher-subscriber AREP (MTU-AR)	78
6.3	Summary of FAL classes	79
6.4	Permitted FAL services by AREP role	79
	Bibliography	80
	Figure 1 – Relationship to the OSI Basic Reference Model	21
	Figure 2 – Architectural positioning of the fieldbus application layer	22
	Figure 3 – Client/server interactions	24
	Figure 4 – Pull model interactions	25
	Figure 5 – Push model interactions	26
	Figure 6 – APOs services conveyed by the FAL	28
	Figure 7 – Application entity structure	30
	Figure 8 – FAL management of objects	31
	Figure 9 – ASE service conveyance	32
	Figure 10 – Defined and established AREPs	34
	Figure 11 – FAL architectural components	36
	Figure 12 – Interaction between FAL and DLL	39
	Figure 13 – Publisher-subscriber communication model	39
	Figure 14 – Client-server communication model	40
	Figure 15 – Object model	40
	Figure 16 – ASEs of a Type 21 application	41
	Figure 17 – Data type class hierarchy example	42
	Figure 18 – The AR ASE conveys APDUs between APs	68
	Table 1 – Types of timeliness	27
	Table 2 – Overall structure of the OD	40
	Table 3 – Identify service	52
	Table 4 – Status service	54
	Table 5 – Access rights for object	56
	Table 6 – Read service	57
	Table 7 – Write service	59

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

Table 8 – Write and Read service	61
Table 9 – Write and Read Multiple service	63
Table 10 – TB-transfer	67
Table 11 – COS-transfer	67
Table 12 – Conveyance of service primitives by AREP role.....	69
Table 13 – Valid combinations of AREP roles involved in an AR	69
Table 14 – AR-unconfirmed send	73
Table 15 – AR-confirmed send.....	74
Table 16 – FAL class summary	79
Table 17 – Services by AREP role	79

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –**

**Part 5-21: Application layer service definition –
Type 21 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-5-21 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

This edition includes the following significant technical changes with respect to the previous edition:

- added Write and Read service;
- miscellaneous editorial corrections.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/947/FDIS	65C/950/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

This is a preview of "BS EN IEC 61158-5-21...". [Click here to purchase the full version from the ANSI store.](#)

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-21: Application layer service definition – Type 21 elements

1 Scope

1.1 Overview

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be considered a window between corresponding application programs.

This part of IEC 61158 provides the common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment as well as material specific to the Type 21 protocol. The term “time-critical” is used to represent the presence of a time-window within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant, and possibly human life.

This International Standard defines, in an abstract way, the externally visible service provided by the FAL in terms of:

- a) an abstract model for defining application resources (objects) capable of being manipulated by users *via* the FAL service;
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form that they take;
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to:

- a) the FAL-user at the boundary between the user and the application layer of the fieldbus Reference Model;
- b) systems management at the boundary between the application layer and systems management of the fieldbus Reference Model.

This document describes the structure and services of the IEC FAL, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application entities (AEs) contained in the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for management of the instances of FAL classes.

Although these services specify how requests and responses are issued and delivered from the perspective of applications, they do not include a specification of what the requesting and responding applications are to do with them. That is, these services only define what requests and responses applications can send or receive, not the functions of the applications