

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

**BS 8004:2015+A1:2020**



**BSI Standards Publication**

## **Code of Practice for foundations**

**bsi.**

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

### **Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 06626 5

ICS 93.020

The following BSI references relate to the work on this document:

Committee reference B/526

Drafts for comment 15/30301520 DC; 19/30403578 DC

### **Amendments/corrigenda issued since publication**

Date	Text affected
31 March 2020	A1: see Foreword

This is a preview of "BS 8004:2015+A1:2020". Click here to purchase the full version from the ANSI store.

## CONTENTS

	Page
<b>Foreword</b>	<b>iii</b>
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	5
4 General rules	6
4.1 Choice and design of foundation	6
4.2 Basis of geotechnical design	7
4.3 Materials	12
<i>Figure 1 — Suggested values for characteristic weight density of soils above the groundwater table</i>	13
<i>Figure 2 — Suggested values for characteristic weight density of soils below the groundwater table</i>	14
<i>Table 1 — Values of <math>\varphi'_{\text{ang}}</math>, <math>\varphi'_{\text{PSD}}</math> and <math>\varphi'_{\text{dil}}</math> to obtain values of <math>\varphi'_{\text{pk,k}}</math> and <math>\varphi'_{\text{cv,k}}</math> for siliceous sands and gravels with fines content not exceeding 15%</i>	16
<i>Table 2 — Values of <math>\varphi'_{\text{cv,k}}</math> for fine soils from plasticity index</i>	18
<i>Figure 3 — Stiffness parameters for non-linear soil</i>	20
<i>Table 3 — Values of parameters for use with equation (12)</i>	21
<i>Table 4 — Values of parameters for use with equation (13)</i>	21
4.4 Durability	26
<i>Table 5 — Use classes relevant to timber in foundations</i>	27
4.5 Geotechnical analysis	27
4.6 Ultimate limit states	27
4.7 Serviceability limit states	29
4.8 Structural design	29
4.9 Execution	29
4.10 Testing	30
4.11 Supervision, monitoring, and maintenance	31
4.12 Reporting	31
5 Spread foundations	33
5.1 Choice and design of spread foundations	33
<i>Table 6 — Some key features of spread foundations</i>	33
5.2 Actions and design situations	35
5.3 Design considerations	35
5.4 Calculation models	37
5.5 Materials	42
5.6 Durability	42
5.7 Ultimate limit state design	42
5.8 Serviceability limit state design	43
5.9 Structural design	43
5.10 Execution	43
5.11 Testing	43
5.12 Supervision, monitoring, and maintenance	44
5.13 Reporting	44
6 Pile foundations	44
6.1 Choice and design of pile foundations	44
<i>Table 7 — Classification of piles according to ground disturbance caused by installation</i>	44
6.2 Actions and design situations	46
6.3 Design considerations	46
6.4 Calculation models	48
<i>Table 8 — Suggested values of <math>K_s</math> for piles installed in coarse silica soils</i>	50

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

	<i>Table 10 — Suggested values of <math>k_2</math> for piles installed in fine soil</i>	54
	<i>Table 11 — Values of the empirical coefficients <math>c_s</math> and <math>c_{b,0.1}</math> according to soil and pile type</i>	56
	<i>Table 12 — Values of the empirical coefficients <math>n_s</math> and <math>n_{b,0.1}</math> according to soil and pile type</i>	57
	<i>Figure 4 — Calculation model for downdrag</i>	61
	<i>Table 13 — Suggested values of the coefficients <math>k_1</math> and <math>k_4</math> for piles installed in rocks</i>	63
6.5	Materials	66
6.6	Durability	68
6.7	Ultimate limit state design	68
6.8	Serviceability limit state design	73
6.9	Structural design	74
	<i>Table 14 — Design pile diameter for cast-in-place piles without permanent casing</i>	76
6.10	Execution	77
6.11	Testing	79
6.12	Supervision, monitoring, and maintenance	81
6.13	Reporting	81
<b>Annex A</b>	(normative) <b>Helical steel pile foundations</b>	<b>83</b>
<b>Annex B</b>	(normative) <b>Underpinning</b>	<b>87</b>
<b>Annex C</b>	(informative) <b>Specific Formations</b>	<b>91</b>
<b>Annex D</b>	(informative) <b>Archaeological finds</b>	<b>93</b>
	<b>Bibliography</b>	<b>94</b>

### Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 101, an inside back cover and a back cover.

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

### Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 June 2015. It was prepared by Technical Committee B/526, Geotechnics. A list of organizations represented on this committee can be obtained on request to its secretary.

### Supersession

BS 8004:2015+A1:2020 supersedes BS 8004:2015, which is withdrawn.

### Relationship with other publications

BS 8004 gives non-contradictory, complementary information for use with BS EN 1997 and its National Annexes.

### Information about this document

This is a full revision of the standard, which introduces the following principal changes:

- the revised text is fully compatible with the current version of Eurocode 7 (BS EN 1997);
- guidance is given on designing foundations according to limit state principles using partial factors;
- guidance is given on the selection of design parameters for soils;
- guidance is given on the calculation of ultimate bearing resistance of shallow foundations;
- guidance is given on the design of pile foundations by calculation and by testing;
- the revised text reflects advances in foundation technology over the past 30 years.

Text introduced by or altered by Amendment No. 1 is indicated in the text by tags  $\boxed{A1}$  and  $\boxed{A1}$ . Minor editorial corrections are not tagged.

### Use of this document

As a code of practice, this British Standard takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this British Standard is expected to be able to justify any course of action that deviates from its recommendations.

### Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

*Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.*

The word “should” is used to express recommendations of this standard. The word “may” is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the Clause. The word “can” is used to express possibility, e.g. a consequence of an action or an event.

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

and additional information that are important but do not form part of the recommendations. Commentaries give background information.

**Contractual and legal considerations**

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This is a preview of "BS 8004:2015+A1:2020". [Click here to purchase the full version from the ANSI store.](#)

## 1 Scope

This British Standard gives recommendations for the design and construction of foundations for the normal range of buildings and engineering structures. It provides non-contradictory, complementary information for use in conjunction with BS EN 1997 and its UK National Annex.

[Clause 4](#) gives general recommendations for the design and construction of all types of foundations; [Clause 5](#) and [Clause 6](#) give specific recommendations for the design and construction of spread foundations and pile foundations (respectively).

[Annex A](#) gives specific recommendations for the design and construction of helical steel piles.

[Annex B](#) gives specific recommendations for the design and construction of underpinning.

[Annex C](#) gives information about specific geological formations encountered in the UK.

[Annex D](#) gives information about the UK Government's policy regarding archaeological finds.

*NOTE 1 This standard does not cover the design and construction of earthworks, for which see BS 6031.*

*NOTE 2 This standard does not cover the design and construction of earth retaining structures, for which see BS 8002.*

*NOTE 3 This standard does not cover the design and construction of maritime works, for which see BS 6349.*

*NOTE 4 For non-industrial structures of not more than four storeys, see BS 8103-1.*

*NOTE 5 This standard does not cover the design and construction of foundations for reciprocating machinery.*

*NOTE 6 This standard does not cover the design and construction of offshore foundations, for which see BS EN ISO 19901-4.*

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 65, *Specification for vitrified clay pipes, fittings and ducts, also flexible mechanical joints for use solely with surface water pipes and fittings*

BS 437, *Specification for cast iron drain pipes, fittings and their joints for socketed and socketless systems*

BS 1852-1, *Plastics piping systems for non-pressure underground drainage and sewerage – Polypropylene (PP) – Part 1: Specifications for pipes, fittings and the system*

BS 4449, *Steel for the reinforcement of concrete – Weldable reinforcing steel – Bar, coil and decoiled product – Specification*

BS 4660, *Thermoplastics ancillary fittings of nominal sizes 110 and 160 for below ground gravity drainage and sewerage*

BS 4729, *Clay and calcium silicate bricks of special shapes and sizes – Recommendations*

BS 4962, *Specification for plastics pipes and fittings for use as subsoil field drains*

BS 5480, *Specification for glass reinforced plastics (GRP) pipes, joints and fittings for use for water supply or sewerage*

BS 5481, *Specification for unplasticized PVC pipe and fittings for gravity sewers*

BS 5837, *Trees in relation to design, demolition and construction – Recommendations*