



BSI Standards Publication

Acoustics — Measurement of interior vehicle noise

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of ISO 5128:2023.

The UK participation in its preparation was entrusted to Technical Committee EH/1/2, Transport noise.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 12038 7

ICS 43.020; 17.140.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

Second edition
2023-09-30

Acoustics — Measurement of interior vehicle noise

Acoustique — Mesurage du bruit intérieur des véhicules



Reference number
ISO 5128:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Tables of symbols and abbreviated terms	4
5 Test equipment	6
5.1 Instrumentation for acoustic measurement.....	6
5.1.1 General.....	6
5.1.2 Calibration.....	6
5.1.3 Conformity with requirements.....	6
5.2 Instrumentation for vehicle speed and rotational engine speed measurements.....	7
5.2.1 Vehicle speed.....	7
5.2.2 Rotational engine speed (if applicable).....	7
5.3 Meteorological instrumentation.....	7
5.3.1 General.....	7
6 Test facility	7
6.1 Outdoor test site.....	7
6.1.1 Test track surface properties.....	8
6.2 Meteorological conditions.....	8
6.2.1 General.....	8
6.2.2 Air temperature.....	8
6.2.3 Wind.....	8
6.2.4 Humidity.....	8
6.3 Background noise.....	8
7 Vehicle conditions	8
7.1 General.....	8
7.2 Battery state of charge.....	9
7.2.1 Active sound systems.....	9
7.3 Multi-mode operation.....	9
7.4 Tyre conditions.....	9
7.5 Loading of the vehicle.....	10
7.6 Openings, windows and auxiliaries.....	11
7.7 Seat adjustment.....	11
7.8 Squeak and Rattle (test equipment).....	11
8 Test procedure	11
8.1 Microphone positions.....	11
8.1.1 General.....	11
8.1.2 Single microphone.....	12
8.1.3 Related to seats.....	12
8.1.4 Related to standing locations.....	12
8.1.5 Related to sleeping-berths.....	13
8.2 Test cycles.....	13
8.3 Vehicle operating conditions.....	13
8.3.1 General.....	13
8.3.2 Acceleration and deceleration tests.....	13
8.3.3 Steady speed test.....	15
8.3.4 Standstill condition.....	15
8.4 Measurement readings and data processing.....	16
8.4.1 General.....	16
8.4.2 Measurement readings for measurements in motion.....	16

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

8.4.3	Measurement readings and data processing for the standstill condition	17
8.5	Cycle related calculations	17
8.5.1	Cycle specific representative sound pressure levels	17
8.5.2	Cycle combines representative sound pressure levels.....	18
8.5.3	Exposure normalization	18
8.6	Final result.....	19
8.7	Test report.....	19
9	Measurement uncertainty	20
Annex A (normative)	Specification on test track properties and performances	22
Annex B (informative)	24
Annex C (informative)	Considerations on the precision of this standard.....	26
Bibliography	32

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

This second edition cancels and replaces the first edition (ISO 5128:1980), which has been technically revised.

The main changes are as follows:

- new technology neutral test method;
- updated test equipment;
- updated facility descriptions;
- new evaluation principle (instead L_{\max} to $L_{A,eq}$)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This measurement procedure for interior vehicle noise as presented by this document has been completely revised to better match the application needs.

The interior noise of modern vehicles has such improved, that hearing damages even under high engine speeds and loads are unlikely. Assessments on the application of the document reveal a changed focus on protection of drivers and passenger in a direction of long-term exposure in a sense of working place protection.

In most countries provisions exist, which regulate the noise burden on workers on a basis of a noise exposure over a period of 8 hours per day, a full working week over a work life of 35 years. In addition, aspects of driver distraction and fatigue have become a stronger emphasis. In order to match this application, it is no longer given to determine the maximum sound level from a set of measurements, as was provided by the previous release.

The target of this edition is to determine a time average interior sound level, which is representative for the typical driving and use of a vehicle. Therefore, in-use driving statistics were reviewed and new in-use driving data generated by the group members. A strong focus was put on the WLTP, WHVC and VECTO statistics [1][2][3] which so far provides the biggest source of statistical information.

However, it should be kept in mind that the sound inside a vehicle is strongly influenced by external factors. These factors are different for various vehicle categories. During normal driving for passenger cars at low engine speeds and loads, the sound inside the cabin comes mainly from tyre rolling sound transferred via structure- and air paths. The excitation of the tyre is dependent on the structure of the surface and the characteristics of the tyre, such as the hardness of the rubber and the tyre dimension. This standard cannot cover all eventual excitation models for smooth and rough roads or soft and hard tyres. For reproducibility a road texture has been chosen, which is commonly used in test centre.

For heavy commercial vehicles with large cabin, wind noise can become very dominant at speeds beyond 60 km/h. The wind direction, especially as lateral wind, can be very changeable.

The driving cycles differ strongly with regard to vehicle categories, the used speeds and accelerations dependent on the area, where the vehicles are used. The document provides individual cycles for urban, suburban, rural and motorway conditions, all four applicable to light duty vehicles and three of them for heavy duty vehicles. In urban and suburban areas, the interior sound of a vehicle is a mixture of powertrain and tyre rolling sound components. For rural and motorway conditions the influence of powertrain is reduced but wind noise provides a stronger contribution, especially for large trucks and buses.

The combination of the cycles is very much dependent on the typical use of a vehicle. A large variation may exist for the same product. This document focuses on a typical use for vehicle categories, but it has to be kept in mind, that a substantially different use, may lead to other results. A standardized data processing for a given vehicle category will allow benchmarking of products. The availability of the individual cycle results enables as well an estimation of the interior sound for other conditions of use.

Another important factor is the total driving time within the concept of a working day. While it appears obvious that long haulage trucks are driven many hours per day, a delivery service in a town will have a mix between driving and loading/unloading work. Where test results of this document are used with regard to occupational noise exposure standards, it is essential to consider the time contribution according to the typical use of a vehicle. Again, a large variability should be kept in mind. The test results of this document allow as well the calculation for conditions, other than selected by this document.

All definitions in this document are based on design neutral parameters – as far as practically possible – to enable an application for all kind of vehicle technologies, inclusive of hybrid vehicles and pure electric vehicles.

The test procedures and calculation schemes are engineering methods and compromise between precision, repeatability, feasibility and simplicity.

This is a preview of BS ISO 5128:2023. [Click here to purchase the full version from the ANSI store.](#)

Acoustics — Measurement of interior vehicle noise

1 Scope

This document specifies an engineering method for measuring the interior sound of road vehicles of categories M and N under typical driving conditions. It does not apply to agricultural tractors and field machinery.

It specifies the conditions for obtaining reproducible and comparable measurements of sound pressure levels inside a vehicle.

These measurements are used to obtain a representative average sound level during a typical driving cycle to enable assessment of adverse effects on human health.

The results can be used for

- standardized assessment of interior sound for comparisons (e.g. benchmark, consumer information programs),
- verification tests, to decide whether or not the sound inside the vehicle is in accordance with specifications,
- regulatory purposes, for example for evaluation of sound in relation to labour or for general health standards, and
- monitoring tests, in order to check that the sound inside the vehicles has not changed since delivery, or between individual units of a consignment of vehicles.

This document does not evaluate the exposure to interior sound of vehicles in a way as it is commonly used for scientific effects on human health.

It does not assess maximum interior sound of a vehicle under extreme driving situations, as today's measured maximum sound pressure levels inside vehicles are far away from the risk to create instantaneous hearing damages.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10844, *Acoustics — Specification of test tracks for measuring sound emitted by road vehicles and their tyres*

ISO 26101-1, *Acoustics — Test methods for the qualification of the acoustic environment*

ISO 13473-1, *Characterization of pavement texture by use of surface profiles — Part 1: Determination of mean profile depth*

ISO 13473-3, *Characterization of pavement texture by use of surface profiles — Part 3: Specification and classification of profilometers*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

IEC 61672-3, *Electroacoustics — Sound level meters — Part 3: Periodic tests*

IEC 60942, *Electroacoustics — Sound calibrator*