

BSI Standards Publication

Automotive fuels — LPG — Requirements and test methods



National foreword

This British Standard is the UK implementation of EN 589:2018+A1:2022. It supersedes BS EN 589:2018, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by A1.

The UK participation in its preparation was entrusted to Technical Committee PTI/15, Natural Gas and Gas Analysis.

A list of organizations represented on this committee can be obtained on request to its committee manager.

BSI, as a member of CEN, is obliged to publish EN 589:2018 as a British Standard. However, attention is drawn to the fact that during the development of this European Standard, the UK committee voted against its approval.

The UK committee voted negatively as EN 589:2018 references ASTM D6667-14 for the testing of total volatile sulphur in LPG. The UK committee does not consider ASTM D6667-14 to support the new proposed limit of 30 mg/kg outlined in EN 589:2018.

The UK committee draws users' attention to National Annexes NA, NB and NC, which provide further guidance to assist users in the application of this standard.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 14538 0

ICS 75.160.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2018.

Amendments/corrigenda issued since publication

Date	Text affected
31 October 2022	Implementation of CEN amendment A1:2022; National foreword amended and National Annexes NA, NB and NC added

This is a preview of "BS EN 589:2018+A1:20". Click here to purchase the full version from the ANSI store.

ENI EQQ. 201Q ± 11

This is a preview of "BS EN 589:2018+A1:20...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

February 2022

ICS 75.160.20

Supersedes EN 589:2018

English Version

Automotive fuels - LPG - Requirements and test methods

Carburants pour automobiles - GPL - Exigences et méthodes d'essai

Kraftstoffe - Flüssiggas - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 19 October 2018 and includes Amendment 1 approved by CEN on 6 January 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
Euro	European foreword	
1	Scope	5
2	Normative references	5
3	Terms and definitions	6
4	Sampling	6
5	Pump marking	6
6 6.1 6.2 6.3 6.4 6.5	Requirements and test methods	7 7 7
7	Remarks concerning vehicle application issues like residues in vaporizers or injectors	
Anne	ex A (normative) Test method for odour of LPG	10
A.1	Introduction	10
A.2	Principle	10
A.3	Material	10
A.4	Apparatus	10
A.5	Procedure	11
A.6	Expression of results	12
Anne	Annex B (normative) Method of calculation of the Motor Octane Number (MON) from compositional analysis of LPG	
B.1	Introduction	13
B.2	Principle	13
B.3	Determination	13
B.4	Calculation and expression of results	13
B.5	Reporting	14
Anne	ex C (normative) Absolute vapour pressure blending factors	15
Anne	ex D (informative) Seasonal gauge vapour pressure limits	16
Bibli	ography	17

European foreword

This document (EN 589:2018+A1:2022) has been prepared by Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2022, and conflicting national standards shall be withdrawn at the latest by August 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes (A) EN 589:2018 (A).

This document includes Amendment 1 approved by CEN on 6 January 2022.

The start and finish of text introduced or altered by amendment is indicated in the text by tags 🗗 街.

This is the 7th edition of EN 589. The main technical changes include:

- a) reduction of the sulfur limit value to 30 mg/kg;
- b) removal of ASTM D 3246, sulfur determination by oxidative microcoulometry, as being incapable of measuring that level;
- c) addition of single limit value for propane in Table 1;
- d) addition of a single limit value for 1,3 butadiene in Table 1 due to CLP requirements [5];
- e) introduction of new test methods for the determination of 1,3 butadiene and hydrocarbon composition (DIN 51619), of low levels of sulfur content (EN 17178) and of evaporation residue (EN 16423) (A);
- f) addition of Clause 7 "Remarks concerning vehicle application issues like residues in vaporizers or injectors";
- g) permission to use alternative odour tests added to sub-clause 6.3. The odour test according to Annex A is not a precise test method with any given precision. Odour is subjectively perceived, not measured. For this reason it is hard to define a referee method;
- h) inclusion of reference to EN 16942 regarding pump marking in line with the requirements set by the new Directive 2014/94/EU [1].
- The following is a list of significant technical changes between this amendment EN 589:2018/A1:2022 and the actual European Standard, EN 589:2018:
- update of revised test method standards;
- adjustment of vapour pressure reporting format to the format required by the test methods EN ISO 8973 and Annex C;

EN 589:2018+A1:2022 (E)

This is a preview of "BS EN 589:2018+A1:20...". Click here to purchase the full version from the ANSI store.

- removal of the increase of the propane content by 2022-05-01;
- modification of the footnote to table g to Table 1 on the performance requirement. lacktriangle

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies requirements and test methods for marketed and delivered automotive liquefied petroleum gas (LPG), with LPG defined as low pressure liquefied gas composed of one or more light hydrocarbons which are assigned to UN 1011, 1075, 1965, 1969 or 1978 only and which consists mainly of propane, propene, butane, butane isomers, butenes with traces of other hydrocarbon gases.

This standard is applicable to automotive LPG for use in LPG engine vehicles designed to run on automotive LPG.

NOTE For the purposes of this European Standard, the terms "(m/m)" and "(V/V)" are used to represent respectively the mass fraction, μ , and the volume fraction, φ .

WARNING — Attention is drawn to the risk of fire and explosion when handling LPG and to the hazard to health arising through inhalation of excessive amounts of LPG.

LPG is a highly volatile hydrocarbon liquid which is normally stored under pressure. If the pressure is released large volumes of gas will be produced which form flammable mixtures with air over the range of approximately 2 % (V/V) to 10 % (V/V). This European Standard involves the sampling, handling and testing of LPG. Naked flames, unprotected electrical equipment electrostatic hazards etc. are sources of ignition for LPG.

LPG in liquid form can cause cold burns to the skin. The national health and safety regulations apply.

LPG is heavier than air and accumulates in cavities. There is a danger of suffocation when inhaling high concentrations of LPG.

CAUTION — One of the tests described in this European Standard involves the operator inhaling a mixture of air and LPG vapour. Particular attention is drawn to the cautionary statement provided in A.1, where this method is referred to.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15469, Petroleum products - Test method for free water in liquefied petroleum gas by visual inspection

EN 15470, Liquefied petroleum gases - Determination of dissolved residues - High temperature Gas chromatographic method

EN 15471, Liquefied petroleum gases - Determination of dissolved residues - High-temperature gravimetric method

EN 16423, Liquefied petroleum gases - Determination of dissolved residue - Gas chromatographic method using liquid, on-column injection

EN 16942, Fuels - Identification of vehicle compatibility - Graphical expression for consumer information

(A) EN 17178, Liquid petroleum products — Determination of the total volatile sulfur content in liquefied petroleum gases by ultraviolet fluorescence spectroscopy (A)

EN 27941, Commercial propane and butane - Analysis by gas chromatography (ISO 7941)

EN ISO 4256, Liquefied petroleum gases - Determination of gauge pressure - LPG method (ISO 4256)