BS EN ISO 23266:2021

This is a preview of "BS EN ISO 23266:2021". Click here to purchase the full version from the ANSI store.



BSI Standards Publication

Soil quality – Test for measuring the inhibition of reproduction in oribatid mites (Oppia nitens) exposed to contaminants in soil



National foreword

This British Standard is the UK implementation of EN ISO 23266:2021. It is identical to ISO 23266:2020. It supersedes BS ISO 23266:2020, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EH/4, Soil quality.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021 Published by BSI Standards Limited 2021

ISBN 978 0 539 14600 4

ICS 13.080.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2020.

Amendments/corrigenda issued since publication

Date

Text affected

30 April 2021This corrigendum renumbers BS ISO 23266:2020
as BS EN ISO 23266:2021

<u>EN ICO 72766</u>

This is a preview of "BS EN ISO 23266:2021". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

April 2021

ICS 13.080.30

English Version

Soil quality - Test for measuring the inhibition of reproduction in oribatid mites (Oppia nitens) exposed to contaminants in soil (ISO 23266:2020)

Qualité du sol - Essai de détermination de l'inhibition de la reproduction chez les acariens oribates (Oppia nitens) exposés aux contaminants dans le sol (ISO 23266:2020) Bodenbeschaffenheit - Verfahren zur Bestimmung der Wirkungen von verunreinigten Böden auf das Überleben und die Reproduktion von Hornmilben (Oppia nitens) (ISO 23266:2020)

This European Standard was approved by CEN on 5 April 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of ISO 23266:2020 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 23266:2021 by Technical Committee CEN/TC 444 "Environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2021, and conflicting national standards shall be withdrawn at the latest by October 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 23266:2020 has been approved by CEN as EN ISO 23266:2021 without any modification.

Cor	ntents	Page
Fore	word	iv
Intro	oduction	v
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Principle	
5	Reagents and material	
6	Apparatus	
7	Procedure	
'	7.1 Experimental design	
	7.1.1 General	
	7.1.2 Range-finding test (preliminary test)	
	7.1.3 Definitive test	
	7.2 Preparation of test mixture	
	7.2.1 Testing contaminated soil	
	7.2.2 Testing substances added to the test substrate	
	7.2.3 Preparation of control containers.7.3 Addition of the mites	
	7.5 Addition of the lintes7.4 Test conditions and measurements	
	7.5 Determination of adult survival and reproductive output.	
8	Calculation and expression of results	11
	8.1 Calculation	
	8.2 Expression of results	
9	Validity of the test	
10	Statistical analysis	12
10	10.1 General	
	10.2 Single-concentration tests	
	10.3 Multi-concentration tests	
	10.3.1 Range-finding test	
	10.3.2 Definitive test	
11	Test report	
Anne	ex A (informative) Techniques for rearing and breeding of Oppia nitens	s
Annex B (normative) Determination of water holding capacity		
Annex C (informative) Guidance on adjustment of pH of artificial soil		
Anne	ex D (informative) Extraction and counting of Oppia nitens	
Annex E (informative) Performance of the method		
Bibliography		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological characterization*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

Ecotoxicological test systems are applied to obtain information about the effects of contaminants in soil and are proposed to complement conventional chemical analysis (see ISO 15799^[1] and ISO 17616^[2]). ISO 15799 includes a list and short characterization of recommended and standardized test systems and ISO 17616 gives guidance on the choice and evaluation of the bioassays. Aquatic test systems with soil eluate are applied to obtain information about the fraction of contaminants potentially reaching the groundwater by the water path (retention function of soils), whereas terrestrial test systems are used to assess the habitat function of soils with regards to supporting soil biota and interactions within.

Mites (Acari) are a world-wide and diverse group of arthropods belonging to a sub-class of Arachnida with over 40 000 species recorded, divided into two super-orders (Acariformes and Parasitiformes). Due to their relative small size (a few μ m to a few cm), they occupy specific ecological niches on plants as well as in soils^[5].

In recent years, there has been an increase in the development of biological test methods for assessing contaminated soil, which has historically lagged behind that for other media (e.g., water and sediment). Ecotoxicology tests for soil are challenged, among other things, by the complexity of soil systems (e.g., lack of homogeneity) and the variety of exposure routes (e.g., via alimentary uptake, exposure to pore water or soil vapours, or direct contact with soil particles). A recently developed method (ISO 21285^[3]) assesses the effects of contaminated soil on the reproduction of the predatory mite (Hypoaspis aculeifer), mainly through alimentary uptake. Oribatid mites represent a different but essential ecological niche than *H. aculeifer* within soil, contributing to carbon mineralization and soil formation, as well as nitrogen and phosphorous release through grazing activities. Oribatid mites are among the most diverse and abundant micro-arthropod species within soil, however, their slower metabolism and development, coupled with low fecundity, long life span, and limited dispersal capacity increase the potential for susceptibility and sensitivity to short- and long-term disturbances^[6]. The use of oribatid mites in the context of soil ecotoxicology testing has been thoroughly reviewed^{[Z][8][9]} ^[10][11]. Recent research using *Oppia nitens* for soil testing has demonstrated applicability and relative sensitivity of the species for the assessment of contaminated soils from both agronomic regions, and those from the boreal and taiga ecozones^{[6][12][13][14][15]}. Research has also demonstrated its sensitivity to metals^{[16][17][18][19]}, pesticides^{[20][21]}, and organic compounds^{[16][17][22]}. Oppia nitens is an oribatid mite, inhabiting the upper organic layer of soil, and is a member of the largest oribatid family (Oppiidae) with approximately 1 000 species in 129 genera widely distributed throughout Holarctic and Antarctic regions^[23]. They are sexually reproducing, polyphagous fungivores that can be easily reared in the laboratory in soil or on plaster of Paris, and on a diet of Baker's yeast^[10].

This method outlines procedures for conducting 28-day tests for determining the effects of contaminated soils on the survival and reproduction of the oribatid mite, *Oppia nitens*. Optionally, the method can be used for testing chemicals added to standard soils (e.g., artificial soil) for their lethal and sublethal hazard potential to oribatid mites. The performance of this method has been assessed in an international inter-laboratory investigation^[15], as summarized in <u>Annex E</u>. Mites represent communities that cannot be omitted from environmental hazard assessment. This species is considered to be representative of non-predatory soil mites.

Soil quality — Test for measuring the inhibition of reproduction in oribatid mites (*Oppia nitens*) exposed to contaminants in soil

WARNING — Contaminated soils may contain unknown mixtures of toxic, mutagenic, or otherwise harmful chemicals or infectious microorganisms. Occupational health risks may arise from dust or evaporated chemicals during handling and incubation. Precautions should be taken to avoid skin contact.

1 Scope

This document specifies one of the methods for evaluating the habitat function of soils and determining effects of soil contaminants and individual chemical substances on the reproduction of the oribatid mite *Oppia nitens* by dermal and alimentary uptake. This chronic (28-day) test is applicable to soils and soil materials of unknown quality (e.g., contaminated sites, amended soils, soils after remediation, agricultural or other sites under concern and waste materials). This method is not intended to replace the earthworm or Collembola tests since it represents another taxonomic group (= mites; i.e., arachnids), nor the predatory mite test since this species represents a different trophic level and ecological niche.

Effects of substances are assessed using standard soil, preferably a defined artificial soil substrate. For contaminated soils, the effects are determined in the test soil and in a control soil. According to the objective of the study, the control and dilution substrate (dilution series of contaminated soil) should be either an uncontaminated soil with similar properties to the soil sample to be tested (reference soil) or a standard soil (e.g., artificial soil).

Information is provided on how to use this method for testing substances under temperate conditions.

This document is not applicable to substances for which the air/soil partition coefficient is greater than 1, or to substances with vapour pressure exceeding 300 Pa at 25 °C.

NOTE The stability of the test substance cannot be assured over the test period. No provision is made in the test method for monitoring the persistence of the substance under test.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10390, Soil quality — Determination of pH

ISO 10694, Soil quality — Determination of organic and total carbon after dry combustion (elementary analysis)

ISO 11260, Soil quality — Determination of effective cation exchange capacity and base saturation level using barium chloride solution

ISO 11265, Soil quality — Determination of the specific electrical conductivity

ISO 11277, Soil quality — Determination of particle size distribution in mineral soil material — Method by sieving and sedimentation

ISO 11465, Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method