



BSI Standards Publication

Gas detectors - Electrical apparatus for the detection of carbon monoxide in domestic premises

Part 1: Test methods and performance requirements

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 50291-1:2018, incorporating corrigendum January 2021. It supersedes BS EN 50291-1:2010+A1:2012, which is withdrawn.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by CENELEC corrigendum January 2021 is indicated in the text by AC1 AC1.

The UK participation in its preparation was entrusted to Technical Committee EXL/31/1, Gas detectors.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2021

Published by BSI Standards Limited 2021

ISBN 978 0 539 16375 9

ICS 13.120; 13.320; 13.040.40; 97.030

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2018.

Amendments/corrigenda issued since publication

Date	Text affected
31 January 2021	Implementation of CENELEC corrigendum January 2021

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

April 2018

ICS 13.320

Supersedes EN 50291-1:2010

English Version

Gas detectors - Electrical apparatus for the detection of carbon monoxide in domestic premises - Part 1: Test methods and performance requirements

Détecteurs de gaz - Appareils électriques pour la détection de monoxyde de carbone dans les locaux à usage domestique - Partie 1 : Méthodes d'essai et exigences de performances

Gaswarngeräte - Elektrische Geräte für die Detektion von Kohlenmonoxid in Wohnhäusern - Teil 1: Prüfverfahren und Anforderungen an das Betriebsverhalten

This European Standard was approved by CENELEC on 2018-02-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Symbols and abbreviations	9
5 Design requirements	9
5.1 General requirements.....	9
5.2 Construction.....	10
5.3 Visual indicators	10
5.4 Alarms	11
5.5 End-of-life	11
5.5.1 General.....	11
5.5.2 Prediction of end-of-life	11
5.5.3 Inbuilt testing of end-of-life	12
5.5.4 End of life fault warnings	12
5.6 Fault warnings.....	12
5.7 Alarm silence facility (optional).....	12
5.8 Fault warning silence facility.....	13
5.9 Transmittable output signal (applicable for type A apparatus only).....	13
5.10 Software-controlled apparatus.....	13
5.11 Labelling	13
5.12 Requirements for the use of batteries	14
5.12.1 Battery low voltage warning	14
5.12.2 Battery capacity	14
5.12.3 Battery reversal.....	15
5.12.4 Battery connections	15
5.12.5 Battery removal feature.....	15
5.13 Inter-connectable apparatus.....	15
5.14 Back-up power source	15
5.14.1 General.....	15
5.14.2 Monitoring of back-up power source.....	16
6 Test and performance requirements	16
6.1 General requirements for tests	16
6.1.1 Test samples for type testing.....	16
6.1.2 Preparation of samples	17
6.1.3 Use of mask for testing	17
6.1.4 Test chamber.....	17
6.1.5 Unpowered storage	17
6.2 Normal conditions for tests	17
6.2.1 General.....	17
6.2.2 Test gases for alarm testing	18
6.2.3 Test gases for specified tests	18
6.2.4 Speed of air and test gas	18
6.2.5 Power supply.....	18
6.2.6 Temperature	18
6.2.7 Humidity.....	18

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

6.2.8	Pressure	18
6.3	Test methods and performance requirements	18
6.3.1	General	18
6.3.2	CO gas test.....	19
6.3.3	Transmittable output signal	19
6.3.4	Alarm conditions	20
6.3.5	Alarm during warm-up time.....	20
6.3.6	Response and recovery to a high CO volume ratio.....	20
6.3.7	Temperature effects	21
6.3.8	Humidity effects.....	21
6.3.9	Air velocity test.....	21
6.3.10	Supply voltage variations (mains powered apparatus only)	21
6.3.11	Electromagnetic compatibility	21
6.3.12	Response to mixtures of carbon monoxide and other gases.....	22
6.3.13	Effects of other gases	22
6.3.14	Long term stability	23
6.3.15	Drop test.....	23
6.3.16	Alarm sound level.....	24
6.3.17	Battery fault warning.....	24
6.3.18	Battery capacity.....	25
6.3.19	Battery reversal	25
6.3.20	Battery connections with flexible leads only.....	26
6.3.21	Inter-connectable apparatus	26
6.3.22	Back-up power source.....	27
6.3.23	Stability in high humidity (non- condensing) test.....	27
6.3.24	Stability to low humidity test.....	27
7	Apparatus using radio links	28
7.1	General	28
7.1.1	RF range and reproducibility tests	28
7.1.2	Failure of radio link	28
7.1.3	Identification codes	28
7.1.4	Environmental requirements.....	28
7.2	Radio link tests	28
7.2.1	RF Range.....	28
7.2.2	Failure of radio link tests.....	29
7.2.3	Identification codes verification tests	29
7.2.4	Environmental tests	29
8	User instructions	30
9	Packaging.....	31
Annex A (informative)	Extended stability test – Sample protocol	32
A.1	General requirements	32
A.2	Test	32
A.3	Performance requirement.....	32
Annex B (informative)	Calculation of the expected battery service life	33
B.1	General requirements	33
B.2	Example.....	33
B.2.1	Capacity required for 1 year operation in milli Ampere hours (mAh).....	33
B.2.2	Capacity required for 4 min alarm	33
B.2.3	Capacity required for 30 days low battery beeping	33
B.2.4	Carbon Monoxide Alarm Voltage Operating Range.....	33

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

B.2.5	Battery Data	34
B.2.6	Expected Service Life	34
Annex C (informative)	Visual and audible fault indication sequences	35
Annex D (informative)	A–deviations	36
Annex E (informative)	Test arrangement schematics	37
Annex F (informative)	Additional requirements for units displaying low (warning) CO concentrations	39
F.1	General	39
F.2	Requirements	39
	Bibliography	40

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 50291-1:2018) has been prepared by Technical Committee CLC/TC 216 "Gas detectors", the secretariat of which is held by BSI.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-02-26
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2021-02-26

This document supersedes EN 50291-1:2010.

The main technical changes compared to the previous edition EN 50291-1:2010 are:

- End of Life indicator has been made mandatory and must include an audible and visible warning;
- Guidance has been added for assessing battery capacity and expected life;
- Requirements for mains powered alarms with back-up supply have been added;
- The number of potential interference gases has been increased;
- Tests have been added for an optional alarm silence facility;
- Requirements for the audible alarm and associated red visual signal have been clarified; low battery, fault and End-of-life audible and visual warnings are given in an informative annex;
- An informative annex has been added for apparatus displaying low (Warning) CO levels;
- Requirements have been added for apparatus using radio links;
- The sound output alarm requirement has been increased in line with the EN 14604 smoke alarm requirements.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This is a preview of "BS EN 50291-1:2018". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This European Standard specifies general requirements for the construction, testing and performance of electrically operated carbon monoxide gas detection apparatus, designed for continuous operation in domestic premises. The objective is to detect defective fossil fuel or solid fuel appliances so that they can be repaired or replaced. The function of the standard is not to monitor low levels of CO for health purposes. (Annex F gives recommendations for units displaying low (warning) CO concentrations). The apparatus may be mains-powered or battery-powered. Such apparatus is intended to warn of an acute level of CO, enabling the occupant to react before being exposed to significant risk.

Additional requirements for apparatus to be used in recreational vehicles and similar premises are specified in EN 50291-2.

NOTE 1 For caravan holiday homes EN 50291-1 applies.

This European Standard specifies two types of apparatus, these are:

- type A – to provide a visual and audible alarm and an executive action in the form of a transmittable output signal that can be used to actuate directly or indirectly a ventilation or other ancillary device;
- type B – to provide a visual and audible alarm only.

NOTE 2 Both type A and type B apparatus can be interconnected.

This European Standard excludes apparatus for:

- the detection of combustible gases, other than carbon monoxide itself (see EN 50194-1);
- the detection of CO in industrial installations (see EN 45544-1, EN 45544-2 and EN 45544-3) or commercial premises;
- CO measurement for smoke and fire detection;
- CO measurement in car parks and tunnels.

NOTE 3 See EN 50545-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50270, *Electromagnetic compatibility — Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen*

EN 50271:2010, *Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen — Requirements and tests for apparatus using software and/or digital technologies*

EN 50292, *Electrical apparatus for the detection of carbon monoxide in domestic premises, caravans and boats — Guide on the selection, installation, use and maintenance*

EN 60335-1:2012, *Household and similar electrical appliances — Safety — Part 1: General requirements (IEC 60335-1:2010, modified)*