



BSI Standards Publication

Air conditioners, liquid chilling packages and heat pumps for space heating and cooling and process chillers, with electrically driven compressors

Part 3: Test methods

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 14511-3:2022. It supersedes BS EN 14511-3:2018, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee RHE/17, Testing of air conditioning units.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 16555 5

ICS 27.080; 91.140.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

September 2022

ICS 27.080; 91.140.30

Supersedes EN 14511-3:2018

English Version

Air conditioners, liquid chilling packages and heat pumps for space heating and cooling and process chillers, with electrically driven compressors - Part 3: Test methods

Climatiseurs, groupes refroidisseurs de liquide et pompes à chaleur pour le chauffage et le refroidissement des locaux et refroidisseurs industriels avec compresseur entraîné par moteur électrique -
Partie 3 : Méthodes d'essai

Luftkonditionierer, Flüssigkeitskühlsätze und Wärmepumpen für die Raumbeheizung und -kühlung und Prozess-Kühler mit elektrisch angetriebenen Verdichtern - Teil 3: Prüfverfahren

This European Standard was approved by CEN on 10 July 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword.....		6
1	Scope	8
2	Normative references	8
3	Terms and definitions	8
4	Tests for determination of capacities	8
4.1	Basic principles and methods.....	8
4.1.1	Air-to-air and water(brine)-to-air units.....	8
4.1.2	Air-to-water(brine) and water(brine)-to-water(brine) units.....	9
4.1.3	Capacity correction.....	9
4.1.4	Effective power input.....	12
4.1.5	Units on a distribution network of pressured water	13
4.1.6	Units for use with remote condenser.....	13
4.2	Test apparatus.....	14
4.2.1	Arrangement of the test apparatus.....	14
4.2.2	Installation and connection of the test object.....	14
4.3	Uncertainties of measurement.....	17
4.4	Test procedure	19
4.4.1	Settings.....	19
4.4.2	Output measurement for water (brine)-to-water (brine) and water (brine)-to-air units	23
4.4.3	Output measurement for cooling capacity of air-to-water (brine) and air-to-air units.....	23
4.4.4	Output measurement for heating capacity of air-to-air and air-to-water units.....	24
4.4.5	Permissible deviations.....	29
4.5	Test results	32
4.5.1	Data to be recorded.....	32
4.5.2	Cooling capacity and heat recovery capacity calculation	35
4.5.3	Heating capacity calculation	35
4.5.4	Effective power input calculation.....	35
4.5.5	EER and COP calculation	35
5	Electrical consumptions for single duct and double duct units	36
5.1	Determination of power consumption due to standby mode	36
5.2	Determination of power consumption in off-mode.....	36
5.3	Electricity consumption.....	36
6	Air flow rate measurement of ducted units.....	36
7	Heat recovery test for air-cooled multisplit system.....	37
7.1	Test installation.....	37
7.1.1	General.....	37
7.1.2	Three-room calorimeter method	37
7.1.3	Three-room air-enthalpy method.....	37
7.1.4	Two-room air-enthalpy method	37
7.2	Test procedure	37
7.3	Test results	37
8	Test report.....	38

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

8.1	General information	38
8.2	Additional information.....	38
8.3	Rating test results.....	38
	Annex A (normative) Calorimeter test method	40
A.1	General	40
A.2	Calibrated room-type calorimeter	42
A.3	Balanced ambient room-type calorimeter	43
A.4	Calculations-cooling capacities	43
A.4.1	General	43
A.4.2	Total cooling capacity on the indoor-side	44
A.4.3	Total cooling capacity of liquid (water)-cooled equipment deducted from the condenser side.....	45
A.4.4	Latent cooling capacity (room dehumidifying capacity).....	45
A.4.5	Sensible cooling capacity	45
A.4.6	Sensible heat ratio.....	45
A.5	Calculation-heating capacities.....	46
A.5.1	General	46
A.5.2	Determination of the heating capacity by measurements in the indoor-side room	46
A.5.3	Determination of the heating capacity by measurements in the outdoor-side room	46
A.5.4	Total heating capacity of liquid (water)-to-air unit deducted from the water side	47
	Annex B (normative) Indoor air enthalpy method	48
B.1	General	48
B.2	Test installation	48
B.2.1	General	48
B.2.2	Air outlet section.....	49
B.2.3	Air inlet section	49
B.2.4	Discharge chamber design for non-ducted units	49
B.2.5	Duct requirements for ducted units	54
B.2.5.1	Air outlet duct	54
B.2.5.2	Air inlet duct.....	55
B.3	Calculations-cooling capacities	55
B.4	Calculations-heating capacities.....	56
	Annex C (informative) Recommendations for reducing the indoor air enthalpy method uncertainty.....	57
C.1	General	57
C.2	Uncertainty of measurement.....	57
C.2.1	General	57
C.2.2	Guidance on temperature measurement.....	57

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

C.3	Air leakage tests	62
C.4	Zero latent capacity confirmation.....	64
C.5	Thermal losses from ducts, chambers and plenums.....	64
Annex D (normative) Liquid enthalpy test method		65
D.1	General.....	65
D.2	Calculations-heating capacities	65
D.3	Calculations-cooling capacities.....	65
Annex E (informative) Test installation and measurements for the liquid enthalpy method.....		66
E.1	General.....	66
E.2	Connecting the unit	66
E.3	Liquid temperature measuring points	66
E.4	Pressure measuring points.....	68
E.5	Liquid flow rate measurement.....	69
Annex F (normative) Determination of the liquid pump efficiency.....		70
F.1	General.....	70
F.2	Hydraulic power of the liquid pump	70
F.2.1	The liquid pump is an integral part of the unit	70
F.2.2	The liquid pump is not an integral part of the unit.....	70
F.3	Efficiency of integrated pumps.....	70
F.3.1	Glandless circulators	70
F.3.2	Dry motor pumps	71
F.4	Efficiency of non-integrated pumps	73
Annex G (informative) Rating of indoor and outdoor units of multisplit and modular heat recovery multisplit systems.....		74
G.1	General.....	74
G.2	Terms and definitions	74
G.3	Rating of indoor units.....	75
G.3.1	General.....	75
G.3.2	Air flow rate measurement.....	75
G.3.3	Measurement of the power input of indoor units	75
G.4	Rating of outdoor units	75
G.4.1	General.....	75
G.4.2	Test procedure.....	75
Annex H (informative) Symbols used in annexes		77
Annex I (normative) Air flow rate measurement		79
I.1	General.....	79
I.2	Test installation.....	79
I.3	Test conditions.....	79
I.4	Air flow measurement.....	79

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

Annex J (informative) Conformance criteria	80
J.1 Water(brine)-to-water(brine) units.....	80
J.2 Calorimeter room method.....	80
J.3 Heat recovery of multisplit systems	80
Annex K (informative) Individual unit tests	81
K.1 General	81
K.1.1 Methods.....	81
K.1.2 Calorimeter method.....	81
K.1.3 Air-enthalpy method	81
K.2 Test results.....	81
K.3 Published results	81
Annex ZA (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 206/2012 [OJEU L 72/7-27, 10.3.2012] aimed to be covered	82
Annex ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 626/2011 [OJEU L 178/1-72, 6.7.2011] aimed to be covered	85
Annex ZC (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 2016/2281 [OJEU L346/1-50, 20.12.2016] aimed to be covered	87
Bibliography	88

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 14511-3:2022) has been prepared by Technical Committee CEN/TC 113 "Heat pumps and air conditioning units", the secretariat of which is held by UNE.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2023, and conflicting national standards shall be withdrawn at the latest by March 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14511-3:2018.

The main changes compared with EN 14511-3:2018 are as follows:

- update of the flowchart with steps procedure;
- addition of new annexes for the liquid enthalpy test method;
- addition of a new Annex ZC on the relationship with Commission Regulation (EU) No 2016/2281.

This document has been prepared in the frame of:

- Commission Regulation (EU) No 206/2012 of 6 March 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for air conditioners and comfort fans;
- Commission Delegated Regulation (EU) No 626/2011 of 4 May 2011 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of air conditioners;
- Commission Regulation (EU) No 813/2013 of 2 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for space heaters and combination heaters;
- Commission Delegated Regulation (EU) No 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device;
- Commission Regulation (EU) 2015/1095 of 5 May 2015 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for professional refrigerated storage cabinets, blast cabinets, condensing units and process chillers;
- Commission Regulation (EU) 2016/2281 of 30 November 2016 implementing Directive 2009/125/EC of the European Parliament and of the Council establishing a framework for the setting of ecodesign requirements for energy-related products, with regard to ecodesign requirements for air heating products, cooling products, high temperature process chillers and fan coil units.

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Regulation(s).

For relationship with EU Regulation(s), see informative Annex ZA, ZB or ZC, which is an integral part of this document.

EN 14511, *Air conditioners, liquid chilling packages and heat pumps for space heating and cooling and process chillers, with electrically driven compressors*, currently comprises the following parts:

- *Part 1: Terms and definitions;*
- *Part 2: Test conditions;*
- *Part 3: Test methods;*
- *Part 4: Requirements.*

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of "BS EN 14511-3:2022". [Click here to purchase the full version from the ANSI store.](#)

1 Scope

1.1 The scope of EN 14511-1:2022 is applicable.

1.2 This document specifies the test methods for the rating and performance of air conditioners, liquid chilling packages and heat pumps using either air, water or brine as heat transfer media, with electrically driven compressors when used for space heating and cooling. These test methods also apply for the rating and performance of process chillers.

It also specifies the method of testing and reporting for heat recovery capacities, system reduced capacities and the capacity of individual indoor units of multisplit systems, where applicable.

This document also makes possible to rate multisplit and modular heat recovery multisplit systems by rating separately the indoor and outdoor units.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14511-1:2022, *Air conditioners, liquid chilling packages and heat pumps for space heating and cooling and process chillers, with electrically driven compressors — Part 1: Terms and definitions*

EN 14825:2018, *Air conditioners, liquid chilling packages and heat pumps, with electrically driven compressors, for space heating and cooling — Testing and rating at part load conditions and calculation of seasonal performance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 14511-1:2022 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Tests for determination of capacities

4.1 Basic principles and methods

4.1.1 Air-to-air and water(brine)-to-air units

Heating and/or cooling capacity of air-to-air or water(brine)-to-air units shall be determined from measurements in a calorimeter room (see Annex A) or by the air enthalpy method (see Annex B).

NOTE 1 Annex C (informative) provides additional information to Annex B for reducing uncertainties of measurement of capacities.

The measured heating capacity Φ_{thi} shall be corrected for the heat from the indoor fan as specified in 4.1.3.2 or 4.1.3.3 to obtain the heating capacity P_{H} .

The measured cooling capacity Φ_{tci} shall be corrected for the heat from the indoor fan as specified in 4.1.3.2 or 4.1.3.3 to obtain the cooling capacity P_{C} .

NOTE 2 For rating indoor units and/or outdoor units separately, Annex G can be used.