

BSI Standards Publication

Acoustics — Engineering method for measurement of noise emitted by accelerating road vehicles

Part 1: M and N categories



BS ISO 362-1:2022 BRITISH STANDARD

This is a preview of "BS ISO 362-1:2022". Click here to purchase the full version from the ANSI store.

National foreword

This British Standard is the UK implementation of ISO 362-1:2022. It supersedes BS ISO 362-1:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EH/1/2, Transport noise.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 17629 2

ICS 17.140.30; 43.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2022.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL

ISO

This is a preview of "BS ISO 362-1:2022". Click here to purchase the full version from the ANSI store.

Third edition 2022-11-21

Acoustics — Engineering method for measurement of noise emitted by accelerating road vehicles —

Part 1: **M and N categories**

Acoustique — Méthode d'ingénierie pour le mesurage du bruit émis par les véhicules routiers en accélération —

Partie 1: Catégories M et N



ISO 362-1:2022(E)

This is a preview of "BS ISO 362-1:2022". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents						
Fore	word			v		
Intro	oductio	n		vi		
1	Scop	e		1		
2	•		Terences			
3						
3	Terms and definitions 3.1 Vehicle mass					
	3.4		categories			
4			is and abbreviated terms			
5	Specification of the acceleration for vehicles of categories M1 and M2 having a					
	maximum authorized mass not exceeding 3 500 kg and of category N1					
	5.1					
	5.2		tion of acceleration	11		
		5.2.1	Calculation procedure for vehicles with manual transmission, automatic			
			transmission, adaptive transmission, and continuously variable	11		
		5.2.2	transmission (CVT) tested with locked gear ratios	11		
		3.4.4	transmission, and CVT tested with non-locked gear ratios	11		
	5.3	Calculat	tion of the target acceleration	12		
	5.4		tion of the reference acceleration			
	5.5	Partial p	power factor k _P	13		
6	Instrumentation					
	6.1 Instruments for acoustical measurement					
		6.1.1	General			
		6.1.2	Calibration			
	6.0	6.1.3	Conformity with requirements			
	6.2 6.3		nentation for speed measurementsological instrumentation			
_						
7		Acoustical environment, meteorological conditions, and background noise				
	7.1 7.2		eological conditions			
	7.2		ound noise			
0						
8	Test procedures 8.1 Microphone positions					
	8.2		ons of the vehicle			
	0.2	8.2.1	General conditions			
		8.2.2	Test mass of the vehicle			
		8.2.3	Tyre selection and condition			
		8.2.4	Calculation of total engine power			
		8.2.5	Battery state of charge			
		8.2.6 8.2.7	Additional sound emitting devices			
	8.3		ng conditions			
	0.5	8.3.1	Vehicles of categories M1 and M2 having a maximum authorized mass not			
			exceeding 3 500 kg and category N1	22		
		8.3.2	Vehicles of category M2 having a maximum authorized mass exceeding			
			3 500 kg, and categories M3, N2 and N3			
	8.4		ement readings and reported values			
		8.4.1 8.4.2	General Data compilation			
		8.4.3	Vehicles of categories M1 and M2 having a maximum authorized mass not	J I		
		0.110	exceeding 3 500 kg and category N1	32		

		8.4.4	Vehicles of category M2 having a maximum authorized mass exceeding				
		0.1.1	3 500 kg and categories M3, N2, and N3	32			
	8.5	Measur	ement uncertainty	33			
9	Test r	eport		34			
Annex	Annex A (informative) Technical background for development of vehicle noise test procedure based on in-use operation in urban conditions						
Annex	Annex B (informative) Measurement uncertainty — Framework for analysis according to ISO/IEC Guide 98-3						
Annex	Annex C (informative) Flowchart of the procedure for categories M1 and M2 having a maximum authorized mass not exceeding 3 500 kg and category N1						
Annex	nnex D (informative) Flowchart for vehicles of category M2 having a maximum authorized mass exceeding 3 500 kg and categories M3, N2, and N3 with locked gears						
Annex	nnex E (informative) Flowchart for vehicles of category M2 having a maximum authorized mass exceeding 3 500 kg and categories M3, N2, and N3 with non-locked gears						
Annex	mass	exceedir	Flowchart for vehicles of category M2 having a maximum authorized ng 3 500 kg and categories M3, N2, and N3 with no rotational engine le	72			
Biblio	•			73			
	O J						

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

This third edition cancels and replaces the second edition (ISO 362-1:2015), which has been technically revised.

The main changes compared to the previous edition are as follows:

- Clarification on the measurement zone to provide equivalent results between hand held sound level meters and digital data acquisition systems.
 - Clarification of original intent of ISO 362-1 on M1/N1 gear ratio selection to account for practical lessons learned.
 - Clarification and examples of measures used to control vehicle operation so as to provide the specified accelerations of ISO 362-1
 - Addition of and clarification of tolerances, measurement precision, vehicle operation, vehicle physical attributes, and calculation methods where multiple interpretations could be possible.
 - Addition of a representative virtual vehicle for N3.
 - Update to measurement uncertainty.

A list of all parts in the ISO 362 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

An extensive review was conducted of actual in-use vehicle operations, beginning with data from the TUV Automotive study in the early 1990s and continuing with data developed through other committee members from 1996 through 2000. It includes nearly 100 vehicles operated on a variety of urban roads in Europe and Asia. The primary focus of the in-use measurements was to determine how vehicles are driven with a variety of vehicles, driving behaviours, and traffic situations. The in-use behaviour determined from these studies was successfully correlated to urban traffic use in the United States by evaluation of the fuel economy test cycles used by the United States Environmental Protection Agency (USEPA). The resulting test specifications are therefore valid for all global urban use conditions.

The procedure defined here provides a measure of the sound pressure level from vehicles under controlled and repeatable conditions. The definitions have been made according to the requirements of vehicle categories. In cases of vehicles other than very heavy trucks and buses, the working group found that attempts to conduct a partial load test as in actual use resulted in considerable run-to-run variability that significantly interfered with the repeatability and reproducibility of the test cycle. Therefore, two primary operating conditions (i.e. a wide-open-throttle acceleration phase and a constant speed phase) were used to guarantee simplicity. The combination was found to be equivalent to the partial throttle and partial power (engine load) actually used.

As a further consequence of the investigation of the requirements for an efficient test, it was decided to design a test which was independent of vehicle design and therefore safe and adaptable for future technologies, as well as for future traffic conditions. The test guarantees an excitation of all relevant noise sources, and the final test result reflects a combination of these sources as a compromise between normal urban use and "worst case".

In 2004, the given test for M and N category vehicles was evaluated for technical accuracy and practical considerations by test programmes carried out by the Japan Automobile Standards Internationalization Center (JASIC), the European Automotive Manufacturers Association (ACEA), and the Society of Automotive Engineers, Inc. (SAE) in the United States. Over 180 vehicles were included in these tests. The reports of these test programmes were considered prior to preparation of this document.

This document was developed following demands for a new test procedure considering the following:

- "The test procedure (ISO 362) doesn't reflect realistic driving conditions" (1996 EU Green Paper);
- "In the case of motor vehicles, other factors are also important such as the dominance of tyre noise above quite low speeds (50 km/h)" (1996 EU Green Paper).
- "A new measurement procedure should require that the major noise sources of a vehicle be measured" (2001 Noise Emission of Road Vehicles I-INCE).

This document, while maintaining the same technical procedures as the previous edition, has been revised based on practical experience to provide additional clarification where multiple interpretations were possible, to provide additional equivalent test modes for heavy commercial vehicles, and to incorporate provisions for addressing and including in the measurement external sound systems for M1 and N1 category vehicles.

Acoustics — Engineering method for measurement of noise emitted by accelerating road vehicles —

Part 1:

M and N categories

1 Scope

This document specifies an engineering method for measuring the noise emitted by road vehicles of categories M and N under typical urban traffic conditions. It excludes vehicles of category L1 and L2, which are covered by ISO 9645, and vehicles of category L3, L4, and L5, which are covered by ISO 362-2.

The specifications are intended to reproduce the level of noise generated by the principal noise sources during normal driving in urban traffic (see <u>Annex A</u>).

The method is designed to meet the requirements of simplicity as far as they are consistent with reproducibility of results under the operating conditions of the vehicle.

The test method requires an acoustical environment that is obtained only in an extensive open space. Such conditions are usually provided for

- type approval measurements of a vehicle,
- measurements at the manufacturing stage, and
- measurements at official testing stations.

NOTE 1 The results obtained by this method give an objective measure of the noise emitted under the specified conditions of test. It is necessary to consider the fact that the subjective appraisal of the noise annoyance of different classes of motor vehicles is not simply related to the indications of a sound measurement system. As annoyance is strongly related to personal human perception, physiological human conditions, culture, and environmental conditions, there is a large variation and it is, therefore, not useful as a parameter to describe a specific vehicle condition.

NOTE 2 Spot checks of vehicles chosen at random are rarely made in an ideal acoustical environment. If measurements are carried out on the road in an acoustical environment that does not fulfil the requirements stated in this document, the results obtained can deviate appreciably from the results obtained using the specified conditions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 362-3, Acoustics – Measurement of noise emitted by accelerating road vehicles – Engineering method, Part 3: Indoor testing M and N categories

ISO 1176, Road vehicles — Masses — Vocabulary and codes

ISO 2416, Passenger cars — Mass distribution

ISO 10844, Acoustics — Specification of test tracks for measuring sound emitted by road vehicles and their tyres