



BSI Standards Publication

Space systems — Space debris mitigation requirements

This is a preview of BS ISO 24113:2023. [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of ISO 24113:2023. It supersedes BS ISO 24113:2019, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/68, Space systems and operations.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 18686 4

ICS 49.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of BS ISO 24113:2023. [Click here to purchase the full version from the ANSI store.](#)

Fourth edition
2023-05-03

Space systems — Space debris mitigation requirements

Systèmes spatiaux — Exigences de mitigation des débris spatiaux



Reference number
ISO 24113:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of BS ISO 24113:2023. [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	4
4.1 Symbols.....	4
4.2 Abbreviated terms.....	4
5 General	5
6 Protected regions	5
6.1 General.....	5
6.2 LEO protected region.....	6
6.3 GEO protected region.....	6
7 Technical requirements	6
7.1 Restricting the intentional release of space debris into Earth orbit during normal operations.....	6
7.1.1 General.....	6
7.1.2 Space debris from pyrotechnics and solid rocket motors.....	6
7.2 Avoiding break-ups in Earth orbit.....	7
7.2.1 Intentional break-up.....	7
7.2.2 Accidental break-up caused by an on-board source of energy.....	7
7.2.3 Accidental break-up caused by a collision.....	7
7.3 Disposal of a spacecraft or launch vehicle orbital stage after the end of mission so as to minimize interference with the protected regions.....	8
7.3.1 Provisions for successful disposal.....	8
7.3.2 Disposal to minimize interference with the GEO protected region.....	8
7.3.3 Disposal to minimize interference with the LEO protected region.....	9
7.3.4 Re-entry.....	9
8 Planning requirements	10
8.1 General.....	10
8.2 Space debris mitigation plan.....	10
Annex A (informative) Post-launch life cycle phases of a launch vehicle or spacecraft	11
Bibliography	12

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

This fourth edition cancels and replaces the third edition (ISO 24113:2019), which has been technically revised.

The main changes are as follows:

- the addition of a term and definition for "expected number of casualties per re-entry" to replace the term "casualty risk";
- the modification of definitions for the terms "disposal phase", "Earth orbit", "end of life", "end of mission", "passivate" and "probability of successful disposal";
- the applicability of requirements in this document with respect to a space object that enters an unbound Keplerian orbit or leaves Earth orbit;
- the modification of a requirement relating to space debris left in Earth orbit by a launch vehicle after normal operations;
- minor changes to two of the requirements relating to accidental break-up caused by an on-board source of energy;
- changes to a requirement and NOTE concerning the assessment of the probability of impact-induced break-up of a spacecraft;
- the modification of a requirement and addition of a NOTE relating to the assessment of the probability that an impact will prevent the successful disposal of a spacecraft;
- the modification of a requirement and addition of a NOTE relating to the need for disposal capability/probability reassessment before extending the mission lifetime of a spacecraft;

This is a preview of BS ISO 24113:2023. [Click here to purchase the full version from the ANSI store.](#)

- the addition of NOTES pointing out the need for and potential benefit of reducing orbital lifetime significantly below 25 years in the LEO protected region;
- the addition of a NOTE concerning the collision probability associated with a deployable device that augments the orbital decay of a spacecraft or launch vehicle orbital stage in the LEO protected region;
- the modification of a requirement relating to the assessment of the hazard caused by ground impact of any objects that are expected to survive re-entry;
- the specification of a threshold for the expected number of casualties during the re-entry of a spacecraft or launch vehicle orbital stage, and the addition of supplementary NOTES;
- the addition of a NOTE concerning the listed contents of the space debris mitigation plan;
- minor modifications to the two figures in [Annex A](#);
- updates to the Bibliography.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Space debris comprises all objects of human origin in Earth orbit or re-entering the atmosphere, including fragments and elements thereof, that no longer serve a useful purpose. The growing population of these objects poses an increasing hazard to mankind's use of space. In response to this problem, there is international consensus that space activities need to be managed to minimize collision risks among space objects and casualty risks associated with atmospheric re-entry of such objects. This consensus is embodied in space debris mitigation guidelines published by organizations such as the International Telecommunication Union (ITU),^[1] the Inter-Agency Space Debris Coordination Committee (IADC)^[2] ^[3] and the United Nations (UN).^[4] The transformation of debris mitigation guidelines into engineering practice is a key purpose of this document.

The importance of this document can be seen within the context of four UN treaties^[5] that were established under the United Nations Committee on the Peaceful Uses of Outer Space (UNCOPUOS) to govern the involvement of nations in space activities. These are the *Outer Space Treaty*, the *Liability Convention*, the *Registration Convention* and the *Rescue Agreement*. Through some of these treaties, a launching State has total liability for damage caused by its spacecraft or launch vehicle orbital stages (or any parts thereof) on the surface of the Earth or to aircraft in flight, as well as in outer space where fault can be proven.

All countries are encouraged to abide by these international agreements in order not to endanger or constrain existing and future activities in space. A launching State can choose to appoint licensing or regulatory authorities to administer its approach for complying with the above-mentioned UN treaties. In several launching States, these authorities have implemented national legislation to enforce the UN treaties. Such legislation can include the mitigation of space debris. Some launching States meet their obligations by appointing non-regulatory government bodies, such as national space agencies, to provide the necessary guidelines or requirements, including those for space debris mitigation.

The general aim of space debris mitigation is to reduce the growth of space debris by ensuring that spacecraft and launch vehicle orbital stages are designed, operated and disposed of in a manner that prevents them from generating debris throughout their orbit lifetime. Another aim of space debris mitigation is to ensure that space objects re-entering the Earth's atmosphere cause no harm. These aims are achieved by the following actions:

- a) avoiding the intentional release of space debris into Earth orbit during normal operations;
- b) avoiding break-ups in Earth orbit;
- c) removing spacecraft and launch vehicle orbital stages from protected orbital regions after the end of mission;
- d) performing the necessary actions to minimize the risk of collision with other space objects;
- e) reducing the risks associated with re-entry, e.g. to people, property and the Earth's environment.

Such actions are especially important for a spacecraft or launch vehicle orbital stage that has one or more of the following characteristics:

- has a large collision cross-section;
- remains in orbit for many years;
- operates near manned mission orbital regions;
- operates in highly utilized regions, such as protected regions;
- operates in regions of high debris population.

This document transforms these objectives into a set of high-level debris mitigation requirements. Methods and processes to enable conformance with these requirements are provided in a series of lower-level implementation standards.

This is a preview of BS ISO 24113:2023. [Click here to purchase the full version from the ANSI store.](#)

Space systems — Space debris mitigation requirements

1 Scope

This document defines the primary space debris mitigation requirements applicable to all elements of unmanned systems launched into, or passing through, near-Earth space, including launch vehicle orbital stages, operating spacecraft and any objects released as part of normal operations.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

approving agent

entity from whom approval is sought for the implementation of *space debris* (3.23) mitigation requirements with respect to the procurement of a *spacecraft* (3.25), or its launch, or its operations in outer space, or its safe *re-entry* (3.22), or a combination of those activities

EXAMPLE Regulatory or licensing authorities; national or international space agencies; other delegated organizations.

3.2

break-up

event that completely or partially destroys an object and generates *space debris* (3.23)

3.3

controlled re-entry

type of *re-entry* (3.22) where the time of re-entry is sufficiently controlled so that the impact of any surviving debris on the surface of the Earth is confined to a designated area

Note 1 to entry: The designated area is usually an uninhabited region such as an ocean.

3.4

disposal

actions performed by a *spacecraft* (3.25) or *launch vehicle orbital stage* (3.13) to permanently reduce its chance of accidental *break-up* (3.2) and to achieve its required long-term clearance of the *protected regions* (3.21)

Note 1 to entry: Actions can include removing stored energy and performing post-mission orbital manoeuvres.

3.5

disposal manoeuvre

action of moving a *spacecraft* (3.25) or *launch vehicle orbital stage* (3.13) to a different orbit as part of its *disposal* (3.4)