



BSI Standards Publication

Eurocode 3 — Design of steel structures

Part 3: Towers, masts and chimneys

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 1993-3:2026. It supersedes BS EN 1993-3-1:2006 and BS EN 1993-3-2:2006, which will be withdrawn on 30 March 2028.

The UK participation in its preparation was entrusted to Technical Committee CB/203, Design & execution of steel structures.

A list of organizations represented on this committee can be obtained on request to its committee manager.

National choice is allowed in this standard where explicitly stated within notes. The National Annex to this standard contains the national choices to be used for buildings and civil engineering works constructed in the UK.

The first generation of EN Eurocodes was published between 2002 and 2007, with conflicting British Standards withdrawn in 2010. This document forms part of the second generation of EN Eurocodes.

The second generation of EN Eurocodes is expected to be published between 2023 and 2026. These documents are being published as soon as they are available. This is being done to enable users to prepare for the transition from the first generation to second generation of EN Eurocodes.

UK adoptions of the first generation of EN Eurocodes will be withdrawn by BSI on 30 March 2028. Until that date, the first generation documents should be considered as the applicable standards for buildings and civil engineering works constructed in the UK unless otherwise specified by the relevant authority or in the specification for a particular project.

This standard is intended to be used with its National Annex and other referenced documents, including other second generation Eurocodes, as an interdependent suite of documents.

While the use of provisions in this standard in conjunction with first generation Eurocodes is not precluded, it should be undertaken with care and should only be done when users are satisfied that it will not result in a lower level of reliability than the minimum level set in the first generation Eurocodes and associated UK National Annexes.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

© The British Standards Institution 2026
Published by BSI Standards Limited 2026

ISBN 978 0 539 19299 5

ICS 91.010.30; 91.060.40; 91.080.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2026.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

March 2026

ICS 91.010.30; 91.060.40; 91.080.13

Supersedes EN 1993-3-1:2006, EN 1993-3-2:2006

English Version

Eurocode 3 - Design of steel structures - Part 3: Towers, masts and chimneys

Eurocode 3 - Calcul des structures en acier - Partie 3 :
Tours, mâts et cheminées

Eurocode 3 - Bemessung und Konstruktion von
Stahlbauten - Teil 3: Türme, Maste und Schornsteine

This European Standard was approved by CEN on 28 December 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

European foreword.....	5
0 Introduction	6
1 Scope	9
1.1 Scope of EN 1993-3	9
1.2 Assumptions.....	9
2 Normative references.....	10
3 Terms, definitions and symbols.....	10
3.1 Terms and definitions	10
3.2 Symbols.....	14
3.3 Convention for cross-section axes	17
4 Basis of design.....	17
4.1 General rules.....	17
4.2 Actions and environmental influences.....	18
4.2.1 Permanent actions.....	18
4.2.2 Variable actions	18
4.2.3 Other actions.....	20
4.3 Ultimate limit state verifications.....	21
4.4 Design assisted by testing	21
5 Materials.....	21
5.1 Structural steel.....	21
5.1.1 General.....	21
5.1.2 Material properties	21
5.2 Connection devices.....	21
5.3 Guys and fittings	21
6 Durability	22
6.1 General.....	22
6.2 Corrosion.....	22
6.3 Corrosion allowance for chimneys	22
6.3.1 General.....	22
6.3.2 External corrosion allowance.....	22
6.3.3 Internal corrosion allowance	23
6.4 Guys.....	23
7 Structural analysis.....	23
7.1 Modelling for determining action effects	23
7.1.1 General.....	23
7.1.2 Chimneys.....	24
7.2 Modelling of connections	24
7.3 Imperfections	25
7.4 Analysis of the structural shell.....	25
8 Ultimate limit states.....	26
8.1 General.....	26
8.2 Resistance of cross-sections and members	27
8.2.1 General.....	27

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

8.2.2	Special provisions for angle sections and members	27
8.2.3	Special provisions for members with polygonal sections	28
8.2.4	Special provisions for structural shells	28
8.3	Joints.....	30
8.3.1	General	30
8.3.2	Bolted flange plate joint configurations.....	30
8.3.3	Connection of the main structure to the foundation or supporting structure	32
8.3.4	Special connections.....	32
9	Serviceability limit states	35
9.1	Basis.....	35
9.2	Deflections and rotations	35
9.2.1	Requirements.....	35
9.2.2	Limiting values of deflection	35
9.3	Vibrations.....	36
9.3.1	Requirements.....	36
9.3.2	Limiting values	36
10	Fatigue	36
10.1	General	36
10.2	Fatigue loading	37
10.2.1	In-line vibrations	37
10.2.2	Global effects of cross-wind vibrations	37
10.2.3	Individual member response	37
10.3	Safety assessment.....	38
Annex A (normative) Dampers including aerodynamic measures.....		39
A.1	Use of this Annex.....	39
A.2	Scope and field of application	39
A.3	General	39
A.4	Vibration absorbers.....	39
A.5	Aerodynamic damping measures	40
A.6	Validation of dampers assisted by testing.....	41
Annex B (normative) Guys, insulators, ancillaries and other items.....		42
B.1	Use of this annex	42
B.2	Scope	42
B.3	Guys	42
B.4	Insulators.....	43
B.5	Ancillaries and other items.....	43
Annex C (normative) Buckling of components of towers and masts.....		44
C.1	Use of this annex	44
C.2	Scope and field of application	44
C.3	Buckling resistance of compression members	44
C.4	Effective slenderness factor K	45
C.5	Leg members	49
C.6	Bracing members.....	50

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

C.7	Notional forces for bracing members	58
C.8	Shell structures	59
Annex D (normative) Guy rupture		60
D.1	Use of this Annex	60
D.2	Scope and field of application.....	60
D.3	General.....	60
D.4	Analysis during guy rupture	60
D.5	Analysis after a guy rupture	64
Annex E (normative) Execution		65
E.1	Use of this annex.....	65
E.2	Scope and field of application.....	65
E.3	General.....	65
E.4	Bolted connections	65
E.5	Welded connections.....	66
E.6	Tolerances	66
E.7	Pre-stretching of guys.....	67
Annex F (informative) Supplementary rules for the resistance of equal leg angle sections and built-up members		68
F.1	Use of this Annex	68
F.2	Scope and field of application.....	68
F.3	Special provisions for equal leg angle section members.....	68
F.4	Special provisions for closely spaced built-up members	73
Bibliography		77

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 1993-3:2026) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes and has been assigned responsibility for structural and geotechnical design matters by CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2027 and conflicting national standards shall be withdrawn at the latest by March 2028.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1993-3-1:2006, EN 1993-3-2:2006 and their corrigenda.

The first generation of EN Eurocodes was published between 2002 and 2007. This document forms part of the second generation of the Eurocodes, which have been prepared under Mandate M/515 issued to CEN by the European Commission and the European Free Trade Association.

The Eurocodes have been drafted to be used in conjunction with relevant execution, material, product and test standards, and to identify requirements for execution, materials, products and testing that are relied upon by the Eurocodes.

The Eurocodes recognize the responsibility of each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level through the use of National Annexes.

The main changes compared to the previous edition are listed below:

- the scope of EN 1993-3 brings towers, masts and chimneys in a single Eurocode;
- rules for the design of bolted flange plate joints have been extended;
- rules for tightened non-preloaded bolts in shear connections have been added;
- supplementary rules have been added for the resistance of equal leg angle sections and built-up members;
- most recommendations for loading from atmospheric icing have been moved to EN 1991-1-9;
- methods for modelling of meteorological actions, and calculation of response to wind loading have been moved to EN 1991-1-4.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

0 Introduction

0.1 Introduction to the Eurocodes

The Structural Eurocodes comprise the following standards generally consisting of a number of Parts:

- EN 1990 Eurocode — Basis of structural and geotechnical design
- EN 1991 Eurocode 1 — Actions on structures
- EN 1992 Eurocode 2 — Design of concrete structures
- EN 1993 Eurocode 3 — Design of steel structures
- EN 1994 Eurocode 4 — Design of composite steel and concrete structures
- EN 1995 Eurocode 5 — Design of timber structures
- EN 1996 Eurocode 6 — Design of masonry structures
- EN 1997 Eurocode 7 — Geotechnical design
- EN 1998 Eurocode 8 — Design of structures for earthquake resistance
- EN 1999 Eurocode 9 — Design of aluminium structures
- EN 19100, Eurocode 10 — Design of glass structures
- New parts are under development, e.g. Eurocode for design of fibre-polymer composite structures and design of tensioned membrane structures

The Eurocodes are intended for use by designers, clients, manufacturers, constructors, relevant authorities (in exercising their duties in accordance with national or international regulations), educators, software developers, and committees drafting standards for related product, testing and execution standards.

NOTE Some aspects of design are most appropriately specified by relevant authorities or, where not specified, can be agreed on a project-specific basis between relevant parties such as designers and clients. The Eurocodes identify such aspects making explicit reference to relevant authorities and relevant parties.

0.2 Introduction to EN 1993 (all parts)

EN 1993 applies to the design of buildings and civil engineering works in steel. It complies with the principles and requirements for the safety and serviceability of structures, the basis of their design and verification that are given in EN 1990 — Basis of structural and geotechnical design.

EN 1993 is concerned only with requirements for resistance, serviceability, durability and fire resistance of steel structures. Other requirements, e.g. concerning thermal or sound insulation, are not covered.

EN 1993 is subdivided in various parts:

EN 1993-1-1, *Eurocode 3 — Design of Steel Structures — Part 1-1: General rules and rules for buildings*;

EN 1993-1-2, *Eurocode 3 — Design of Steel Structures — Part 1-2: Structural fire design*;

EN 1993-1-3, *Eurocode 3 — Design of Steel Structures — Part 1-3: Cold-formed members and sheeting*;

NOTE Cold-formed hollow sections supplied according to EN 10219 (all parts) are covered in EN 1993-1-1.

EN 1993-1-4, *Eurocode 3 — Design of Steel Structures — Part 1-4: Stainless steel structures*;

EN 1993-1-5, *Eurocode 3 — Design of Steel Structures — Part 1-5: Plated structural elements*;

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

EN 1993-1-6, *Eurocode 3 — Design of Steel Structures — Part 1-6: Strength and stability of shell structures*;

EN 1993-1-7, *Eurocode 3 — Design of Steel Structures — Part 1-7: Plate assemblies with elements under transverse loads*;

EN 1993-1-8, *Eurocode 3 — Design of Steel Structures — Part 1-8: Joints*;

EN 1993-1-9, *Eurocode 3 — Design of Steel Structures — Part 1-9: Fatigue*;

EN 1993-1-10, *Eurocode 3 — Design of Steel Structures — Part 1-10: Material toughness and through-thickness properties*;

EN 1993-1-11, *Eurocode 3 — Design of Steel Structures — Part 1-11: Tension components*;

EN 1993-1-12, *Eurocode 3 — Design of Steel Structures — Part 1-12: Additional rules for steel grades up to S960*;

EN 1993-1-13, *Eurocode 3 — Design of Steel Structures — Part 1-13: Beams with large web openings*;

EN 1993-1-14, *Eurocode 3 — Design of Steel Structures — Part 1-14: Design assisted by finite element analysis*;

EN 1993-2, *Eurocode 3 — Design of Steel Structures — Part 2: Bridges*;

EN 1993-3, *Eurocode 3 — Design of Steel Structures — Part 3: Towers, masts and chimneys*;

EN 1993-4-1, *Eurocode 3 — Design of Steel Structures — Part 4-1: Silos*;

EN 1993-4-2, *Eurocode 3 — Design of Steel Structures — Part 4-2: Tanks*;

EN 1993-5, *Eurocode 3 — Design of Steel Structures — Part 5: Piling*;

EN 1993-6, *Eurocode 3 — Design of Steel Structures — Part 6: Crane supporting structures*;

EN 1993-7, *Eurocode 3 — Design of Steel Structures — Part 7: Sandwich panels* (under preparation).

All subsequent parts EN 1993-1-2 to EN 1993-1-14 treat general topics that are independent from the structural type like structural fire design, cold-formed members and sheeting, stainless steels, plated structural elements, etc.

All subsequent parts numbered EN 1993-2 to EN 1993-7 treat topics relevant for a specific structural type such as steel bridges, towers, masts and chimneys, silos and tanks, piling, crane supporting structures, etc. EN 1993-2 to EN 1993-7 refer to the generic rules in EN 1993-1 and supplement them.

0.3 Introduction to EN 1993-3

EN 1993-3 describes the principles and application rules for the safety, serviceability and durability of steel structures for towers, masts and chimneys.

EN 1993-3 gives design rules in supplement to the generic rules in the EN 1993-1 series.

EN 1993-3 is intended to be used with EN 1990, the EN 1991 series and the parts of EN 1992 to EN 1998 when steel structures or steel components for towers and masts, chimneys are referred to.

Matters that are already covered in those documents are not repeated.

EN 1993-3 is intended for use by

- committees drafting design related product, testing and execution standards,
- clients (e.g. for the formulation of their specific requirements),
- designers and constructors,
- relevant authorities.

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

Numerical values for partial factors and other reliability parameters in EN 1993-3 are recommended as basic values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and quality management applies.

Provisions have been included to allow for the possible use of a different partial factor for resistance in the case of those structures or elements the design of which has been the subject of an agreed type testing programme.

0.4 Verbal forms used in the Eurocodes

The verb “shall” expresses a requirement strictly to be followed and from which no deviation is permitted in order to comply with the Eurocodes.

The verb “should” expresses a highly recommended choice or course of action. Subject to national regulation and/or any relevant contractual provisions, alternative approaches could be used/adopted where technically justified.

The verb “may” expresses a course of action permissible within the limits of the Eurocodes.

The verb “can” expresses possibility and capability; it is used for statements of fact and clarification of concepts.

0.5 National Annex for EN 1993-3

National choice is allowed in this standard where explicitly stated within notes. National choice includes the selection of values for Nationally Determined Parameters (NDPs).

The national standard implementing EN 1993-3 can have a National Annex containing all national choices to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

When no national choice is given, the default choice given in this standard is to be used.

When no national choice is made and no default is given in this standard, the choice can be specified by a relevant authority or, where not specified, agreed for a specific project by appropriate parties.

National choice is allowed in EN 1993-3 through notes to the following clauses:

4.1(4)	4.2.3(2)	6.3.1(2)	7.2(4)
7.4(4)	8.1(1)	8.2.4.1(7)	8.3.1(2)
8.3.3(2)	8.3.4.2(2)	10.3(5)	B.3.2(3)
B.3.3(3)	B.5.1(1)	B.5.2(3)	B.5.3(1)
B.5.4(1)	C.3(3)	C.5(8)	D.5(2)
E.4(5)	E.6.2.1(1)	E.6.2.2(3)	F.1(1)

National choice is allowed in EN 1993-3 on the application of the following informative annex:

Annex F

The National Annex can contain, directly or by reference, non-contradictory complementary information for ease of implementation, provided it does not alter any provisions of the Eurocodes.

This is a preview of BS EN 1993-3:2026. [Click here to purchase the full version from the ANSI store.](#)

1 Scope

1.1 Scope of EN 1993-3

(1) This document provides rules for structural design of towers, masts and chimney structures, that fall into any of the following classifications, with the exceptions given in (3), (4) and (5).

(2) This document is applicable to:

- a) self-supporting towers and guyed masts with or without attachments. The shafts of towers and masts can be of lattice type or of circular or polygonal cross-section;
- b) chimney structures of circular cross-section that are cantilevered, supported at intermediate levels or guyed.

NOTE 1 The structures are mainly exposed to wind loading.

NOTE 2 For overhead transmission line towers, see also the EN 50341 series.

(3) This document does not apply to:

- a) polygonal and circular lighting columns covered by the EN 40 series;

NOTE The EN 40 series specifies the requirements and dimensions for lighting columns and it applies to post top columns not exceeding 20 m height and to post top lanterns and columns with brackets not exceeding 18 m height for side entry lanterns.

- b) wind turbine towers (see the EN IEC 61400 series);
- c) overhead line towers covered by the EN 50341 series.

(4) This document does not cover special provisions for seismic design, which are given in the EN 1998 series.

(5) Special measures that might be necessary to limit the consequences of accidents are not covered in this document. For resistance to fire, see EN 1993-1-2.

(6) Provisions for the guys of guyed structures are given in EN 1993-1-11 and supplemented in this document.

(7) For provisions concerning aspects such as chemical attack, thermo-dynamical performance or thermal insulation of chimneys, see EN 13084-1. For the design of liners, see EN 13084-6.

NOTE 1 Foundations are covered in the EN 1997 series. See also EN 13084-1.

NOTE 2 Wind loads and procedures for the wind response of structures are specified in EN 1991-1-4.

1.2 Assumptions

(1) Unless specifically stated, EN 1990-1, EN 1991 (all parts) and EN 1993-1 (all parts) apply.

(2) The design methods given in this document are applicable if

- the execution quality is as specified in Annex E and EN 1090-2 and for the execution of chimneys, also in EN 13084-6,

and