



BSI Standards Publication

**Protective helmets — Test methods —
Shock absorption including measuring
rotational kinematics**

This is a preview of BS EN 17950:2024. [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 17950:2024.

The UK participation in its preparation was entrusted to Technical Committee PH/6, Head protection.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2024
Published by BSI Standards Limited 2024

ISBN 978 0 539 22166 4

ICS 13.340.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2024.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of BS EN 17950:2024. [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

July 2024

ICS 13.340.20

English Version

Protective helmets - Test methods - Shock absorption including measuring rotational kinematics

Casques de protection - Méthodes d'essai - Absorption
des chocs avec mesure de la cinématique de rotation

Schutzhelme - Prüfverfahren - Stoßdämpfung
einschließlich Messung der Rotationskinematik

This European Standard was approved by CEN on 10 June 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Prerequisites	7
4.1 Parameters needed	7
4.2 Headform	7
5 Test method	10
5.1 General	10
5.2 Principle	10
5.3 Apparatus	10
5.4 Procedure	12
6 Test report	12
Annex A (normative) Headform coefficient of friction verification test	13
A.1 General	13
A.2 Conditioning	13
A.3 Prerequisites	13
A.4 Procedure	14
Annex B (normative) Test results – Uncertainty of measurement	16
Bibliography	17

This is a preview of BS EN 17950:2024. [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 17950:2024) has been prepared by Technical Committee CEN/TC 158 “Head protection”, the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2025, and conflicting national standards shall be withdrawn at the latest by January 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

0.1 Purpose and background

The test method described in this document is designed to measure translational and rotational kinematics from any helmeted dynamic event such as an impact to an object. Statistics from bike, ski, equestrian, and other accidents show that oblique impacts, resulting in a combination of translational and rotational kinematics of the head, are more frequent than pure translational impacts. EN 13087-2, *Protective helmets — Test methods — Part 2: Shock absorption* measures only the translational motion in impacts against flat, hemispherical or curb stone anvils. A test method that measures the translational and rotational kinematics is therefore important and much needed.

As this document specifies the measuring the translational and rotational kinematics, it is possible to use this document as a complementary test method to EN 13087-2 when performing tests to measure shock absorption of helmets.

This document does not replace EN 13087-2.

0.2 Background to the design of the test method

Preliminary discussions to start work on the test method specified in this document started in 2006. In 2013, the responsible working group within CEN/TC 158 Head protection, *Headforms and test methods*, accelerated the work on the design of the test method.

Extensive efforts to ensure the soundest state-of-art test method have been made by:

- gathering data and scientific evidence from the widest range of scientific sources possible;
- performing multiple round robin tests;
- organizing numerous physical and online working group meetings in which a multitude of alternatives were analysed and discussed exhaustively before finally opting for the final design specified in this document;
- ensuring that experts within the field of biomechanics and brain understanding are members of the working group.

As part of the CEN standardization process, the content of this document has been further scrutinized and refined by other stakeholders and experts in the member countries of CEN.

0.3 Headform

A new headform without a neck for rotational impact tests has been developed for the test method specified in this document. The main reasons for developing a new type of headform are described below:

- a) analysis of the inertial properties (mass, moment of inertia and centre of gravity) of the existing EN 960 and Hybrid III headforms showed values that were very different from the values found in literature from measurements of the human head. This is not surprising as the EN 960 headform includes parts of a rigid neck, and the Hybrid III headform was developed for frontal car collisions and not for helmet testing;
- b) the new test method requires that the outer surface of the headform that comes in contact with the helmet has more humanlike properties. Specifically, the coefficient of friction between the headform and the inner surface in a helmet needs to be specified. Neither the EN 960 headform nor the Hybrid III headform has the coefficient of friction specified for the headform specification in this document.

This is a preview of BS EN 17950:2024. [Click here to purchase the full version from the ANSI store.](#)

0.4 Performance requirements and prerequisites

Performance requirements for pass/fail criteria when using the test method in this document will be specified in the relevant helmet product standards. The writers of those documents will also specify test prerequisites, see Clause 4 for details.

This is a preview of BS EN 17950:2024. Click [here](#) to purchase the full version from the ANSI store.

1 Scope

This document specifies a test method for helmets that measures the translational and rotational kinematics in impacts of a helmeted headform against an anvil.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12195-2, *Load restraint assemblies on road vehicles — Safety — Part 2: Web lashing made from man-made fibres*

ISO 6487, *Road vehicles — Measurement techniques in impact tests — Instrumentation*

ISO 6344-2, *Coated abrasives — Determination and designation of grain size distribution — Part 2: Macrogrit sizes P12 to P220*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

Tragion point

cephalometric point in the notch just above the tragus of the ear

Note 1 to entry: The Tragion point is part of defining the Frankfort plane and close to the external auditory meatus.

Note 2 to entry: The Tragion point is illustrated in Figure 1 in 4.2.6 and is defined in the CAD files described in 4.2.2.

3.2

Frankfort plane

longitudinal plane defined on the headform through the *Tragion point* (3.1) and the lower orbit of the eye

Note 1 to entry: The Frankfort plane is similar to the basic plane defined in EN 960.

Note 2 to entry: The Frankfort plane is illustrated in Figure 1 in 4.2.6.

3.3

10° plane

plane on the headform angled 10° from the *reference plane* (3.4) at the rear of the head at the intersection of the reference plane and the midsagittal plane

Note 1 to entry: The 10° plane is illustrated in Figure 1 in 4.2.6.