



BSI Standards Publication

Intelligent transport systems — Geographic Data Files (GDF) GDF5.1

Part 2: Map data used in automated driving systems,
Cooperative ITS, and multi-modal transport

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN ISO 20524-2:2022. It is identical to ISO 20524-2:2020. It supersedes BS ISO 20524-2:2020, which is withdrawn. Together with BS EN ISO 20524-1:2020, it supersedes BS EN ISO 14825:2011, which will be withdrawn on publication of BS EN ISO 20524-1:2020.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 22954 7

ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2020.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2023	This corrigendum renumbers BS ISO 20524-2:2020 as BS EN ISO 20524-2:2022. The supersession details in the national foreword have also been updated.

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

December 2022

ICS 03.220.20; 35.240.60

Supersedes EN ISO 14825:2011

English Version

Intelligent transport systems - Geographic Data Files (GDF) GDF5.1 - Part 2: Map data used in automated driving systems, Cooperative ITS, and multi-modal transport (ISO 20524-2:2020)

Systèmes de transport intelligents - Fichiers de données géographiques (GDF) GDF5.1 - Partie 2 : Données cartographiques utilisées dans les systèmes de conduite automatisée, les ITS coopératifs et le transport multimodal (ISO 20524-2:2020)

Intelligente Transportsysteme - Geografische Dateien (GDF) - GDF5.1 - Teil 2: Kartendaten, die in automatisierten Fahrsystemen verwendet werden, kooperative ITS und multimodaler Transport (ISO 20524-2:2020)

This European Standard was approved by CEN on 20 December 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

European foreword

The text of ISO 20524-2:2020 has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20524-2:2022 by Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2023, and conflicting national standards shall be withdrawn at the latest by June 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14825:2011.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 20524-2:2020 has been approved by CEN as EN ISO 20524-2:2022 without any modification.

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	xi
Introduction	xii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms, symbols and notation elements	2
4.1 Abbreviated terms.....	2
4.2 Symbols and notation elements.....	3
5 Overall conceptual data model	3
5.1 Conceptual data models in GDF.....	3
5.2 General data model of GDF.....	4
5.2.1 Feature model.....	4
5.2.2 Belt concept.....	6
5.2.3 Graph topology.....	7
5.2.4 Levels in GDF.....	13
5.2.5 Height modelling and time modelling.....	15
5.3 The Attribute model.....	16
5.4 The Relationship model.....	18
5.5 Linear referencing.....	19
5.6 The Feature representation scheme.....	19
5.7 Time modelling.....	20
5.8 Data management: organization of Feature data into Layers and Sections.....	21
6 Feature Catalogue	24
6.1 Generic specifications.....	24
6.1.1 Features and Feature Themes.....	24
6.1.2 Feature Class Codes.....	25
6.1.3 Simple and Complex Features.....	25
6.1.4 Feature hierarchy.....	25
6.1.5 Data model for the Feature Catalogue.....	25
6.1.6 Shareable Feature.....	26
6.2 Abstract Belt Feature.....	30
6.2.1 General.....	30
6.2.2 RoadBelt.....	33
6.2.3 RoadBeltElement.....	35
6.2.4 IntersectionBelt.....	36
6.2.5 RoundaboutBelt.....	38
6.2.6 LaneBeltElement.....	38
6.2.7 LaneBeltJoint.....	41
6.2.8 PotentialEvadingArea.....	42
6.2.9 BeltRepresentativeLine (BRL).....	43
6.2.10 IntersectionConnectionPoint (ICP).....	45
6.2.11 LaneConnectionPoint (LCP).....	45
6.2.12 BeltOptionalPoint (BOP).....	45
6.2.13 BeltPartitionLine.....	46
6.3 Road Furniture Feature.....	47
6.3.1 General overview.....	47
6.3.2 Road Structural Component (RSC).....	47
6.3.3 Road Marking-2.....	48
6.3.4 Safety Fixture.....	50
6.4 Public Transport Feature.....	51
6.4.1 General overview.....	51
6.4.2 Public Transport Feature.....	53

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

6.4.3	Public Transport Point.....	54
6.4.4	Public Transport Point Sequence.....	54
6.4.5	Public Transport Point Sequence Part.....	55
6.4.6	Public Transport Point Set.....	55
6.4.7	Public Transport Point Set Part.....	56
6.4.8	Public Transport Representative Point.....	56
6.4.9	Public Transport Zone.....	56
7	Attribute Catalogue.....	56
7.1	Generic specifications.....	56
7.1.1	Attribute Types.....	56
7.1.2	Attribute Values.....	57
7.1.3	Attribute Type Name.....	57
7.1.4	Simple Attributes, Composite Attributes and Sub-Attributes.....	57
7.1.5	Names in combination with a Language Code.....	58
7.1.6	Default Attribute Values.....	58
7.1.7	Default Attribute units for measures.....	58
7.1.8	Attribute Type Codes.....	58
7.1.9	User Defined Attributes.....	58
7.1.10	Attribute mapping to Feature Themes and Relationships.....	59
7.1.11	The data model for Attributes.....	64
7.2	Attributes.....	70
7.2.1	Alignment Portion Type.....	70
7.2.2	Applied Direction.....	71
7.2.3	Applied Feature Type.....	71
7.2.4	Applied Side Line.....	71
7.2.5	Approximated Curve.....	71
7.2.6	Belt Overlapping.....	72
7.2.7	Belt Representative Line Segment Characteristic.....	72
7.2.8	Road Belt Element Segment Characteristic.....	72
7.2.9	Circular Curve Measure.....	73
7.2.10	Clothoid Curve Measure.....	73
7.2.11	Connection Type.....	73
7.2.12	Context Of Point.....	73
7.2.13	Context Of Point Set.....	74
7.2.14	Context Of Point Sequence.....	74
7.2.15	Cross-section.....	74
7.2.16	Design Reference.....	74
7.2.17	End Elevation Measure.....	75
7.2.18	Existence Position.....	75
7.2.19	Flexure Angle.....	75
7.2.20	Flexure Point.....	75
7.2.21	Gradient.....	76
7.2.22	Heading Angle.....	76
7.2.23	Height Block Characteristics.....	76
7.2.24	Height Block Information.....	77
7.2.25	Hierarchical Info.....	77
7.2.26	Identifier Number.....	77
7.2.27	Include Bicycle Lane.....	77
7.2.28	Intersection Category.....	78
7.2.29	Intersection Type.....	78
7.2.30	Lane Block ID.....	78
7.2.31	Lane Block Info.....	78
7.2.32	Lane Transfer Characteristic.....	79
7.2.33	Lane Transfer Characteristic Type.....	79
7.2.34	Lane Number.....	80
7.2.35	Lane Number Of Referencing.....	80
7.2.36	Lane Belt Element Segment Characteristic.....	80
7.2.37	Lane Width Change.....	81

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

7.2.38	Line Code	81
7.2.39	Line Name	82
7.2.40	Line Segment Information	82
7.2.41	Linear Portion Measure	82
7.2.42	Marking Type	82
7.2.43	Maximum Tolerance	83
7.2.44	Minimum Tolerance	83
7.2.45	Number Of Lanes in Lane Section	83
7.2.46	Number Of Lane Section Block Info	83
7.2.47	Number Of Slope Measure	84
7.2.48	PEA Limitation	84
7.2.49	Public Transport Operator	84
7.2.50	Road Alignment	84
7.2.51	Road-facing Side	85
7.2.52	Road Marking Common Attribute	85
7.2.53	Road Marking Individual Attribute	85
7.2.54	Road Marking Individual Characteristics	86
7.2.55	Road Structural Component Common Attribute	86
7.2.56	Road Structural Component Individual Attribute	86
7.2.57	Road Structural Component Individual Characteristics	86
7.2.58	Safety Fixture Common Attribute	87
7.2.59	Safety Fixture Individual Attribute	87
7.2.60	Safety Fixture Individual Characteristics	87
7.2.61	Segment Direction	87
7.2.62	Slope Measure	88
7.2.63	Sub Feature Class Code (Road Furniture)	88
7.2.64	Start Elevation Measure	88
7.2.65	Traffic Restriction	88
7.2.66	Traffic Restriction Item	89
7.2.67	Traffic Restriction Type Code	89
7.2.68	Traffic Restriction Value	89
7.2.69	Transport Mode	89
7.2.70	Traverse Point Location	90
7.2.71	Transverse Slope	90
7.2.72	Type Of BeltRepresentativeLine	91
7.2.73	Type Of Public Transport Point	91
7.2.74	Type Of Public Transport Point Sequence	92
7.2.75	Type Of Public Transport Point Set	92
7.2.76	Without Road shoulder	93
7.2.77	Zone Description	93
7.2.78	Zone Name	93
8	Relationship Catalogue	93
8.1	Generic specifications	93
8.1.1	Feature and their Relationships	93
8.1.2	Relationship Types	108
8.1.3	Relationship Type Codes	108
8.1.4	Arity of a Relationship	109
8.1.5	Roles and partners of a Relationship	109
8.1.6	Homogeneous Relationships and their constraints	109
8.2	Relationship Types	110
8.2.1	Belt Representative Line Associated With Intersection Connection Point	110
8.2.2	Belt Representative Line Associated With Lane Connection Point	111
8.2.3	Belt Representative Line Characteristic	111
8.2.4	Road Belt Element Associated With Intersection Belt	112
8.2.5	Road Belt Element Ownership Of Belt Representative Line	112
8.2.6	Road Belt Element Segment Characteristic	113
8.2.7	Intersection Belt Ownership Of Belt Representative Line	114
8.2.8	Lane Belt Element Associated With Lane Belt Joint	114

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

8.2.9	Lane Belt Element Ownership Of Belt Representative Line	115
8.2.10	Lane Belt Element Segment Characteristic	115
8.2.11	Lane Belt Joint Associated With Intersection Belt	116
8.2.12	Lane Section	116
8.2.13	Multi Public Transport Point Assignment	117
8.2.14	PEA Ownership Of Belt Representative Line	118
8.2.15	Public Transport Point In Correspondence With Road Element	118
8.2.16	Road Belt Associated With Intersection Belt	119
8.2.17	Road Belt Ownership Of Belt Representative Line	119
8.2.18	Road Furniture Along Road Belt Element	120
8.2.19	Road Furniture Along Belt Representative Line	121
8.2.20	Road Furniture Along Intersection Belt	121
8.2.21	Road Furniture Along Lane Belt Element	122
8.2.22	Road Marking Along Road Belt Element	123
8.2.23	Road Marking Along Belt Representative Line	124
8.2.24	Road Marking Along Intersection Belt	125
8.2.25	Road Marking Along Lane Belt Element	125
8.2.26	Segmented Edge Of PEA Belt	126
8.2.27	Shareable Coverage Area Linked To Shareable Point	127
8.2.28	Shareable Coverage Area Linked To Shareable Point Sequence	127
8.2.29	Shareable Coverage Area Linked To Shareable Point Set	128
8.2.30	Shareable Representative Point Linked To Shareable Point Sequence	128
8.2.31	Shareable Representative Point Linked To Shareable Point Set	129
8.2.32	Structure Along Road Belt Element	129
8.2.33	Structure Along Belt Representative Line	130
9	Feature representation rules	131
9.1	General	131
9.2	Generic specifications	131
9.2.1	Overview	131
9.2.2	Feature Categories	131
9.2.3	Types of topology	132
9.2.4	Levels of representation	132
9.2.5	Layers on level 0	134
9.2.6	Rules for level 0 representation	134
9.3	Abstract Belt Feature	134
9.3.1	Introduction	134
9.3.2	Level 2 representation	134
9.3.3	Level 1 representation	134
9.3.4	Level 0 representation	137
9.4	Road Furniture	137
9.4.1	Level 2 representation	137
9.4.2	Level 1 representation	137
9.4.3	Level 0 representation	137
9.5	Shareable Feature	137
9.5.1	Level 2 representation	137
9.5.2	Level 1 representation	138
9.5.3	Level 0 representation	138
9.6	Public Transport Feature	138
9.6.1	Level 2 representation	138
9.6.2	Level 1 representation	138
9.6.3	Level 0 representation	138
10	Metadata Catalogue	138
11	Logical Data Structures	138
11.1	Introduction	138
11.1.1	Data description language: ESN	138
11.1.2	Sets, elements and ranges	138
11.1.3	Summary of the syntax notation	138

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

	11.1.4	Useful consequences of the syntax notation.....	139
	11.1.5	Diagrammatic overview of the overall structure.....	139
11.2		Logical GDF Album.....	140
11.3		Datasets.....	141
11.4		Layers.....	141
11.5		Sections.....	141
	11.5.1	Overview.....	141
	11.5.2	SECTION.....	141
	11.5.3	Section Metadata.....	141
	11.5.4	Section Data.....	141
11.6		Time Domain Syntax.....	157
11.7		Update Information.....	157
	11.7.1	Overview.....	157
	11.7.2	UPDATE INFORMATION.....	157
	11.7.3	GEO TOPO UPDATE INFORMATION.....	157
	11.7.4	OBJECT UPDATE INFORMATION.....	157
	11.7.5	Basic Data Types used by Update Information.....	157
11.8		Common Data Types.....	158
	11.8.1	Overview.....	158
	11.8.2	Pre-defined code lists and value lists.....	158
	11.8.3	Geodeticals.....	158
	11.8.4	Units & measures.....	158
	11.8.5	Coordinates.....	158
	11.8.6	Geographics.....	158
	11.8.7	Identifier types.....	158
	11.8.8	Basic types.....	164
12		Media Record Specifications.....	164
	12.1	General specifications.....	164
	12.1.1	Introduction.....	164
	12.1.2	Partitioning.....	164
	12.1.3	Logical Record.....	164
	12.1.4	Media Record.....	164
	12.1.5	Continuation Record.....	164
	12.1.6	Null Record.....	164
	12.1.7	Fields of variable and fixed length.....	164
	12.1.8	Repeating Fields.....	164
	12.1.9	Repeating Field Groups.....	165
	12.1.10	Nesting Of Repeating Fields.....	165
	12.1.11	Packing.....	165
	12.1.12	Data Types.....	165
	12.1.13	Character sets.....	165
	12.1.14	Justification.....	165
	12.1.15	Order of Records.....	165
	12.1.16	Order of subrecords.....	165
	12.1.17	Links between data records.....	166
12.2		Field specifications.....	173
	12.2.1	Field Name.....	173
	12.2.2	Record Control Fields.....	173
	12.2.3	Common fields.....	177
	12.2.4	Fields in Global Records.....	180
	12.2.5	Fields in Data Records.....	180
	12.2.6	Fields in Update Information Records.....	182
	12.2.7	Fields Catalogue.....	183
12.3		Additional Constraints for Topological Features.....	197
	12.3.1	Order of multiple Coordinate tuples in Coordinate Records.....	197
	12.3.2	Order of Edges in Line Features, Belt Features, Area Features and Faces.....	198
	12.3.3	Order of Features in Relationship Records.....	198
	12.3.4	Order of Features in Relationship Records.....	198

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

12.4	Additional Constraints for Non-Explicit Topological Features: Order of Coordinate triplets in Feature Records	198
12.5	Mandatory Records	198
12.6	Record Format Specifications: Global Records	198
12.6.1	Album Header Record [ALHDREC]	198
12.6.2	Dataset Header Record [DSHDREC]	198
12.6.3	Field Definition Record [FIELDEFREC]	198
12.6.4	Record Definition Record [RECDEFREC]	198
12.6.5	Feature Definition Record [FEATDEFREC]	199
12.6.6	Attribute Definition Record [ATDEFREC]	199
12.6.7	Attribute Value Definition Record [ATTVALREC]	199
12.6.8	Default Attribute Record [DATTVALREC]	199
12.6.9	Relationship Definition Record [RELDEFREC]	199
12.6.10	Geopolitical Structure Definition Record [GPLSTRDREC]	199
12.6.11	Geopolitical Structure Component Definition Record [GPLCOMDREC]	199
12.6.12	Spatial Domain Record [SPADOREC]	199
12.6.13	Directory Record [DIREC]	199
12.6.14	Abbreviation Record [ABBRREC]	199
12.6.15	Network Specification Record [NWSPECSREC]	199
12.6.16	Source Record [SRCEREC]	199
12.6.17	Geodetical Parameter Records	201
12.6.18	Layer Header Record [LAYHREC]	201
12.6.19	Section Header Record [SECHREC]	201
12.6.20	Comment Record [COMMENTREC]	201
12.6.21	Volume Termination Record [VOLTERMREC]	201
12.7	Record Format Specifications: Data Records	201
12.7.1	2D Coordinate Record [XYREC]	201
12.7.2	3D Coordinate Record [XYZREC]	202
12.7.3	Node Record [NODEREC]	202
12.7.4	Edge Record [EDGEREC]	202
12.7.5	Face Record [FACEREC]	202
12.7.6	Point Feature Record (Explicit Point Topology sub-record) [POFEREC.01]	202
12.7.7	Point Feature Record (Non-explicit Point Topology sub-record) [POFEREC.03]	202
12.7.8	Line Feature Record (Explicit Line Topology sub-record) [LIFEREC.01]	202
12.7.9	Line Feature Record (Non-Explicit Line Topology sub-record) [LIFEREC.03]	202
12.7.10	Belt Feature Record (Full Rendering Belt Topology sub-record) [BEFEREC.01]	202
12.7.11	Belt Feature (Connectivity Rendering Belt Topology sub-record) [BEFEREC.02]	203
12.7.12	Belt Feature (Non-explicit Belt Topology sub-record) [BEFEREC.03]	205
13	XML schema specifications	207
13.1	Introduction	207
13.1.1	Schema design principles	208
13.2	Data content	208
13.3	GDF Part2 XML schema	208
13.4	Schema GDF_Main_Part2.xsd	208
13.4.1	Header	208
13.4.2	GDF Main Part2	208
13.4.3	Full Topology Belt Feature part2	210
13.4.4	Connectivity Topology Belt Feature part2	211
13.4.5	Non-explicit Topology Belt Feature part2	212
13.4.6	Explicit Point Feature part2	213
13.4.7	Non-explicit Point Feature part2	214
13.4.8	Explicit Line Feature part2	214
13.4.9	Non-explicit Line Feature part2	215
13.4.10	Full Topology Area Feature part2	216
13.4.11	Connectivity Topology Area Feature part2	216

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

13.4.12	Non-explicit Topology Area Feature part2	216
13.4.13	Explicit Topology Complex Feature part2	217
13.4.14	Non-explicit Topology Complex Feature part2	218
13.4.15	Attribute part2	219
13.4.16	Relationship part2	219
13.5	Schema GDF_data_dict_Part2.xsd	220
13.5.1	Header	220
13.5.2	Attribute Type code part2	220
13.5.3	Belt element pointer	220
13.5.4	Belt element type	220
13.5.5	Belt Feature ID	220
13.5.6	Defined Attribute Type code D part2	221
13.5.7	Defined Attribute Type code D Name part2	221
13.5.8	Defined Attribute Type code D Value part2	222
13.5.9	Defined Attribute Type code Data Type Code part2	223
13.5.10	Defined Attribute Type code Definition part2	224
13.5.11	Defined Attribute Type code Definition Reference part2	225
13.5.12	Defined Attribute Code List Part2	226
13.5.13	Defined Feature Category Name part2	234
13.5.14	Defined Feature Category Value part2	234
13.5.15	Defined Feature Code part2	234
13.5.16	Defined Feature Code Name part2	234
13.5.17	Defined Feature Code Value part2	235
13.5.18	Feature Category part2	235
13.5.19	Feature Code part2	235
13.5.20	Record Type part2	236
13.5.21	Record Type Name part2	236
13.5.22	Record Type Value part2	236
13.5.23	Record Type part2 (simple)	236
13.5.24	Record Subtype part2 (simple)	236
13.5.25	Relationship Code part2	236
13.5.26	Relationship Code D part2	236
13.5.27	Relationship Code Name part2	237
13.5.28	Relationship Code Value part2	237
13.5.29	Relationship Code Roles Definition part2	238
13.5.30	Relationship Code Roles Definition part2 Declination	238
13.5.31	Relationship Feature part2	239
13.5.32	Relationship Role Code Lists part2	239
13.6	Schema GDF_userDefined_Part2.xsd	254
13.6.1	Header	254
13.6.2	Attribute Descriptor part2	254
13.6.3	Attribute Content part2	255
13.6.4	User-defined Attribute Type code part2	255
13.6.5	User-defined Attribute Type code Name part2	255
13.6.6	User-defined Attribute Type code Value part2	255
13.6.7	User-defined Feature Codes part2	255
13.6.8	User-defined Feature Code Name part2	255
13.6.9	User-defined Feature Code Value part2	255
13.6.10	User-defined Relationship Code part2	255
13.6.11	User-defined Relationship Code Name part2	256
13.6.12	User-defined Relationship Code Value part2	256
Annex A (normative) Semantic codes for GDF5.1 Part 2		257
Annex B (normative) Syntax for Time Domains of GDF5.1 Part 2		263
Annex C (normative) Sectioning GDF Datasets		287
Annex D (normative) Definition and description of the subtypes of Road Furniture		290

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

Annex E (normative) Definition and description of the subtypes of Public Transport Point Features	307
Annex F (normative) XML schema specification file for GDF5.1 Part1 and Part2	317
Annex G (informative) Examples of XML representation of GDF5.1 Part 2 (this document) in Japan	544
Annex H (informative) UML notation	580
Annex I (informative) Examples of BeltProperty concepts	586
Bibliography	589

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

This first edition cancels and replaces ISO 14825:2011, which has been technically revised.

The main changes compared to the previous edition are as follows:

- this document is newly dedicated to automated driving systems, Cooperative ITS and multi-modal transport.

A list of all parts in the ISO 20524 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

Introduction

GDF5.0 (ISO 14825) defines the map database exchange format for ITS. Its primary application is in car navigation systems and it assumes the provision of the map database by a single provider. However, ITS applications have been expanding to Cooperative ITS and automated driving systems through the recent progress of technology. In addition, there is demand for capabilities such as the accommodation of map databases from multiple providers and cooperation with externally connecting databases, such as Transmodel (EN 12896-1 and EN 12896-2).

Given this environment, ISO 14296 was published in February 2016 as an extension of map database specifications for applications of Cooperative ITS. However, GDF5.0 (ISO 14825) does not define some elements used in this document and automated driving systems require additional elements based on their unique application requirements. Furthermore, because GDF5.0 (ISO 14825) does not define a method to connect with external databases, the formulation of GDF5.1 (the ISO 20524 series) has become indispensable.

On revising GDF, the changes of conventional GDF are applied in GDF5.1 Part 1 (ISO 20524-1). The addition of a concept, a data model and specifications to satisfy new requirements applies to GDF5.1 Part 2 (this document). The new GDF document (the ISO 20524 series) is accordingly composed of two separate volumes: Part 1 (ISO 20524-1) and Part 2 (this document).

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN ISO 20524-2:20...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN ISO 20524-2:20...". Click here to purchase the full version from the ANSI store.

Intelligent transport systems — Geographic Data Files (GDF) GDF5.1 —

Part 2:

Map data used in automated driving systems, Cooperative ITS, and multi-modal transport

1 Scope

This document specifies the conceptual and logical data model in addition to the physical encoding formats for geographic databases for Intelligent Transport Systems (ITS) applications and services. This document includes a specification of potential contents of such databases (data dictionaries for Features, Attributes and Relationships), a specification of how these contents are to be represented, and how relevant information about the database itself can be specified (metadata). This document further defines map data used in automated driving systems, Cooperative-ITS, and Multi-modal transport.

The focus of this document is firstly on emerging ITS applications and services, such as Cooperative-ITS and automated driving systems, and it emphasizes road, lane and relevant information on road and lane. However, ITS applications and services also require other information in addition to road and road-related information, which are provided as external databases to connect with GDF and to complement each other. Highly defined public transport databases, for instance, are indispensable in multi-modal transport applications and services in particular. Thus, this document focuses secondly on an expansion of the specification to connect with externally existing databases. It is particularly designed to connect a Transmodel (EN 12896-1 and EN 12896-2) conformant public transport database.

Typical ITS applications and services targeted by this document are in-vehicle or portable navigation systems, traffic management centres, or services linked with road management systems, including public transport systems.

The conceptual data model specified here has a broader focus than ITS applications and services. It is application independent, allowing for future harmonization of this model with other geographic database standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20524-1:2020, *Intelligent Transport Systems — Geographic Data Files (GDF) GDF5.1 — Part 1: Application independent map data shared between multiple sources*

ISO 639-2, *Codes for the representation of names of languages — Part 2: Alpha-3 code*

NOTE Codes are available at <http://www.loc.gov/standards/iso639-2/>.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.