

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)



BSI Standards Publication

## **Rail dependent storage and retrieval equipment — Safety requirements for S/R machines**

---

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

## National foreword

This British Standard is the UK implementation of EN 528:2021+A1:2022. It supersedes BS EN 528:2021, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by A1 A1.

The UK participation in its preparation was entrusted to Technical Committee MHE/14, Rail dependent storage and retrieval equipment - Safety.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication has been prepared under a mandate given to the European Standards Organizations by the European Commission and the European Free Trade Association. It is intended to support requirements of the EU legislation detailed in the European Foreword. A European Annex, usually Annex ZA or ZZ, describes how this publication relates to that EU legislation.

For the Great Britain market (England, Scotland and Wales), if UK Government has designated this publication for conformity with UKCA marking (or similar) legislation, it may contain an additional National Annex. Where such a National Annex exists, it shows the correlation between this publication and the relevant UK legislation. If there is no National Annex of this kind, the relevant Annex ZA or ZZ in the body of the European text will indicate the relationship to UK regulation applicable in Great Britain. References to EU legislation may need to be read in accordance with the UK designation and the applicable UK law. Further information on designated standards can be found at [www.bsigroup.com/standardsandregulation](http://www.bsigroup.com/standardsandregulation).

For the Northern Ireland market, UK law will continue to implement relevant EU law subject to periodic confirmation. Therefore Annex ZA/ZZ in the European text, and references to EU legislation, are still valid for this market.

UK Government is responsible for legislation. For information on legislation and policies relating to that legislation, consult the relevant pages of [www.gov.uk](http://www.gov.uk).

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

© The British Standards Institution 2022  
Published by BSI Standards Limited 2022

ISBN 978 0 539 23200 4

ICS 53.080

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2021.

#### **Amendments/corrigenda issued since publication**

Date	Text affected
31 August 2022	Implementation of CEN amendment A1:2022

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

July 2022

ICS 53.080

Supersedes EN 528:2021

English Version

## Rail dependent storage and retrieval equipment - Safety requirements for S/R machines

Transtockeurs - Prescriptions de sécurité

Regalbediengeräte - Sicherheitsanforderungen

This European Standard was approved by CEN on 4 January 2021 and includes Amendment 1 approved by CEN on 4 May 2022.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

## Contents

Page

European foreword.....	5
Introduction.....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions.....	10
4 Safety requirements and/or protective/risk reduction measures.....	13
4.1 General.....	13
4.2 Control position .....	13
4.2.1 General.....	13
4.2.2 Access to and egress from the permanent on-board control position.....	13
4.2.3 Floor of the on-board control position .....	13
4.2.4 Design and dimensioning of permanent on-board control position .....	13
4.2.5 Emergency call device on permanent on-board control positions .....	14
4.2.6 Lighting on permanent on-board control position .....	14
4.3 Control equipment.....	15
4.3.1 General.....	15
4.3.2 Safeguard of the operator on a permanent on-board control position .....	15
4.3.3 Prevention of unauthorised operation (equipment switch) .....	15
4.3.4 Changing mode of operation (mode switch) .....	15
4.3.5 Key dependence.....	16
4.3.6 Control devices for powered movements.....	16
4.3.7 Control device identification.....	16
4.3.8 Stop function .....	16
4.3.9 Emergency stop function .....	17
4.3.10 Safety requirements related to EMC.....	17
4.4 Hoist unit.....	17
4.4.1 Hoist unit brake .....	17
4.4.2 Limitation of the lifting and lowering movement.....	18
4.4.3 Overload and slack condition protection .....	18
4.4.4 Safety gear and overspeed governor.....	19
4.4.5 Suspension elements.....	20
4.4.6 Hydraulic drives .....	23
4.4.7 Lead-screw drive .....	23
4.4.8 Rack and pinion drives.....	24
4.5 Travel unit of the S/R machine.....	24
4.5.1 Travel unit braking system.....	24
4.5.2 Speed reducing system.....	25
4.5.3 Limitation of travel.....	25
4.5.4 Anti-derailment devices.....	26
4.5.5 Stability .....	26
4.6 Load handling devices .....	27
4.6.1 Load stability.....	27
4.6.2 Determination of possible impacts on the rack .....	27
4.6.3 Rotating devices.....	27
4.6.4 Interlocking functions .....	27
4.6.5 Auxiliary handling equipment.....	27
4.6.6 Load position monitoring.....	28

This is a preview of "BS EN 528:2021+A1:20...". Click here to purchase the full version from the ANSI store.

4.7	Electrical equipment	28
4.7.1	General	28
4.7.2	Electrical supply conditions	28
4.7.3	Environment	28
4.7.4	Supply disconnecting (isolating) device	28
4.7.5	Protection against electric shock	29
4.7.6	Suspension of safeguarding	29
4.7.7	Overriding of safety functions	29
4.8	Transfer device	29
4.8.1	General	29
4.8.2	Retention of position	30
4.8.3	Movement	30
4.8.4	Interlocking functions	30
4.8.5	Stability	30
4.9	Maintenance repair and fault clearance	30
4.9.1	General	30
4.9.2	Maintenance position	30
4.9.3	Emergency control position	31
4.9.4	Speed limitation	31
4.9.5	Communication	32
4.9.6	Protection from operating machines (S/R machines and its transfer equipment)	32
4.9.7	Access along the mast	32
4.10	Machine environment	34
4.10.1	General	34
4.10.2	Communication of force information	34
4.10.3	Safety clearances	34
4.10.4	Safeguarding of persons (Limiting access)	34
4.10.5	Load entry / exit points	35
4.10.6	Escape from dangerous areas	36
4.10.7	Protection against unintentional load movement	37
4.10.8	Protection against falling	38
5	Verification of safety requirements and/or measures	38
5.1	Examination	38
5.1.1	General	38
5.1.2	Movements to be done	38
5.1.3	Test of the safety gear	38
5.1.4	Verification of the mechanical limits of travel	39
5.1.5	Test of the lowering control valve	39
5.1.6	Written record	39
5.2	EMC	39
5.3	Noise	39
5.3.1	General	39
5.3.2	Noise measurement	39
5.3.3	Declaration	40
5.4	Load tests	41
5.4.1	Test load	41
5.4.2	Static load test	41
5.4.3	Dynamic load test	41
5.4.4	Load test record	41
6	Information for use	41
6.1	General	41
6.2	Erection on site	41
6.3	Commissioning	41
6.3.1	Method statement	41

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

6.3.4	Safety devices.....	42
6.3.5	Individual elements of the machine .....	42
6.3.6	Integrated commissioning .....	42
6.4	Normal operation .....	42
6.4.1	General .....	42
6.4.2	Operation and use .....	42
6.4.3	Maintenance, repair and fault-clearing.....	42
6.4.4	Spare parts.....	42
6.4.5	Certification of suspension elements.....	42
6.4.6	Noise declaration.....	42
6.4.7	Test report .....	43
6.4.8	Minimum markings .....	43
6.4.9	Conditions for the safe operation of equipment .....	43
6.5	Fault finding/troubleshooting.....	46
6.5.1	General .....	46
6.5.2	Description of safe access and egress to trouble points on the S/R machine.....	46
6.5.3	Description of safe access and egress to trouble points at the interface between S/R machine and racking.....	46
6.5.4	Description of safe access and egress to trouble points at the interface between the S/R machine and the conveying system.....	46
6.5.5	Training .....	46
6.6	Rescue of persons.....	46
6.7	Maintenance, inspection, testing and training .....	46
6.7.1	General.....	46
6.7.2	Maintenance .....	46
6.7.3	Periodic maintenance and testing.....	47
6.7.4	Training .....	48
6.8	Dismantling .....	48
	<b>Annex A (informative) Figures.....</b>	<b>49</b>
	<b>Annex B (normative) Performance levels according to EN ISO 13849-1:2015.....</b>	<b>57</b>
	<b>Annex C (normative) Preventing access to dangerous movements across the load entry/exit points.....</b>	<b>64</b>
	<b>Annex D (normative) Access to restricted areas.....</b>	<b>76</b>
	<b>Annex E (normative) Verification of safety requirements and/or measures .....</b>	<b>79</b>
	<b>Annex F (normative) List of significant and relevant hazards.....</b>	<b>86</b>
	<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EU aimed to be covered.....</b>	<b>91</b>
	<b>Bibliography .....</b>	<b>99</b>

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

This document (EN 528:2021+A1:2022) has been prepared by Technical Committee CEN/TC 149 "Power-operated warehouse equipment", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2023, and conflicting national standards shall be withdrawn at the latest by January 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

This document includes Amendment 1 approved by CEN on 4 May 2022.

This document supersedes A1 EN 528:2021 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

The main changes compared to the previous edition EN 528:2008 are as follows:

- clearer / more understandable Annex C dealing with preventing access to dangerous movements across the load entry/exit points;
- Annex ZA has been updated by introducing the generic template for Annex ZA amended in accordance with decision of EU commission;
- revision and adaption of Annex B Performance level according to EN ISO 13849-1:2015;
- the scope has been stated more precisely;
- more readable and clearer text in standard due to avoidness of separate chapters for automatic and manual machines;
- amendment or rather change of the following definitions (3):
  - on-board control position (3.4), permanent on-board control position (3.5), load entry / exit points (3.7), working place (3.8), pick and deposit station (3.9), restricted area (3.11), danger area (3.12), satellite vehicle (3.15), powered access cabin (3.20), climb assistance system (3.21), rated speed (3.22), normal operation (3.25), deleted definition 3.22 and renamed following definitions;
- speed limitation (4.9.4) has been updated and been stated more precisely;
- where a powered access cabin is provided, it shall comply with the requirements for control positions (4.9.7.2);
- Detachable ladders may be used up to a maximum height of 3 m (4.9.7);
- safety gear required for lifting carriages, that are designed to carry person(s) (4.4.4.1);

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

elements to the lifting of persons has been reduced from 10 to 5 (4.10.1);

- requirements for additional person(s) on the lifting carriage has been stated more precisely (4.9.2.2);
- ladder along the mast shall be fitted with a guided type of a fall arresters according with EN 353-1:2014+A1:2017 and anchor points at the transition points (4.9.3);
- prevention against load falling into adjacent automatically operated aisles: Safety level (PLr) is not more depending on the frequency of access to the aisle (4.10.7.3);
- physical safety backstops shall be dimensioned according to the loads that occur (4.10.7);
- information on the planned dismantling of the installation is required in information for use (6.8).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

This document is a type C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulars, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises).

The above-mentioned stakeholder groups have been given possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the Scope of this standard.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards, for machines that have been designed and built according to the requirements of this type-C standard.

While producing this standard, it was assumed that:

- a) only competent persons operate the machine;
- b) components without specific requirements are:
  - 1) designed in accordance with the usual engineering practice and calculation codes, including all failure modes;
  - 2) of suitable mechanical and electrical construction;
  - 3) made of materials with adequate strength and of suitable quality;
- c) harmful materials, such as asbestos are not used as part of the machine;
- d) components are kept in good repair and working order, so that the required characteristics remain despite wear;
- e) by design of the load bearing elements, safe operation of the machine is ensured for loading ranging from zero to 100 % of the rated possibilities;
- f) discussions have taken place between the user and the supplier concerning particular conditions for the use and places of use of the machinery;
- g) working area is adequately lit;
- h) places of installation allow a safe use of the machine.

This is a preview of "BS EN 528:2021+A1:20...". [Click here to purchase the full version from the ANSI store.](#)

This document is applicable to all types of Storage and Retrieval (S/R) machines, restricted to the rails on which they travel within and outside the aisles for the storage and retrieval of unit loads and/or long goods such as bar materials and/or for order picking or similar duties. These machines embody lifting means along a mast and may include lateral handling facilities. Also included is the transfer equipment used to change between aisles. Control of machines may range from manual to fully automatic.

S/R-machine-related satellite vehicles according to definition 3.15 are included as a load-handling-device (LHD).

References in this standard to racking, buildings and systems only apply where it is necessary to assess the hazards and risks at their interfaces with S/R machines.

This document deals with all significant hazards relevant to rail dependent storage and retrieval equipment, when they are used under the conditions intended by the manufacturer including reasonably foreseeable misuse (see Annex F "List of significant hazards").

This document is applicable to machines and equipment that are manufactured after the date of issue of this document. A transition period of 12 months is proposed.

Figures of examples of machines and transfer equipment to which this standard applies are shown in Annex A.

Safety requirements and/or measures in this standard apply to equipment used under indoor conditions. However, additional risk assessments and safety measures need to be considered for uses in severe conditions, e.g. extremely high temperatures, loads, the nature of which could lead to a dangerous situation (e.g. especially brittle loads, explosives), earthquake effects and also contact with foodstuff.

This document also deals with the technical requirements for electromagnetic compatibility (EMC).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 81-50:2020, *Safety rules for the construction and installation of lifts — Examinations and tests — Part 50: Design rules, calculations, examinations and tests of lift components*

EN 341:2011, *Personal fall protection equipment — Descender devices for rescue*

EN 353-1:2014+A1:2017, *Personal fall protection equipment — Guided type fall arresters including an anchor line — Part 1: Guided type fall arresters including a rigid anchor line*

EN 358:2018, *Personal protective equipment for work positioning and prevention of falls from a height — Belts and lanyards for work positioning or restraint*

EN 361:2002, *Personal protective equipment against falls from a height — Full body harnesses*

EN 363:2018, *Personal fall protection equipment — Personal fall protection systems*

EN 614-1:2006+A1:2009, *Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles*

EN 795:2012, *Personal fall protection equipment — Anchor devices*

EN 894-1:1997+A1:2008, *Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 1: General principles for human interactions with displays and control actuators*