

BSI Standards Publication

Packaging — Test methods and requirements to demonstrate that plastic caps and lids remain attached to beverage containers



National foreword

This British Standard is the UK implementation of EN 17665:2022+A1:2023. It supersedes BS EN 17665:2022, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by $\boxed{\mathbb{A}}$ $\boxed{\mathbb{A}}$.

The UK participation in its preparation was entrusted to Technical Committee PKW/0/-/10, Packaging - Plastics.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication has been prepared under a mandate given to the European Standards Organizations by the European Commission and the European Free Trade Association. It is intended to support requirements of the EU legislation detailed in the European Foreword. A European Annex, usually Annex ZA or ZZ, describes how this publication relates to that EU legislation.

For the Great Britain market (England, Scotland and Wales), if UK Government has designated this publication for conformity with UKCA marking (or similar) legislation, it may contain an additional National Annex. Where such a National Annex exists, it shows the correlation between this publication and the relevant UK legislation. If there is no National Annex of this kind, the relevant Annex ZA or ZZ in the body of the European text will indicate the relationship to UK regulation applicable in Great Britain. References to EU legislation may need to be read in accordance with the UK designation and the applicable UK law. Further information on designated standards can be found at www.bsigroup.com/standardsandregulation.

For the Northern Ireland market, UK law will continue to implement relevant EU law subject to periodic confirmation. Therefore Annex ZA/ZZ in the European text, and references to EU legislation, are still valid for this market.

UK Government is responsible for legislation. For information on legislation and policies relating to that legislation, consult the relevant pages of www.gov.uk.

© The British Standards Institution 2023 Published by BSI Standards Limited 2023

ISBN 978 0 539 26670 2

ICS 55.100

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2022.

Amendments/corrigenda issued since publication

Date	Text affected
31 May 2023	Implementation of CEN amendment A1:2023

This is a preview of "BS EN 17665:2022+A1:". Click here to purchase the full version from the ANSI sto	ore.

EN 17665,2022 11

This is a preview of "BS EN 17665:2022+A1:...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

March 2023

ICS 55.100

Supersedes EN 17665:2022

English Version

Packaging - Test methods and requirements to demonstrate that plastic caps and lids remain attached to beverage containers

Emballage - Méthodes d'essai et exigences pour démontrer que les bouchons et les couvercles en plastique restent attachés aux récipients pour boissons Verpackung - Prüfverfahren und Anforderungen, die nachweisen, dass Kunststoffverschlüsse von Getränkebehältern am Behälter angebunden bleiben

This European Standard was approved by CEN on 24 July 2022 and includes Amendment 1 approved by CEN on 14 March 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 17665:2022+A1:2023 (E)

This is a preview of "BS EN 17665:2022+A1:...". Click here to purchase the full version from the ANSI store.

Contents		Page	
Eur	opean foreword	3	
Intr	oduction	4	
1	Scope	5	
2	Normative references	5	
3	Terms and definitions	5	
4	Requirements for the attachment feature	6	
5	Test methods	6	
6	Acceptance criteria for the attachment feature for attached caps and lids	11	
7	Test report	12	
Ann	ex A (informative) Principle to quantify risks, including tolerable risks	13	
Ann	ex B (informative) Example for a safety risk assessment	15	
Bibl	iography	18	

European foreword

This document (EN 17665:2022+A1:2023) has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2023, and conflicting national standards shall be withdrawn at the latest by September 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 14 March 2023.

This document supersedes EN 17665:2022.

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{\mathbb{A}}$.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, A and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document. (A)

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

EN 17665:2022+A1:2023 (E)

This is a preview of "BS EN 17665:2022+A1:...". Click here to purchase the full version from the ANSI store.

Introduction

The Directive (EU) 2019/904 "on the reduction of the impact of certain plastic products on the environment" introduces the requirement that plastic caps and lids of single-use plastic beverage containers and composite beverage packaging up to 3 litres capacity shall remain attached to the container during the intended use stage."

This document was developed with the principal objective of:

- Characterizing the attachment of the cap or lid to the container by a minimum resistance to a tensile
 force and the ability to remain attached to the container over the products intended use stage.
- Defining the test methods and performance criteria to ensure that the beverage container has met legal requirements.
- Ensuring that safety aspects of the attachment feature have been considered.

The intended use stage of the product infers that the attachment feature must resist normal handling of the cap or lid by the consumer to access the contents and, if necessary, reclose the container for subsequent further servings of the beverage. Intentional forced separation of the cap from the container will always be possible and is formally excluded from "intended use" as considered in this document.

The development of this document takes into account the necessity not to undermine the requirements of the Packaging and Packaging Waste Directive (94/62/EC) and its amendments in particular terms of:

- Prevention, limiting the packaging volume and weight to the minimum adequate amount to maintain the necessary functionality, by avoiding the use of excessive material.
- Recyclability and recycling capability.

In the course of the development of this document it was identified that the attachment of caps and lids to the container may interfere with established and efficient plastic bottle recycling equipment, particularly if attached caps or lids hang loose. This aspect is outside of the scope of this document, but it is recommended that the user takes into consideration best practice guidelines established by the stakeholders.

1 Scope

This document specifies the requirements and test methods to demonstrate that plastic caps and lids of single-use beverage containers with a capacity of up to three litres remain attached to the container during the product's intended use stage. This document also addresses the need to ensure the necessary strength, reliability and safety of beverage container closures, including those for carbonated drinks.

This document applies to the strength, reliability and safety impacted by the attachment features and does not apply to the overall closure system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC GUIDE 51:2014, Safety aspects — Guidelines for their inclusion in standards

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC GUIDE 51:2014 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

attachment feature

physical link maintained between the cap or lid and the container during the intended use stage

3.2

neck finish

specific part of a container which forms the opening, manufactured with a defined geometry to accommodate the corresponding closure (cap, lid or other form of seal) and tamper-evidence feature if appropriate

3.3

intended use stage

opening in a normal way, consuming the contents, closing in a normal way, potentially multiple times, followed by proper disposal

Note 1: Intended use excludes intentional forced separation by the consumer for whatever reason.

Note 2: Proper disposal excludes littering.

3.4

strength

ability of the product to withstand forces that occur during the product's intended use stage

3.5

reliability

quality of the product to perform consistently well during the product's intended use stage