



BSI Standards Publication

## Metallic industrial piping

---

Part 3: Design and calculation

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

## National foreword

This British Standard is the UK implementation of EN 13480-3:2024. It supersedes BS EN 13480-3:2017+A5:2022, which will be withdrawn on 31 December 2024.

The UK participation in its preparation was entrusted to Technical Committee PVE/10, Piping systems.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication has been prepared under a mandate given to the European Standards Organizations by the European Commission and the European Free Trade Association. It is intended to support requirements of the EU legislation detailed in the European Foreword. A European Annex, usually Annex ZA or ZZ, describes how this publication relates to that EU legislation.

For the Great Britain market (England, Scotland and Wales), if UK Government has designated this publication for conformity with UKCA marking (or similar) legislation, it may contain an additional National Annex. Where such a National Annex exists, it shows the correlation between this publication and the relevant UK legislation. If there is no National Annex of this kind, the relevant Annex ZA or ZZ in the body of the European text will indicate the relationship to UK regulation applicable in Great Britain. References to EU legislation may need to be read in accordance with the UK designation and the applicable UK law. Further information on designated standards can be found at [www.bsigroup.com/standardsandregulation](http://www.bsigroup.com/standardsandregulation).

For the Northern Ireland market, UK law will continue to implement relevant EU law subject to periodic confirmation. Therefore Annex ZA/ZZ in the European text, and references to EU legislation, are still valid for this market.

UK Government is responsible for legislation. For information on legislation and policies relating to that legislation, consult the relevant pages of [www.gov.uk](http://www.gov.uk).

© The British Standards Institution 2024  
Published by BSI Standards Limited 2024

ISBN 978 0 539 32858 5

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

ICS 23.040.01

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2024.

**Amendments/corrigenda issued since publication**

Date

Text affected

---

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

July 2024

ICS 23.040.01

Supersedes EN 13480-3:2017

English Version

## Metallic industrial piping - Part 3: Design and calculation

Tuyauteries industrielles métalliques - Partie 3:  
Conception et calcul

Metallische industrielle Rohrleitungen - Teil 3:  
Konstruktion und Berechnung

This European Standard was approved by CEN on 9 July 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>		Page
European foreword.....		10
<b>1</b>	<b>Scope .....</b>	<b>12</b>
<b>2</b>	<b>Normative references.....</b>	<b>12</b>
<b>3</b>	<b>Terms, definitions, symbols and units .....</b>	<b>13</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>13</b>
<b>3.2</b>	<b>Symbols and units.....</b>	<b>13</b>
<b>4</b>	<b>Basic design criteria.....</b>	<b>15</b>
<b>4.1</b>	<b>General.....</b>	<b>15</b>
<b>4.2</b>	<b>Loadings.....</b>	<b>15</b>
<b>4.2.1</b>	<b>General.....</b>	<b>15</b>
<b>4.2.2</b>	<b>Combination of loads .....</b>	<b>16</b>
<b>4.2.3</b>	<b>Loads for dimensioning .....</b>	<b>16</b>
<b>4.2.4</b>	<b>Other loads to be taken into account .....</b>	<b>18</b>
<b>4.2.5</b>	<b>Design conditions.....</b>	<b>19</b>
<b>4.3</b>	<b>Thickness .....</b>	<b>21</b>
<b>4.4</b>	<b>Tolerances .....</b>	<b>24</b>
<b>4.5</b>	<b>Joint coefficient.....</b>	<b>24</b>
<b>4.6</b>	<b>Dimensioning of piping components subject to pressure.....</b>	<b>25</b>
<b>5</b>	<b>Design stresses.....</b>	<b>25</b>
<b>5.1</b>	<b>General.....</b>	<b>25</b>
<b>5.2</b>	<b>Time-independent nominal design stress .....</b>	<b>26</b>
<b>5.2.1</b>	<b>Steels other than austenitic steels .....</b>	<b>26</b>
<b>5.2.2</b>	<b>Austenitic steels.....</b>	<b>26</b>
<b>5.2.3</b>	<b>Nickel and / or chromium alloy steels.....</b>	<b>27</b>
<b>5.2.4</b>	<b>Steels castings.....</b>	<b>27</b>
<b>5.2.5</b>	<b>Additional requirements for steels with no specific control.....</b>	<b>27</b>
<b>5.3</b>	<b>Time-dependent nominal design stress .....</b>	<b>28</b>
<b>5.3.1</b>	<b>General.....</b>	<b>28</b>
<b>5.3.2</b>	<b>Steels.....</b>	<b>28</b>
<b>5.3.3</b>	<b>Nickel and/or chromium alloy steels.....</b>	<b>29</b>
<b>6</b>	<b>Design of piping components under internal pressure .....</b>	<b>29</b>
<b>6.1</b>	<b>Straight pipes.....</b>	<b>29</b>
<b>6.2</b>	<b>Pipe bends and elbows.....</b>	<b>29</b>
<b>6.2.1</b>	<b>General.....</b>	<b>29</b>
<b>6.2.2</b>	<b>Symbols.....</b>	<b>30</b>
<b>6.2.3</b>	<b>Required wall thicknesses .....</b>	<b>30</b>
<b>6.3</b>	<b>Mitre bends.....</b>	<b>31</b>
<b>6.3.1</b>	<b>General.....</b>	<b>31</b>
<b>6.3.2</b>	<b>Symbols.....</b>	<b>31</b>
<b>6.3.3</b>	<b>Effective radius of mitre bend .....</b>	<b>32</b>
<b>6.3.4</b>	<b>Multiple mitre bends .....</b>	<b>32</b>
<b>6.3.5</b>	<b>Single mitre bends .....</b>	<b>33</b>
<b>6.3.6</b>	<b>Adjacent straight pipe sections of mitre bends.....</b>	<b>33</b>
<b>6.4</b>	<b>Reducers.....</b>	<b>33</b>
<b>6.4.1</b>	<b>Conditions of applicability.....</b>	<b>33</b>

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

6.4.2	Specific definitions.....	34
6.4.3	Specific symbols and abbreviations.....	34
6.4.4	Conical shells.....	36
6.4.5	Junctions - general.....	36
6.4.6	Junction between the large end of a cone and a cylinder without a knuckle.....	37
6.4.7	Junction between the large end of a cone and a cylinder with a knuckle .....	39
6.4.8	Junction between the small end of a cone and a cylinder .....	41
6.4.9	Offset reducers .....	43
6.4.10	Special forged reducers.....	43
6.5	Flexible piping components.....	44
6.5.1	General .....	44
6.5.2	Expansion joints.....	44
6.5.3	Corrugated metal hose assemblies .....	46
6.6	Bolted flange connections .....	47
6.6.1	General .....	47
6.6.2	Symbols .....	47
6.6.3	Standard flange .....	47
6.6.4	Non-standard flange .....	48
7	Design of ends under internal pressure.....	48
7.1	Dished ends.....	48
7.1.1	Symbols .....	48
7.1.2	Hemispherical ends .....	49
7.1.3	Torispherical ends .....	50
7.1.4	Ellipsoidal ends .....	51
7.1.5	Calculation of $\beta$ .....	52
7.2	Circular flat ends.....	56
7.2.1	General .....	56
7.2.2	Symbols .....	56
7.2.3	Unstayed flat circular ends welded to cylindrical shells/pipes.....	58
7.2.4	Unstayed flat circular bolted ends.....	65
7.2.5	Reinforcements of openings in unstayed flat ends.....	71
8	Openings and branch connections .....	74
8.1	General .....	74
8.2	Symbols .....	74
8.3	Limitations.....	75
8.3.1	Thickness ratio .....	75
8.3.2	Openings in the vicinity of discontinuities .....	77
8.3.3	Types of reinforcement .....	79
8.3.4	Calculation method .....	79
8.3.5	Elliptical openings and oblique branch connections.....	80
8.3.6	Reinforcing pads .....	81
8.3.7	Dissimilar material of shell and reinforcements .....	81
8.3.8	Extruded outlets.....	82
8.3.9	Forged tee.....	82
8.3.10	Branches in bends or elbows.....	83
8.3.11	Screwed-in branches .....	83
8.4	Isolated openings.....	84
8.4.1	General .....	84
8.4.2	Unreinforced openings.....	87
8.4.3	Reinforced openings with $d_i/D_i < 0,8$ .....	87
8.4.4	Reinforced single openings with $0,8 < d_i/D_i \leq 1,0$ .....	93
8.5	Adjacent openings .....	93

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

8.5.1	Unreinforced openings.....	93
8.5.2	Reinforced openings with $d_i/D_i \leq 0,8$ .....	93
8.6	Design of special piping components.....	94
8.6.1	Cylindrical Y-pieces .....	94
8.6.2	Spherical Y-pieces .....	95
8.6.3	Triform reinforced branches .....	96
9	Design of piping components under external pressure.....	97
9.1	General.....	97
9.1.1	External calculation pressure.....	97
9.1.2	Exception from verification against external pressure.....	98
9.1.3	General acceptance criteria.....	98
9.2	Symbols and elastic stress limits.....	99
9.2.1	Symbols.....	99
9.2.2	Stress limits.....	101
9.3	Cylindrical pipes, elbows and mitre bends.....	102
9.3.1	Determination of lengths .....	102
9.3.2	Interstiffener collapse .....	104
9.3.3	Overall collapse of stiffened pipes .....	105
9.3.4	Stiffener stability.....	106
9.3.5	Heating/cooling channels .....	109
9.4	Reducers (conical shells) .....	110
9.5	Dished ends .....	112
9.5.1	Hemispherical ends.....	112
9.5.2	Torispherical ends.....	113
9.5.3	Ellipsoidal ends.....	113
10	Design for cyclic loading.....	113
10.1	General.....	113
10.2	Exemption from detailed fatigue analysis .....	113
10.3	Fatigue design for cyclic pressure.....	114
10.3.1	Equivalent full load cycles.....	114
10.3.2	Simplified fatigue analysis.....	114
10.4	Fatigue design for thermal gradients.....	129
10.4.1	General.....	129
10.4.2	Design guidance.....	129
10.5	Fatigue design for combined loads .....	129
11	Integral attachments.....	130
11.1	General.....	130
11.2	Allowable stresses .....	130
11.3	Symbols.....	131
11.4	Hollow circular attachments.....	133
11.4.1	Limitations.....	133
11.4.2	Preliminary calculations .....	133
11.4.3	Analysis of attachments welded to pipe with a full penetration weld.....	135
11.4.4	Analysis of attachments welded to pipe with fillet or partial penetration weld .....	136
11.5	Rectangular attachments .....	136
11.5.1	Limitations.....	136
11.5.2	Preliminary calculations .....	136
11.5.3	Analysis of attachments welded to pipe with a full penetration weld.....	138
11.5.4	Analysis of attachments welded to pipe with fillet or partial penetration weld .....	139
11.6	Stress analysis of the run pipe.....	139
11.7	Shear stress analysis in attachment.....	141
11.7.1	Hollow circular attachments.....	141

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

11.7.2	Rectangular attachments.....	141
11.8	Alternative calculation methods.....	141
12	Flexibility analysis and acceptance criteria.....	142
12.1	Basic conditions.....	142
12.1.1	General.....	142
12.1.2	Loading conditions.....	142
12.1.3	Allowable stresses.....	142
12.2	Piping flexibility.....	144
12.2.1	General.....	144
12.2.2	Basic conditions.....	144
12.2.3	Displacement strains.....	144
12.2.4	Displacement stresses.....	145
12.2.5	Stress range.....	146
12.2.6	Cold pull.....	146
12.2.7	Properties for flexibility analysis.....	146
12.2.8	Supporting conditions.....	147
12.2.9	Expansion joints.....	148
12.2.10	Flexibility analysis.....	149
12.3	Flexibility analysis.....	151
12.3.1	General.....	151
12.3.2	Stress due to sustained loads.....	152
12.3.3	Stress due to sustained and occasional or exceptional loads.....	153
12.3.4	Stress range due to thermal expansion and alternating loads.....	155
12.3.5	Additional conditions for the creep range.....	157
12.3.6	Stresses due to a single non-repeated support movement.....	157
12.3.7	Determination of resultant moments.....	158
12.3.8	Reactions.....	160
12.4	Fatigue analysis.....	160
12.5	Vibration.....	160
13	Pipe Supports.....	161
13.1	General requirements.....	161
13.1.1	General.....	161
13.1.2	Classification of supports.....	162
13.1.3	Additional definitions.....	162
13.1.4	Boundaries.....	164
13.1.5	Pipe supports welded to the pipe.....	166
13.2	Selection of pipe supports.....	167
13.2.1	General.....	167
13.2.2	Detail design of pipe supports.....	168
13.2.3	Support location.....	169
13.3	Constant hangers/base mounted (pedestal) constant supports.....	169
13.3.1	General.....	169
13.3.2	Load deviation from calibrated load.....	169
13.3.3	Site adjustment of the calibrated load.....	169
13.3.4	Travel reserve (Overtravel).....	169
13.3.5	Blocking.....	169
13.3.6	Identification Marking/Name plate.....	169
13.4	Variable load spring hangers and base mounted (pedestal) variable load spring supports.....	170
13.4.1	General.....	170
13.4.2	Tolerance on spring rate.....	171
13.4.3	Travel reserve (Overtravel).....	171

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

<b>13.4.4</b>	<b>Blocking</b> .....	<b>171</b>
<b>13.4.5</b>	<b>Name plate</b> .....	<b>171</b>
<b>13.5</b>	<b>Rigid struts</b> .....	<b>171</b>
<b>13.6</b>	<b>Shock arrestors, shock absorber (snubber)</b> .....	<b>172</b>
<b>13.7</b>	<b>Sliding supports</b> .....	<b>172</b>
<b>13.8</b>	<b>Anchors</b> .....	<b>173</b>
<b>13.9</b>	<b>Documentation of supports</b> .....	<b>173</b>
<b>13.10</b>	<b>Marking of supports</b> .....	<b>173</b>
<b>13.11</b>	<b>Design and manufacture of pipe supports</b> .....	<b>173</b>
<b>13.11.1</b>	<b>Material requirements</b> .....	<b>173</b>
<b>13.11.2</b>	<b>Design temperatures for support components</b> .....	<b>173</b>
<b>13.11.3</b>	<b>Design details</b> .....	<b>175</b>
<b>13.11.4</b>	<b>Determination of component sizes</b> .....	<b>175</b>
<b>13.11.5</b>	<b>Welded connections</b> .....	<b>177</b>
<b>13.11.6</b>	<b>Bolted connections</b> .....	<b>179</b>
<b>13.11.7</b>	<b>Additional requirements on springs</b> .....	<b>182</b>
<b>13.11.8</b>	<b>Design details for rigid struts</b> .....	<b>182</b>
<b>13.11.9</b>	<b>Design details for shock arrestors, shock absorbers (snubbers)</b> .....	<b>182</b>
<b>13.11.10</b>	<b>Clamps for shock arrestors, rigid struts</b> .....	<b>183</b>
<b>13.11.11</b>	<b>Alternative rules for design and manufacture of pipe supports</b> .....	<b>184</b>
<b>Annex A</b>	<b>(informative) Dynamic effect</b> .....	<b>185</b>
<b>A.1</b>	<b>General</b> .....	<b>185</b>
<b>A.1.1</b>	<b>Introduction</b> .....	<b>185</b>
<b>A.1.2</b>	<b>Vibration design guidelines</b> .....	<b>185</b>
<b>A.2</b>	<b>Analysis by calculation</b> .....	<b>191</b>
<b>A.2.1</b>	<b>General</b> .....	<b>191</b>
<b>A.2.2</b>	<b>Seismic events</b> .....	<b>192</b>
<b>A.2.3</b>	<b>Rapid valve closure</b> .....	<b>197</b>
<b>A.2.4</b>	<b>Flow induced vibration</b> .....	<b>200</b>
<b>A.2.5</b>	<b>Safety valve discharge</b> .....	<b>203</b>
<b>A.2.6</b>	<b>Allowable stresses</b> .....	<b>205</b>
<b>A.2.7</b>	<b>Structural vibration properties</b> .....	<b>205</b>
<b>A.3</b>	<b>Alternative means of design verification</b> .....	<b>207</b>
<b>A.3.1</b>	<b>Comparative studies</b> .....	<b>207</b>
<b>A.3.2</b>	<b>Full scale testing</b> .....	<b>208</b>
<b>A.3.3</b>	<b>Reduced scale testing</b> .....	<b>208</b>
<b>A.4</b>	<b>Validation (measuring)</b> .....	<b>208</b>
<b>Annex B</b>	<b>(normative) More accurate calculation of bends and elbows</b> .....	<b>209</b>
<b>B.1</b>	<b>General</b> .....	<b>209</b>
<b>B.2</b>	<b>Symbols and units</b> .....	<b>209</b>
<b>B.3</b>	<b>Required wall thickness</b> .....	<b>210</b>
<b>B.4</b>	<b>Calculation</b> .....	<b>211</b>
<b>B.4.1</b>	<b>Calculation of wall thickness</b> .....	<b>211</b>
<b>B.4.2</b>	<b>Stress calculation</b> .....	<b>213</b>
<b>Annex C</b>	<b>(informative) Expansion joints</b> .....	<b>217</b>
<b>C.1</b>	<b>Incorporation of expansion joints into piping systems</b> .....	<b>217</b>
<b>C.1.1</b>	<b>General</b> .....	<b>217</b>
<b>C.1.2</b>	<b>Types of expansion joints</b> .....	<b>218</b>
<b>C.1.3</b>	<b>Design of expansion joints</b> .....	<b>218</b>
<b>C.1.4</b>	<b>Designing with expansion joints</b> .....	<b>219</b>
<b>C.1.5</b>	<b>Analyses and calculation</b> .....	<b>221</b>
<b>C.1.6</b>	<b>Cold pull</b> .....	<b>221</b>

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

<b>C.2</b>	<b>Maximum spacing for unrestrained axially compensated straight runs .....</b>	<b>222</b>
<b>C.2.1</b>	<b>General .....</b>	<b>222</b>
<b>C.2.2</b>	<b>Calculation rules .....</b>	<b>222</b>
<b>C.2.3</b>	<b>Maximum spacing for specified conditions.....</b>	<b>223</b>
<b>C.3</b>	<b>Indication for the design of expansion joints .....</b>	<b>224</b>
<b>C.3.1</b>	<b>General .....</b>	<b>224</b>
<b>C.3.2</b>	<b>Information for the system analyst.....</b>	<b>224</b>
<b>Annex D</b>	<b>(normative) Flanges.....</b>	<b>225</b>
<b>D.1</b>	<b>Purpose .....</b>	<b>225</b>
<b>D.2</b>	<b>Specific terms and definitions.....</b>	<b>225</b>
<b>D.3</b>	<b>Specific symbols and abbreviations.....</b>	<b>226</b>
<b>D.4</b>	<b>General .....</b>	<b>227</b>
<b>D.4.1</b>	<b>Introduction.....</b>	<b>227</b>
<b>D.4.2</b>	<b>Use of standard flanges without calculation.....</b>	<b>227</b>
<b>D.4.3</b>	<b>Bolting.....</b>	<b>228</b>
<b>D.4.4</b>	<b>Flange construction .....</b>	<b>230</b>
<b>D.4.5</b>	<b>Machining .....</b>	<b>230</b>
<b>D.4.6</b>	<b>Gaskets .....</b>	<b>230</b>
<b>D.5</b>	<b>Narrow face gasketed flanges .....</b>	<b>231</b>
<b>D.5.1</b>	<b>General .....</b>	<b>231</b>
<b>D.5.2</b>	<b>Bolt loads and areas.....</b>	<b>233</b>
<b>D.5.3</b>	<b>Flange moments .....</b>	<b>234</b>
<b>D.5.4</b>	<b>Flange stresses and stress limits.....</b>	<b>234</b>
<b>D.5.5</b>	<b>Narrow face flanges subject to external pressure .....</b>	<b>240</b>
<b>D.5.6</b>	<b>Lap joints .....</b>	<b>240</b>
<b>D.5.7</b>	<b>Split ring flanges .....</b>	<b>243</b>
<b>D.6</b>	<b>Full face flanges with soft ring type gaskets .....</b>	<b>244</b>
<b>D.6.1</b>	<b>Specific symbols and abbreviations.....</b>	<b>245</b>
<b>D.6.2</b>	<b>Bolt loads and areas.....</b>	<b>245</b>
<b>D.6.3</b>	<b>Flange design.....</b>	<b>246</b>
<b>D.6.4</b>	<b>Full face flanges subject to external pressure.....</b>	<b>247</b>
<b>D.7</b>	<b>Seal welded flanges.....</b>	<b>247</b>
<b>D.8</b>	<b>Reverse narrow face flanges.....</b>	<b>248</b>
<b>D.8.1</b>	<b>Internal pressure.....</b>	<b>248</b>
<b>D.8.2</b>	<b>External pressure .....</b>	<b>250</b>
<b>D.9</b>	<b>Reverse full face flanges.....</b>	<b>250</b>
<b>D.9.1</b>	<b>General .....</b>	<b>250</b>
<b>D.9.2</b>	<b>Design following method of D.5.....</b>	<b>250</b>
<b>D.9.3</b>	<b>Design following method of D.6.....</b>	<b>252</b>
<b>D.10</b>	<b>Full face flanges with metal to metal contact .....</b>	<b>254</b>
<b>D.10.1</b>	<b>General .....</b>	<b>254</b>
<b>D.10.2</b>	<b>Specific symbols and abbreviations.....</b>	<b>254</b>
<b>D.10.3</b>	<b>Design .....</b>	<b>255</b>
<b>Annex E</b>	<b>(normative) Design of branch connections in piping accessories .....</b>	<b>257</b>
<b>E.1</b>	<b>Scope .....</b>	<b>257</b>
<b>E.1.1</b>	<b>General .....</b>	<b>257</b>
<b>E.2</b>	<b>Reinforcement .....</b>	<b>259</b>
<b>E.2.1</b>	<b>Angles and areas .....</b>	<b>259</b>
<b>E.2.2</b>	<b>The following condition shall be satisfied:.....</b>	<b>259</b>
<b>E.3</b>	<b>Flexibility analysis.....</b>	<b>260</b>
<b>Annex F</b>	<b>(informative) Testing during operation in the case of cyclic loading.....</b>	<b>262</b>
<b>F.1</b>	<b>Testing during operation .....</b>	<b>262</b>

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

<b>F.2</b>	<b>Measures to be taken when the calculated fatigue life has been reached.....</b>	<b>262</b>
<b>Annex G</b>	<b>(informative) Physical properties of steels.....</b>	<b>263</b>
<b>G.1</b>	<b>General.....</b>	<b>263</b>
<b>G.2</b>	<b>Physical properties.....</b>	<b>263</b>
<b>G.2.1</b>	<b>Density.....</b>	<b>263</b>
<b>G.2.2</b>	<b>Differential coefficient of linear expansion.....</b>	<b>264</b>
<b>G.2.3</b>	<b>Specific thermal capacity.....</b>	<b>264</b>
<b>G.2.4</b>	<b>Thermal diffusivity.....</b>	<b>264</b>
<b>G.2.5</b>	<b>Poisson's ratio.....</b>	<b>264</b>
<b>G.3</b>	<b>Physical properties of steels.....</b>	<b>264</b>
<b>G.4</b>	<b>Material properties of carbon steel (structural steel) at elevated temperatures.....</b>	<b>270</b>
<b>Annex H</b>	<b>(normative) Flexibility characteristics, flexibility and stress intensification factors and section moduli of piping components and geometrical discontinuities.....</b>	<b>271</b>
<b>Annex I</b>	<b>(informative) Production testing of spring supports and shock arrestors (shock absorbers).....</b>	<b>281</b>
<b>I.1</b>	<b>Constant load supports.....</b>	<b>281</b>
<b>I.2</b>	<b>Variable spring supports.....</b>	<b>281</b>
<b>I.3</b>	<b>Shock arrestors.....</b>	<b>281</b>
<b>Annex J</b>	<b>(normative) Type testing of support components.....</b>	<b>286</b>
<b>Annex K</b>	<b>(informative) Attachment of supports to structures.....</b>	<b>287</b>
<b>K.1</b>	<b>Attachment of supports to concrete structures.....</b>	<b>287</b>
<b>K.2</b>	<b>Attachment to metallic structures.....</b>	<b>288</b>
<b>K.2.1</b>	<b>Standard bolts.....</b>	<b>288</b>
<b>K.2.2</b>	<b>Friction grip bolts.....</b>	<b>288</b>
<b>K.2.3</b>	<b>Welding.....</b>	<b>288</b>
<b>Annex L</b>	<b>(informative) Buckling of linear type supports.....</b>	<b>289</b>
<b>L.1</b>	<b>General.....</b>	<b>289</b>
<b>L.2</b>	<b>Symbols.....</b>	<b>289</b>
<b>L.3</b>	<b>Basic equations.....</b>	<b>289</b>
<b>L.4</b>	<b>Allowable compressive stress.....</b>	<b>290</b>
<b>L.5</b>	<b>Buckling length.....</b>	<b>290</b>
<b>Annex M</b>	<b>(informative) Design guidance for structural components.....</b>	<b>293</b>
<b>M.1</b>	<b>Linear type components subjected to bending.....</b>	<b>293</b>
<b>M.1.1</b>	<b>General.....</b>	<b>293</b>
<b>M.1.2</b>	<b>Supplementary verifications for linear type supports.....</b>	<b>293</b>
<b>M.2</b>	<b>Stability of plate type supports.....</b>	<b>295</b>
<b>M.3</b>	<b>Anchorage plates or equivalent anchorage components.....</b>	<b>295</b>
<b>M.3.1</b>	<b>General.....</b>	<b>295</b>
<b>M.3.2</b>	<b>Design of simple anchorage plates.....</b>	<b>295</b>
<b>M.3.3</b>	<b>Fixing plates with stiffening gussets.....</b>	<b>295</b>
<b>M.3.4</b>	<b>Load calculations for anchorages fixed in concrete.....</b>	<b>296</b>
<b>Annex N</b>	<b>(normative) Documentation of supports.....</b>	<b>297</b>
<b>Annex O</b>	<b>(normative) Alternative method for checking branch connections.....</b>	<b>300</b>
<b>O.1</b>	<b>Scope.....</b>	<b>300</b>
<b>O.2</b>	<b>Symbols.....</b>	<b>300</b>
<b>O.3</b>	<b>Design and checking of the branch connection.....</b>	<b>302</b>
<b>O.3.1</b>	<b>Limit value for the load due to pressure only for straight pipes without opening.....</b>	<b>302</b>
<b>O.3.2</b>	<b>Determination of the minimum thicknesses under loading due to pressure only.....</b>	<b>302</b>

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

<b>0.3.3</b>	<b>Checking of the thicknesses selected for the combination of pressure loading and loadings due to external loads</b> .....	<b>303</b>
<b>Annex P</b>	<b>(informative) Recommended gaskets for industrial piping</b> .....	<b>354</b>
<b>Annex Q</b>	<b>(informative) Simplified pipe stress analysis</b> .....	<b>356</b>
<b>Q.1</b>	<b>General</b> .....	<b>356</b>
<b>Q.2</b>	<b>Simplified procedure</b> .....	<b>356</b>
<b>Q.2.1</b>	<b>General</b> .....	<b>356</b>
<b>Q.2.2</b>	<b>Specification of allowable spacing of supports</b> .....	<b>356</b>
<b>Q.2.3</b>	<b>Check of elasticity</b> .....	<b>356</b>
<b>Q.3</b>	<b>Explanatory notes for Table Q.1</b> .....	<b>358</b>
<b>Q.4</b>	<b>Symbols</b> .....	<b>360</b>
<b>Q.5</b>	<b>Indices <math>f_L</math></b> .....	<b>360</b>
<b>Q.6</b>	<b>Explanatory notes to Q.2.2</b> .....	<b>361</b>
<b>Q.6.1</b>	<b>Specification of allowable spacing of supports</b> .....	<b>361</b>
<b>Q.7</b>	<b>Conversion of the allowable lengths</b> .....	<b>362</b>
<b>Q.7.1</b>	<b>Other support conditions</b> .....	<b>362</b>
<b>Q.7.2</b>	<b>Other parameters</b> .....	<b>362</b>
<b>Q.8</b>	<b>Additional single loads</b> .....	<b>363</b>
<b>Q.8.1</b>	<b>General</b> .....	<b>363</b>
<b>Q.9</b>	<b>Explanatory note on Figure Q.2</b> .....	<b>366</b>
<b>Q.9.1</b>	<b>General</b> .....	<b>366</b>
<b>Q.9.2</b>	<b>Required pipe leg length <math>L_1</math>, for <math>f_1</math> from the nomogram</b> .....	<b>368</b>
<b>Q.9.3</b>	<b>Required pipe leg length <math>L_2</math>, for <math>f_2</math> from the nomogram</b> .....	<b>368</b>
<b>Annex R</b>	<b>(informative) Surveillance of components operating in the creep range</b> .....	<b>373</b>
<b>R.1</b>	<b>General</b> .....	<b>373</b>
<b>R.2</b>	<b>Recording of operating data</b> .....	<b>373</b>
<b>R.3</b>	<b>Calculation of the creep exhaustion or the theoretical residual lifetime</b> .....	<b>373</b>
<b>R.4</b>	<b>Assessment of the cumulated creep</b> .....	<b>375</b>
<b>R.5</b>	<b>Review and repair of cracks</b> .....	<b>375</b>
<b>R.6</b>	<b>Creep and fatigue</b> .....	<b>375</b>
<b>R.7</b>	<b>Measures when reaching certain degrees of exhaustion</b> .....	<b>375</b>
<b>Annex Y</b>	<b>(informative) History of EN 13480-3</b> .....	<b>376</b>
<b>Y.1</b>	<b>Differences between EN 13480-3:2017 and EN 13480-3:2024</b> .....	<b>376</b>
<b>Annex ZA</b>	<b>(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/68/EU aimed to be covered</b> .....	<b>379</b>
<b>Bibliography</b>	.....	<b>381</b>

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

## European foreword

This document (EN 13480-3:2024) has been prepared by Technical Committee CEN/TC 267 “Industrial piping and pipelines”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2024, and conflicting national standards shall be withdrawn at the latest by December 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13480-3:2017.

This new edition incorporates the Amendments which have been approved previously by CEN members, and the corrected pages up to Issue 5 without any further technical change. Annex Y provides details of significant technical changes between this European Standard and the previous edition.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

This European Standard EN 13480 for metallic industrial piping consists of eight interdependent and not dissociable Parts which are:

- *Part 1: General;*
- *Part 2: Materials;*
- *Part 3: Design and calculation;*
- *Part 4: Fabrication and installation;*
- *Part 5: Inspection and testing;*
- *Part 6: Additional requirements for buried piping;*
- *CEN/TR 13480-7, Guidance on the use of conformity assessment procedures;*
- *Part 8: Additional requirements for aluminium and aluminium alloy piping.*

Although these Parts may be obtained separately, it should be recognized that the Parts are inter-dependant. As such the manufacture of metallic industrial piping requires the application of all the relevant Parts in order for the requirements of the Standard to be satisfactorily fulfilled.

This document is maintained by a working group (Maintenance Help Desk - MHD) whose scope of work is limited to corrections and interpretations related to EN 13480. The contact to submit queries can be found at <https://unm.fr/en/maintenance-agencies/maintenance-agency-en-13480/>. A form for submitting questions can be downloaded from the link to the MHD website. After subject experts have agreed an answer, the answer will be communicated to the questioner. Interpretation sheets will be posted on the website of the MHD.

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

Amendments to this new edition may be issued from time to time and then used immediately as alternatives to rules contained herein. These amendments will be consolidated within EN 13480:2024 in accordance with the maintenance system of EN 13480 series approved by CEN/BT Decision C172/2021.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of BS EN 13480-3:2024. [Click here to purchase the full version from the ANSI store.](#)

## 1 Scope

This document specifies the design and calculation of industrial metallic piping systems, including supports, covered by EN 13480 series.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 764-5:2014, *Pressure equipment — Part 5: Inspection documentation of metallic materials and compliance with the material specification*

EN 1515-2:2001, *Flanges and their joints — Bolting — Part 2: Classification of bolt materials for steel flanges, PN designated*

EN 1515-3:2005, *Flanges and their joints — Bolting — Part 3: Classification of bolt materials for steel flanges, Class designated*

EN 1515-4:2021, *Flanges and their joints — Bolting — Part 4: Selection of bolting for equipment subject to the Pressure Equipment Directive 2014/68/EU*

EN 1090-1:2009+A1:2011, *Execution of steel structures and aluminium structures — Part 1: Requirements for conformity assessment of structural components*

EN 1090-2:2018+A1:2024, *Execution of steel structures and aluminium structures — Part 2: Technical requirements for steel structures*

EN 1990:2023, *Eurocode — Basis of structural and geotechnical design*

EN 1991 (all parts), *Eurocode 1 — Actions on structures*

EN 1993-1-1:2022, *Eurocode 3 — Design of steel structures — Part 1-1: General rules and rules for buildings*

EN 1993-1-8:2024, *Eurocode 3 — Design of steel structures — Part 1-8: Joints*

EN 10204:2004, *Metallic products — Types of inspection documents*

EN 10216-2:2013+A1:2019, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 2: Non-alloy and alloy steel tubes with specified elevated temperature properties*

EN 12516-2:2014+A1:2021, *Industrial valves — Shell design strength — Part 2: Calculation method for steel valve shells*

EN 13445-3:2021, *Unfired pressure vessels — Part 3: Design*

EN 13480-1:2024, *Metallic industrial piping — Part 1: General*

EN 13480-2:2024, *Metallic industrial piping — Part 2: Materials*

EN 13480-4:2024, *Metallic industrial piping — Part 4: Fabrication and installation*

EN 13480-5:2024, *Metallic industrial piping — Part 5: Inspection and testing*