



BSI Standards Publication

Overhead electrical lines exceeding AC 1 kV

Part 2-24: National Normative Aspects (NNA) for
Romania (based on EN 50341-1:2012)

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

National foreword

This British Standard is the UK implementation of EN 50341-2-24:2024. It supersedes BS EN 50341-2-24:2019, which will be withdrawn on 22 November 2021 and together with the following list of National Normative Aspect standards, supersedes BS EN 50423-3:2005 and BS EN 50341-3:2001.

Country Code	Origin	Ref
AT	Austrian National Committee	BS EN 50341-2-1
BE	Belgian National Committee	BS EN 50341-2-2:2019
CH	Swiss National Committee	BS EN 50341-2-3
DE	German National Committee	BS EN 50341-2-4:2019
DK	Danish National Committee	BS EN 50341-2-5:2017
ES	Spanish National Committee	BS EN 50341-2-6:2017
FI	Finnish National Committee	BS EN 50341-2-7:2015
FR	French National Committee	BS EN 50341-2-8:2017
GB	British National Committee	BS EN 50341-2-9:2017 +A1:2018
GR	Greek National Committee	BS EN 50341-2-10
IE	Irish National Committee	BS EN 50341-2-11
IS	Iceland National Committee	BS EN 50341-2-12:2018
IT	Italian National Committee	BS EN 50341-2-13:2017 +A1:2017
LU	Luxemburg National Committee	No NNA available
NL	Nederland's National Committee	BS EN 50341-2-15:2019
NO	Norwegian National Committee	BS EN 50341-2-16:2016
PT	Portuguese National Committee	BS EN 50341-2-17
SE	Swedish National Committee	BS EN 50341-2-18:2016
CZ	Czech National Committee	BS EN 50341-2-19:2015
EE	Estonian National Committee	BS EN 50341-2-20:2018
PL	Polish National Committee	BS EN 50341-2-22:2016
SI	Slovak National Committee	BS EN 50341-2-23:2016
RO	Romanian National Committee	BS EN 50341-2-24:2019

BS EN 50423-3:2005 and BS EN 50341-3:2001 will be withdrawn upon publication of the rest of the series.

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

The UK participation in its preparation was entrusted to Technical Committee PEL/11, Overhead Lines.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2025
Published by BSI Standards Limited 2025

ISBN 978 0 539 35062 3

ICS 29.240.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2025.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

December 2024

ICS 29.240.20

Supersedes EN 50341-2-24:2019

English Version

Overhead electrical lines exceeding AC 1 kV - Part 2-24:
National Normative Aspects (NNA) for Romania (based on
EN 50341-1:2012)

This European Standard was approved by CENELEC on 2024-11-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword.....	3
0 Introduction.....	4
0.7 Language	4
1 Scope.....	4
1.1 General.....	4
1.2 Field of application.....	4
2 Normative references, definitions and symbols	4
2.1 Normative references	4
2.2 Definitions	10
2.3 Symbols	17
3 Basis of design	21
3.2 Requirements of overhead lines.....	21
3.2.1 Basic requirements	21
3.2.2 Reliability requirements.....	21
3.2.5 Strength coordination.....	21
3.2.6 Additional considerations	21
4 Actions on lines.....	21
4.1 Introduction	21
4.3 Wind loads	22
4.3.1 Field of application and basic wind velocity.....	22
4.4 Wind forces on overhead line components	24
4.4.1 Wind forces on conductors	24
4.4.3 Wind forces on lattice towers.....	25
4.4.3.2 Method 1.....	25
4.5 Ice loads	25
4.5.1 General	25
4.5.2 Ice forces on conductors.....	26
4.6 Combined wind and ice loads.....	27
4.6.1 Combined probabilities	27
4.6.4 Equivalent diameter D of an ice-covered conductor.....	30
4.6.5 Wind forces on support for ice-covered conductors	30
4.6.6 Combination of wind velocities and ice loads	32
4.9 Safety loads	34
4.9.1 Construction and maintenance loads	34
4.9.2 Loads related to the weight of linesmen	36
4.10 Forces due to short-circuit currents	36
4.11 Other special forces.....	36
4.12 Load cases.....	38
4.12.1 General.....	38
4.12.2 Standard load cases	39
5 Electrical requirements.....	46
5.2 Currents	46
5.2.1 Normal current.....	46
5.2.2 Short-circuit current.....	46
5.7 Coordination of conductor positions and electrical stresses.....	46
5.8 Internal clearances within the span and at the top of support.....	47
5.9 External clearances	51
5.9.1 General	51
6 Earthing systems	54
6.1.3 Earthing measures against lightning effects	55
7 Supports.....	57
7.1 Initial design considerations.....	57
7.2 Materials.....	57
7.3 Lattice steel towers	58

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

7.3.5	Structural analysis.....	58
7.3.6	Ultimate limit states.....	60
7.3.6.1	General.....	60
7.3.6.3	Tension, bending and compression resistance of members.....	60
7.3.8	Resistance of connections.....	60
7.4	Steel poles	62
7.4.1	General.....	62
7.4.6.2	Resistance of cross section areas.....	62
7.9	Corrosion protection and finishes	62
7.10	Maintenance facilities	63
7.10.2	Maintainability.....	63
7.10.3	Safety requirements.....	63
8	Foundations	63
8.2	Basis of geotechnical design (EN 1997-1-1:2004 – Section 2)	63
8.2.1	General.....	63
8.6	Interaction between support foundations and soil	63
9	Conductors and earth-wires	64
9.1	Introduction	64
9.2	Conductors for overhead electrical lines	64
9.2.1	Characteristics and dimensions.....	64
9.2.3	Conductor service temperatures and grease characteristics.....	67
9.3	Steel based conductors	67
9.3.1	Characteristics and dimensions.....	67
9.3.5	Corrosion protection.....	67
9.6	General requirements	67
9.6.1	Avoidance of damage.....	67
9.6.2	Partial factor for conductors.....	68
9.6.4	Sag - tension calculations.....	68
	Figure 9/RO.1 — The diagrams of recommended tensile forces (see CIGRE Brochure no. 273 [1])	69
10	Insulators.....	69
10.2	Standard electrical requirements	69
10.4	Pollution performance requirements	71
10.5	Power arc requirements	72
10.7	Mechanical requirements	72
10.16	Selection, delivery and installation of insulators	72
11	Hardware	74
11.4	Magnetic characteristics.....	74
11.6	Mechanical requirements.....	74
12	Quality assurance checks and taking-over	74
Annex C (informative)	Application examples of wind loads - Special forces	75
C.1	Application examples for the calculation of wind loads (additionally to SR EN 50341-1:2013) RO.1 C.1.3 Example 3: Tension lattice tower for an overhead electrical line of 400 kV	75
Data and calculation step by step	76
C.1.3.1	The input data:	76
C.1.3.2	The mean wind velocity	77
	Mean velocity of extreme wind combined with nominal ice (hoar-frost).....	78
C.1.3.3	Wind pressure on conductors – Calculation factors	78
Annex AA (informative)	The swinging of suspension insulator sets	91
Bibliography	93

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

The following statements 1 to 6 are required from CLC/TC 11 for all NNAs; the statement 7 has been added by the Romanian National Committee (NC).

1. The Romanian National Committee is identified by the following address:

Romanian Standards Association (Asociația de Standardizare din România - ASRO)
Standardization Department
Mihai Eminescu Street No 238, Sector 2, Cod 020085, Bucharest, Romania
Phone: +40 21 316 32 96
Fax: +40 21 316 08 70
email: asro@asro.ro
www.asro.ro

Name of the relevant technical body: Romanian Technical Committee no 165 “Overhead power lines” (ASRO/CT 165 - *Linii electrice aeriene*)

2. The Romanian NC and its technical body (ASRO/CT 165 - *Linii electrice aeriene*) prepared this Part 2-24 of EN 50341, listing the Romanian National Normative Aspects (NNA) under its sole responsibility, and duly passed it through the CENELEC and CLC/TC 11 procedures.

NOTE The Romanian NC also takes sole responsibility for the technically correct co-ordination of this EN 50341-2-24:2024 with EN 50341-1:2012. It performed the necessary checks in the frame of quality assurance/control. However, it is noted that this quality control was made in the framework of the general responsibility of a standards committee under the national laws/regulations.

3. This EN 50431-2-24, hereafter referred to as Part 2-24, is normative in Romania and informative in other countries.
4. This Part 2-24 shall be read in conjunction with EN 50341-1, hereafter referred to as Part 1. All clause numbers used in this NNA correspond to those of Part 1. Specific subclauses, which are prefixed “RO”, shall be read as amendments to the relevant text in Part 1. Any necessary clarification regarding the application of this NNA in conjunction with Part 1 shall be referred to the Romanian NC who will, in co-operation with CLC/TC 11, clarify the requirements.

Where no reference is made in this NNA to a specific subclause, then Part 1 applies.

5. In case of “boxed values” defined in Part 1, amended values, (if any) which are defined in Part 2-24 shall be taken into account in Romania.

However, any “boxed value”, whether in Part 1 or in this Part-2-24, shall not be amended in the direction of greater risk in a Project Specification.

6. The National Romanian standards/regulations related to overhead electrical lines exceeding 1 kV AC are listed in 2.1 of this Part 2-24.

NOTE All national standards referred to in this Part 2-24 will be replaced by the relevant European Standards as soon as they become available and are declared by the Romanian NC to be applicable and thus reported to the secretary of CLC/TC 11.

7. The subclauses 2.1/RO.1, 2.1/RO.2, 2.1/RO.2.1.1 and 2.1/RO.2.1.2 are “A-dev”.
The subclauses 4.3.1/RO.1, 4.5.1/RO.1 and 4.6.1/RO.1 are “snc”.
All other subclauses RO.X are “ncpt”.

This second edition replaces the first edition published in 2019. This new edition reviews and complements the previous one.

This is a preview of BS EN 50341-2-24:2024. [Click here to purchase the full version from the ANSI store.](#)

0.7 Language

(ncpt) RO.1 Language

This standard EN 50341-2-24 (Part 2-24) is published in English and Romanian languages.

1 Scope

1.1 General

1.1 RO.1 General

(ncpt) This standard EN 50341-2-24 (Part 2-24) gives the requirements for design and construction of overhead electrical lines with nominal voltages exceeding A.C. 1 kV operating at 50 Hz frequency.

This Part 2-24 applies to new overhead electrical lines, as well as in the following cases:

- the extension of existing overhead electrical lines;
- the deviation of some portions of the existing overhead electrical lines in accordance with the provisions of technical regulations in force issued by the National Energy Regulatory Authority (see article 39 of ANRE Order 25/2016);
- new supports to be used for the replacement and/or relocation of existing supports.

This Part 2-24 is not applicable for the existing overhead electrical lines unless specifically required by Project Specification. The overhead electrical lines, that are in different stages of design or construction, can be completed in conformity with the standards in force at the beginning of project.

For the application of this standard for specific requirements relating to modernization, increasing safety and transport capacity of existing overhead electrical lines, reference shall be specified in the Project Specification. At the same time, the correlation between relevant regulations and associated standards shall be established in the Project Specifications.

The extension of existing electrical lines is considered as new overhead electrical lines, except the junction points that shall be detailed in the Project Specifications.

1.2 Field of application

1.2 RO.1 Overhead electrical lines having uninsulated, pre-insulated and insulated conductors

(ncpt) This Part 2-24 is applicable for the design and construction of overhead electrical lines with uninsulated, pre-insulated and insulated conductors where the internal and external clearances can be smaller than those specified in Part 1 (SR EN 50341-1:2013).

2 Normative references, definitions and symbols

2.1 Normative references

2.1 RO.1 Application of normative references in Part 1

(A-dev) The normative references in Part 1 (SR EN 50341-1:2013) are applicable, unless otherwise specified in this Part 2-24. Moreover, in Romania, the Eurocodes series adopted as national standards shall be applied pursuant the technical regulations on construction field.

2.1 RO.2 References to national laws, technical regulations and standards

(A-dev) The following national acts and normative documents contain provisions for design, construction and mounting of the overhead electrical lines. These normative acts (laws, governmental decisions, decrees) and normative documents (national technical regulations and standards) are mentioned in the text so that their content, in whole or in part, constitutes requirements of this standard (Part 2-24).