BSI Standards Publication

Eurocode 8 — Design of structures for earthquake resistance

Part 1-2: Buildings

National foreword

This British Standard is the UK implementation of EN 1998-1-2:2026. Together with BS EN 1998-1-1:2024, it supersedes BS EN 1998-1:2004+A1:2013, which will be withdrawn on 30 March 2028.

The UK participation in its preparation was entrusted to Technical Committee B/525/8, Structures in seismic regions.

A list of organizations represented on this committee can be obtained on request to its committee manager.

National choice is allowed in this standard where explicitly stated within notes. The National Annex to this standard contains the national choices to be used for buildings and civil engineering works constructed in the UK.

The first generation of EN Eurocodes was published between 2002 and 2007, with conflicting British Standards withdrawn in 2010. This document forms part of the second generation of EN Eurocodes.

The second generation of EN Eurocodes is expected to be published between 2023 and 2026. These documents are being published as soon as they are available. This is being done to enable users to prepare for the transition from the first generation to second generation of EN Eurocodes.

UK adoptions of the first generation of EN Eurocodes will be withdrawn by BSI on 30 March 2028. Until that date, the first generation documents should be considered as the applicable standards for buildings and civil engineering works constructed in the UK unless otherwise specified by the relevant authority or in the specification for a particular project.

This standard is intended to be used with its National Annex and other referenced documents, including other second generation Eurocodes, as an interdependent suite of documents.

While the use of provisions in this standard in conjunction with first generation Eurocodes is not precluded, it should be undertaken with care and should only be done when users are satisfied that it will not result in a lower level of reliability than the minimum level set in the first generation Eurocodes and associated UK National Annexes.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Published by BSI Standards Limited 2026

ISBN 978 0 539 42069 2

ICS 91.120.25

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2026.

Amendments/corrigenda issued since publication

Date	Text affected
30 April 2026	Implementation of CEN correction notice 22 April 2026: An error in displaying the images has been corrected

EUROPEAN STANDARD EN 1998-1-2

NORME EUROPÉENNE

EUROPÄISCHE NORM March 2026

ICS 91.010.30; 91.120.25 Supersedes EN 1998-1:2004

English Version

Eurocode 8 - Design of structures for earthquake resistance - Part 1-2: Buildings

Eurocode 8 - Calcul des structures pour leur résistance au séisme - Partie 1-2 : Bâtiments

Eurocode 8 - Auslegung von Bauwerken gegen Erdbeben - Teil 1-2: Hochbauten

This European Standard was approved by CEN on 28 December 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Ref. No. EN 1998-1-2:2026 E

Contents

Page

European foreword 15

0 Introduction 17
0.1 Introduction to the Eurocodes 17
0.2 Introduction to EN 1998 (all parts) 17
0.3 Introduction to EN 1998-1-2 18
0.4 Verbal forms used in the Eurocodes 18
0.5 National Annex for EN 1998-1-2 18

1 Scope 20
1.1 Scope of EN 1998-1-2 20
1.2 Assumptions 20

2 Normative references 21

3 Terms, definitions and symbols 22
3.1 Terms and definitions 22
3.2 Symbols and abbreviations 26
3.2.1 Symbols 26
3.2.2 Abbreviations 47
3.3 S.I. Units 48

4 Basis of design 49
4.1 Performance requirements 49
4.2 Design seismic action 49
4.3 Compliance criteria 50
4.4 Characteristics of earthquake resistant buildings 51
4.4.1 Conceptual design 51
4.4.2 Primary and secondary seismic members 51
4.4.3 Torsionally flexible buildings 52
4.4.4 Structural regularity 54
4.4.5 Building height and damping 55

5 Modelling and structural analysis 56
5.1 Modelling 56
5.1.1 General 56
5.1.2 Masses 56
5.1.3 Stiffness 56
5.2 Minimum design eccentricity in buildings 57
5.3 Methods of analysis 58
5.3.1 General 58
5.3.2 Force-based approach 58
5.3.3 Lateral forces method of analysis 59
5.3.4 Response spectrum analysis 60
5.3.5 Non-linear static analysis 60
5.3.6 Response-history analysis 63

6 Verifications of structural members to limit states 64
6.1 General 64
6.2 Verification of Significant Damage (SD) limit state 64
6.2.1 General 64

6.2.2 Equilibrium condition ... 64
6.2.3 Resistance conditions ... 64
6.2.4 Control of second-order effects ... 65
6.2.5 Limitation of interstorey drift ... 66
6.2.6 Capacity design in DC2 ... 67
6.2.7 Capacity design in DC3 ... 67
6.2.8 Resistance of horizontal diaphragms and bracings ... 68
6.2.9 Resistance of foundations ... 68
6.2.10 Seismic joint condition ... 69
6.2.11 Verification of transfer zones in DC2 and DC3 ... 69
6.2.12 Verification of underground basements ... 71
6.3 Verification to other limit states ... 71
6.3.1 Verification to Near Collapse (NC) limit state ... 71
6.3.2 Verification of Damage Limitation (DL) limit state ... 72
6.3.3 Verification of fully Operational (OP) limit state ... 72

7 Ancillary elements ... 73
7.1 General ... 73
7.2 Verification at Significant Damage (SD) limit state ... 73
7.2.1 Seismic action effects ... 73
7.2.2 Performance factors ... 75
7.3 Verification at Near Collapse (NC) limit state ... 75
7.4 Masonry infilled frames ... 75
7.4.1 General ... 75
7.4.2 Design of frames with interacting infills ... 76
7.4.3 Design of frames with non-interacting infills ... 85
7.5 Structures with claddings ... 86
7.5.1 Basis of design ... 86
7.5.2 Analysis ... 87
7.5.3 Cladding panels ... 87
7.6 Partitions ... 89
7.6.1 Basis of design ... 89
7.6.2 Verification of partitions ... 89

8 Base isolated buildings ... 90
8.1 Field of application ... 90
8.2 Basis of design ... 90
8.2.1 Compliance criteria ... 90
8.2.2 Control of undesirable movements ... 90
8.2.3 Control of differential seismic ground motions ... 90
8.2.4 Control of displacements relative to surrounding ground and constructions ... 91
8.3 Structural analysis ... 91
8.3.1 General ... 91
8.3.2 Fundamental-mode equivalent linear response-spectrum analysis ... 91
8.4 Verification of Significant Damage limit state ... 92
8.5 Verification of additional limit states ... 93

9 Buildings with energy dissipation systems ... 94
9.1 General ... 94
9.2 Basis of design ... 94
9.2.1 Compliance criteria ... 94
9.2.2 Main structural system ... 94
9.2.3 Energy dissipation system ... 94
9.2.4 Control of torsional effects ... 95

9.3 Structural analysis 95
9.3.1 General 95
9.3.2 Non-linear response spectrum analysis 96
9.3.3 Energy-balance based analysis 104
9.3.4 Non-linear response history analysis 109
9.3.5 Combination of the effects of the components of seismic action 109
9.4 Verification to Limit States 109
9.4.1 General 109
9.4.2 Verification to Significant Damage (SD) limit state 109
9.4.3 Verification to Near Collapse (NC) limit state 109
9.4.4 Verification to Damage Limitation (DL) limit state 111
9.4.5 Verification of fully Operational (OP) limit state 111

10 Specific rules for concrete buildings 112
10.1 General 112
10.2 Basis of design and design criteria 112
10.2.1 General rules on design action effects 112
10.2.2 Local resistance condition 112
10.2.3 Local ductility condition in DC2 and DC3 112
10.2.4 Capacity design rule for moment resisting frames in DC2 and DC3 113
10.3 Material requirements for DC1, DC2 and DC3 113
10.4 Structural types, behaviour factors, limits of seismic action, limits of drift and verification for the force-based and displacement-based approaches 114
10.4.1 Structural types 114
10.4.2 Behaviour factor for horizontal components of the seismic action in force-based analysis 115
10.4.3 Limits of seismic action for design to DC1, DC2 and DC3 116
10.4.4 Limits of drift 116
10.4.5 Verification at Significant Damage (SD) limit state in a force-based approach 117
10.4.6 Verification in a displacement-based approach 117
10.5 Beams 118
10.5.1 Geometrical and other provisions 118
10.5.2 Specific rules for beams supporting discontinued vertical members 118
10.5.3 Design action effects 118
10.5.4 SD limit state verifications and detailing 119
10.6 Columns 121
10.6.1 Geometrical and other provisions 121
10.6.2 Design action effects 122
10.6.3 SD limit state verifications and detailing 123
10.7 Beam-column joints 125
10.8 Ductile walls in DC2 and DC3 125
10.8.1 Geometrical and other constraints 125
10.8.2 Design action effects 126
10.8.3 SD limit state verifications and detailing 129
10.9 Large walls 133
10.9.1 Geometrical provisions 133
10.9.2 Design action effects 133
10.9.3 SD limit state verifications and detailing 134
10.10 Flat slabs 135
10.10.1 Basis of design 135
10.10.2 SD limit state verifications and detailing 136
10.11 Anchorages and laps 141
10.11.1 General 141

10.11.2 Anchorage of reinforcement in beams 141
10.11.3 Laps and mechanical couplers 143
10.12 Concrete diaphragms 144
10.12.1 Cast-in-place diaphragms 144
10.12.2 Precast concrete diaphragms 145
10.13 Prestressed concrete 145
10.14 Precast concrete structures 145
10.14.1 Structural types and behaviour factor *q* 145
10.14.2 Rules applicable to all structural types and to DC1, DC2 and DC3 147
10.14.3 Precast moment resisting frames 148
10.14.4 Precast walls 150
10.14.5 Precast floors and roof diaphragms. Rules for ductility classes DC1, DC2 and DC3 152
10.15 Design and detailing of foundations 152

11 Specific rules for steel buildings 152
11.1 General 152
11.2 Basis of Design 152
11.2.1 Ductility classes 152
11.2.2 Safety verifications 153
11.3 Materials 153
11.4 Structural types, behaviour factors and limits of seismic action 153
11.4.1 Structural types 153
11.4.2 Behaviour factors 157
11.4.3 Limits of seismic action for design to DC1, DC2 and DC3 158
11.5 Structural analysis 158
11.6 Verification to Limit States 159
11.6.1 General 159
11.6.2 Verification at Significant Damage limit state in a force-based approach 159
11.6.3 Verification at Significant Damage limit state in a displacement-based approach . 159
11.6.4 Limitation of interstorey drift at Significant Damage limit state 161
11.7 Design rules for low-dissipative (DC1) and non-dissipative structural behaviour for all structural types 161
11.7.1 General 161
11.7.2 Design rules for low-dissipative (DC1) structures 161
11.7.3 Design rules for non-dissipative structures 161
11.8 Design rules for dissipative (DC2 and DC3) structural behaviour common to all structural types 162
11.8.1 General 162
11.8.2 Design criteria for dissipative structures 162
11.8.3 Verification for dissipative members in compression or bending 162
11.8.4 Verification for dissipative parts of members in tension 163
11.8.5 Verification of non-dissipative members 163
11.8.6 Verification of joints in DC2 and DC3 166
11.8.7 Verification of column-to-column splices 168
11.9 Design rules for moment resisting frames in DC2 and DC3 168
11.9.1 Design criteria 168
11.9.2 Verification of beams 168
11.9.3 Verification of columns 170
11.9.4 Verification of beam to column connections 171
11.9.5 Verification of column base joints 175
11.10 Design rules for frames with concentric braces in DC2 and DC3 176
11.10.1 Design criteria 176

11.10.2 Analysis 176
11.10.3 Verification of diagonal members 177
11.10.4 Verification of beams and columns 179
11.10.5 Verification of beam to column connections 180
11.10.6 Verification of brace connections 181
11.10.7 Verification of column base joints 182
11.11 Design rules for frames with eccentric braces in DC2 and DC3 182
11.11.1 Design criteria 182
11.11.2 Verification of seismic links 182
11.11.3 Verification of members and connections outside of the seismic links 187
11.11.4 Verification of connections of the seismic links 187
11.11.5 Verification of beam to column connections 188
11.12 Design rules for frames with buckling restrained braces 188
11.12.1 Design criteria 188
11.12.2 Analysis 188
11.12.3 Verification of buckling restrained braces 189
11.12.4 Conformity criteria 190
11.12.5 Verification of beams and columns 190
11.12.6 Verification of beam to column connections 191
11.12.7 Verification of brace connections 191
11.12.8 Verification of column base joints 192
11.13 Design rules for dual frames - moment resisting frames combined with either concentric, eccentric or buckling restrained braces 192
11.14 Design rules for lightweight steel systems in DC1, DC2 and DC3 193
11.14.1 General 193
11.14.2 General verification rules for low-dissipative (DC1) and dissipative (DC2 and DC3) structural behaviour common to all lightweight steel systems 193
11.14.3 Additional verification rules for dissipative (DC2 and DC3) structural behaviour common to all lightweight steel systems. 194
11.14.4 Specific verification for dissipative (DC2 and DC3) strap braced walls 194
11.14.5 Specific verification for dissipative (DC2 and DC3) shear walls with steel sheet sheathing 195
11.14.6 Specific verification for dissipative (DC2 and DC3) shear walls with wood sheathing 195
11.14.7 Specific verification for dissipative (DC2 and DC3) shear walls with gypsum sheathing 195
11.15 Verification of inverted pendulum structures in DC2 and DC3 195
11.16 Design rules for steel structures with concrete cores or concrete walls and for moment resisting frames combined with infills in DC2 and DC3 196
11.16.1 Structures with concrete cores or concrete walls 196
11.16.2 Moment resisting frames combined with infills 196
11.17 Diaphragms in steel buildings 196
11.18 Transfer zones. Design for DC2 and DC3 196
11.19 Requirements for supply of material and execution 197

12 Specific rules for composite steel–concrete buildings 198
12.1 General 198
12.2 Basis of design 198
12.2.1 Design concepts 198
12.2.2 Safety verifications 198
12.3 Materials 198
12.3.1 Concrete 198
12.3.2 Reinforcing steel 199

12.3.3 Structural steel 199
12.4 Structural types, behaviour factors, limits of seismic action and limits of drifts 199
12.4.1 Structural types 199
12.4.2 Behaviour factors 200
12.4.3 Limits of seismic action for design to DC1, DC2 and DC3 201
12.5 Structural analysis 202
12.5.1 General 202
12.5.2 Stiffness of sections 202
12.6 Verification to limit states 203
12.6.1 General 203
12.6.2 Verifications at Significant Damage limit state in a force-based approach 203
12.6.3 Verifications in a displacement-based approach 203
12.6.4 Limitation of interstorey drift at Significant Damage limit state 203
12.7 Design rules for low-dissipative (DC1) and non-dissipative structural behaviour for all structural types 204
12.7.1 General 204
12.7.2 Design rules for low-dissipative structures 204
12.7.3 Design rules for non-dissipative structures 204
12.8 Design rules for dissipative (DC2 and DC3) structural behaviour common to all structural types 204
12.8.1 General 204
12.8.2 Design criteria for dissipative structures 204
12.8.3 Verification of dissipative members in compression or bending 205
12.8.4 Verification of dissipative members in tension 206
12.8.5 Verification of members in DC2 and DC3 206
12.8.6 Verification of beams 207
12.8.7 Verification of composite columns 210
12.8.8 Verification of composite joints in dissipative zones 213
12.8.9 Verification of column-to-column splices 214
12.9 Design and detailing rules for composite moment resisting frames in DC2 and DC3 215
12.9.1 Design criteria 215
12.9.2 Analysis 215
12.9.3 Verification of beams 216
12.9.4 Verification of columns 216
12.9.5 Verification of column diaphragm plates 217
12.9.6 Verification of beam to column joints 217
12.9.7 Verification of column base joints 218
12.10 Design and detailing rules for composite frames with concentric braces in DC2 and DC3 218
12.10.1 Design criteria 218
12.10.2 Analysis 218
12.10.3 Verification of diagonal members 218
12.10.4 Verification of beams and columns 218
12.10.5 Verification of beam to column joints 219
12.10.6 Verification of brace joints 219
12.10.7 Verification of column base joints 219
12.11 Design and detailing rules for composite frames with eccentric braces in DC2 and DC3 219
12.11.1 Design criteria 219
12.11.2 Analysis 219
12.11.3 Verification of seismic Links 220
12.11.4 Verification of diagonal members 220

12.11.5 Verification of beams and columns 220
12.11.6 Verification of members and connections not containing seismic links 220
12.11.7 Verification of connections of the seismic links 220
12.11.8 Verification of beam to column joints 220
12.11.9 Verification of column base joints 220
12.12 Design and detailing rules for composite frames with buckling restrained braces in DC3 220
12.12.1 Design criteria 220
12.12.2 Analysis 221
12.12.3 Design rules of buckling restrained braces 221
12.12.4 Conformity criteria 221
12.12.5 Verification of beams and columns 221
12.12.6 Verification of beams to column joints 221
12.12.7 Verification of brace joints 221
12.12.8 Verification of column base joints 221
12.13 Design and detailing rules for composite dual frames in DC2 and DC3 221
12.13.1 Design criteria 221
12.14 Design and detailing rules for structural wall systems made of reinforced concrete shear walls composite with structural steel elements in DC2 and DC3 222
12.14.1 Design criteria 222
12.14.2 Analysis 222
12.14.3 Verification of composite walls in DC2 222
12.14.4 Detailing and verification of coupling beams in DC2 223
12.14.5 Additional detailing rules for DC3 224
12.15 Composite diaphragms, chords and collectors 224
12.16 Transfer zones: Design for DC2 and DC3 224
12.17 Checking of design and construction 225

13 Specific rules for timber buildings 225
13.1 General 225
13.2 Basis of design 225
13.2.1 Design concepts 225
13.2.2 Safety verifications 226
13.3 Materials 227
13.3.1 Mechanical properties of dissipative zones 227
13.3.2 13.3.2 Material properties and detailing requirements 227
13.4 Structural types, behaviour factors, capacity design rules and limits of seismic action 229
13.4.1 Structural types 229
13.4.2 Behaviour factors 233
13.4.3 Capacity design rules common to all dissipative structural types 236
13.4.4 Limits of seismic action and height for design to DC1 238
13.5 Structural analysis 238
13.6 Verification of limit states 240
13.6.1 General 240
13.6.2 Limitation of interstorey drift at Significant Damage limit state 240
13.6.3 Non-linear static analysis 240
13.7 Rules for cross laminated timber (CLT) structures 241
13.7.1 General rules 241
13.7.2 Verification in DC2 242
13.7.3 Verification in DC3 247
13.7.4 Detailing rules 249
13.8 Rules for framed wall structures 250

13.8.1 General rules ... 250
13.8.2 Verification in DC2 ... 251
13.8.3 Verification in DC3 ... 252
13.8.4 Detailing rules ... 253
13.9 Rules for log structures ... 253
13.9.1 General rules ... 253
13.9.2 Verification in DC2 ... 255
13.9.3 Detailing rules ... 256
13.10 Rules for moment-resisting frames ... 256
13.10.1 General rules ... 256
13.10.2 Verification in DC2 ... 257
13.10.3 Verification in DC3 ... 257
13.10.4 Detailing rules ... 257
13.11 Rules for braced frame structures with dowel-type connections ... 259
13.11.1 General rules ... 259
13.11.2 Verification in DC2 ... 259
13.11.3 Detailing rules ... 259
13.12 Rules for vertical cantilever structures ... 259
13.12.1 General rules ... 259
13.12.2 Verification in DC2 ... 260
13.12.3 Detailing rules ... 260
13.13 Rules for braced frame structures with carpentry connections and interacting masonry infill ... 261
13.13.1 General rules ... 261
13.13.2 Verification in DC2 ... 262
13.13.3 Detailing rules ... 262
13.14 Rules for braced frame structures with carpentry connections ... 262
13.14.1 General rules ... 262
13.14.2 Detailing rules ... 263
13.15 Verification of floor and roof diaphragms ... 263
13.15.1 General rules ... 263
13.15.2 Cross laminated timber (CLT) floor and roof diaphragms ... 264
13.15.3 Framed floor and roof diaphragms ... 264
13.15.4 Timber-concrete composite floor and roof diaphragms ... 265
13.16 Transfer zones. Design for DC2 and DC3 ... 265
13.17 Checking of design and construction data ... 266

14 Specific rules for masonry buildings ... 267
14.1 General ... 267
14.2 Basis of design ... 267
14.2.1 Design concepts ... 267
14.2.2 Rules applicable to structures designed to DC1 or DC2 ... 267
14.3 Materials ... 268
14.4 Behaviour factors ... 269
14.4.1 Behaviour factors for in-plane analysis ... 269
14.4.2 Behaviour factors for out-of-plane analysis ... 271
14.5 Structural analysis ... 272
14.5.1 Modelling rules for linear analyses ... 272
14.5.2 Modelling rules for non-linear analyses ... 274
14.5.3 Force based analysis ... 276
14.5.4 Linear structural analysis for determining the out-of-plane bending moment demand on walls ... 278
14.6 Verification of limit states ... 279

14.6.1 General requirements 279
14.6.2 Verification for in-plane actions 279
14.6.3 Verification for out-of-plane actions at SD limit state 281
14.7 Design rules for members 282
14.7.1 Limitations of piers and walls dimensions in DC1 and DC2 282
14.7.2 Design rules for unreinforced masonry in DC2 283
14.7.3 Design rules for confined masonry in DC2 284
14.7.4 Design rules for reinforced masonry in DC2 285
14.8 Rules for simple masonry buildings 286
14.8.1 General 286
14.8.2 Design rules 286
14.9 Ultimate deformations 287
14.9.1 General 287
14.9.2 Unreinforced masonry members 287
14.9.3 Reinforced masonry members 289
14.9.4 Confined masonry members 289

15 Specific rules for aluminium buildings 289
15.1 General 289
15.2 Basis of Design 289
15.2.1 Design concepts 289
15.2.2 Safety verifications 290
15.3 Materials 290
15.4 Structural types, behaviour factors and limits of seismic action 291
15.4.1 Structural types 291
15.4.2 Behaviour factors 292
15.4.3 Limits of seismic action for design to DC1 and DC2 292
15.5 Structural analysis 293
15.6 Verification to Limit States 293
15.6.1 General 293
15.6.2 Resistance conditions at Significant Damage limit state 293
15.6.3 Limitation of interstorey drift at Significant Damage limit state 293
15.7 Design rules for low-dissipative (DC1) and non-dissipative structural behaviour common to all structural types 293
15.7.1 Design rules for low-dissipative (DC1) structures 293
15.7.2 Design rules for non-dissipative structures 293
15.8 Design rules for dissipative (DC2) structural behaviour common to all structural types 294
15.8.1 General 294
15.8.2 Design criteria for dissipative structures 294
15.8.3 Design rules for dissipative members in compression or bending 294
15.8.4 Design rules for dissipative parts of members in tension 294
15.8.5 Design rules for non-dissipative members 294
15.8.6 Design rules for connections in dissipative zones 295
15.8.7 Design rules for column-to-column splices 296
15.9 Design rules for moment resisting frames in DC2 296
15.9.1 Design criteria 296
15.9.2 Beams 296
15.9.3 Columns 296
15.9.4 Beam to column joints 296
15.9.5 Column base joints 297
15.10 Design rules for frames with concentric braces in DC2 297
15.10.1 Design criteria for DC2 297

15.10.2 Analysis for DC2 ... 297
15.10.3 Diagonal members ... 297
15.10.4 Beams and columns ... 297
15.10.5 Beam to column connections ... 297
15.10.6 Brace connections ... 298
15.10.7 Column base joints ... 298
15.11 Design rules for dual frames - moment resisting frames combined with concentric bracings ... 298
15.11.1 Design criteria ... 298
15.12 Design rules for inverted pendulum structures ... 298
15.13 Aluminium diaphragms ... 298
15.14 Transfer zones. Design for DC2 ... 298
15.15 Checking of design, supply of material and execution ... 298

Annex A (informative) Characteristics of earthquake resistant buildings and in plan regularity ... 299
A.1 Use of this annex ... 299
A.2 Scope and field of application ... 299
A.3 Structural simplicity ... 299
A.4 Uniformity, symmetry and redundancy ... 299
A.5 Bi-directional resistance and stiffness ... 300
A.6 Torsional resistance and stiffness ... 300
A.7 Diaphragmatic behaviour at storey level ... 300
A.8 Adequate foundation ... 300
A.9 Regularity in plan ... 301

Annex B (informative) Natural eccentricity and torsional radius ... 302
B.1 Use of this annex ... 302
B.2 Scope and field of application ... 302
B.3 General ... 302
B.4 Uniform type of lateral load resisting system ... 302
B.5 Calculation by a 3D model ... 304

Annex C (informative) Floor accelerations for ancillary elements ... 306
C.1 Use of this annex ... 306
C.2 Scope and field of application ... 306
C.3 Floor spectra ... 306
C.4 Modelling ... 308

Annex D (normative) Buildings with energy dissipation devices ... 310
D.1 Use of this annex ... 310
D.2 Scope and field of application ... 310
D.3 Displacement ductility ratio ... 310
D.4 Complementary rules for structures with velocity-dependent energy dissipation devices ... 311
D.4.1 Effective period ... 311
D.4.2 Effective damping ... 311
D.5 Complementary rules for structures with displacement-dependent energy-dissipation devices ... 313
D.5.1 Calculation of E_e ... 313
D.5.2 Calculation of $E_{H,k}$ ... 314
D.5.3 Calculation of $E_{pH,k,max}$ ... 315
D.5.4 Calculation of $E_{dH,k,max}$ ... 315

Annex E (normative) Seismic design of connections for steel buildings ... 317

E.1 Use of this annex 317
E.2 Scope and field of application 317
E.3 Pre-qualified moment resisting beam-to-column joints 317
E.3.1 General 317
E.3.2 Classification of pre-qualified moment resisting beam-to-column joints 318
E.3.2.1 Classification by rotational stiffness 318
E.3.2.2 Classification by moment resistance 318
E.3.3 Types of pre-qualified joints and technological requirements 320
E.3.3.1 General 320
E.3.3.2 Detailing of column web panel 322
E.3.3.3 Detailing of welds 323
E.3.3.4 Joints with haunched stiffeners 330
E.3.3.5 Specific requirements for the analysis of frames with haunched joints 332
E.3.3.6 Joints with rib stiffeners 332
E.3.3.7 Specific requirements for the analysis of frames with full strength and equal strength rib stiffened joints 337
E.3.3.8 Unstiffened Joints 337
E.3.3.9 Specific requirements for the analysis of frames with unstiffened joints 339
E.3.3.10 Joints with reduced beam section 340
E.3.3.11 Specific requirements for the analysis of frames with reduced beam sections 342
E.3.3.12 Joints with friction connections 343
E.3.3.13 Specific requirements for the analysis of frames with friction connections 346
E.3.3.14 Other types of joints 347
E.4 Beam-to-column connections allowing rotations in braced frames 347
E.5 Gusset plate connections in concentric bracings 348
E.5.1 General 348
E.5.2 Gussets with linear clearance 348
E.5.3 Gussets with elliptical clearance 351
E.5.4 Gussets detailed for in-plane rotations 352
E.6 Partial strength connections in concentric bracings 353
E.6.1 General 353
E.6.2 Dissipative pin connection 354
E.7 Brace connections in eccentric bracings 356
E.7.1 General 356
E.7.2 Gusset plate connections 356
E.8 Gusset plate connections in buckling restrained braces 358
E.9 Other types of connections 358
Annex F (normative) Complementary design rules for steel lightweight structures in DC2 and DC3 359
F.1 Use of this annex 359
F.2 General 359
F.2.1 Scope and field of application 359
F.2.2 Basis of design 359
F.3 Strap braced walls 360
F.3.1 Description 360

F.4 Shear walls with steel sheet sheathing 361
F.4.1 Geometrical and mechanical provisions for the components and parts for dissipative DC2 and DC3 structural behaviour 361
F.4.2 Overstrength provisions 362
F.4.3 Effective strip method 363
F.5 Shear walls with wood sheathing 365
F.5.1 Geometrical and mechanical provisions for the components and parts for dissipative DC2 and DC3 structural behaviour 365
F.5.2 Overstrength 366
F.6 Shear walls with gypsum sheathing 367
F.6.1 Geometrical and mechanical provisions for the components and parts for dissipative DC2 and DC3 structural behaviour 367
F.6.2 Overstrength considerations 367
F.7 Other types of frames 368

Annex G (normative) Design of connections of concrete or composite columns for dissipative composite steel-concrete moment resisting frames in DC2 and DC3 369
G.1 Use of this annex 369
G.2 Scope and field of application 369
G.3 Materials 369
G.4 Design provisions 369
G.5 Joints between steel beams and reinforced concrete or composite columns 369
G.5.1 General 369
G.5.2 Joint forces 371
G.5.3 Joint failure modes 371
G.5.4 Effective joint width 372
G.5.5 Vertical bearing 373
G.5.6 Joint shear resistance 374
G.5.7 Column horizontal reinforcing bar tie requirement 376
G.5.8 Column vertical reinforcing bars 377
G.5.9 Face bearing plate provisions 377
G.5.10 Steel beam flanges 377
G.5.11 Extended face bearing plates and steel columns 378
G.6 Composite joints using diaphragm plates in DC2 and DC3 378
G.6.1 General 378
G.6.2 Joint forces 379
G.6.3 Joint horizontal shear resistance 379
G.6.4 Detailing of welds 379
G.6.5 Shear tab steel plates 379
G.7 Full-strength composite joints with double-split tee connections in concrete filled tube columns 381
G.7.1 General 381
G.7.2 Joint shear resistance 381
G.7.3 Length and size of welds required to resist the beam flange forces in the joint 381
G.7.4 Design of T-stem 382
G.7.5 Required number and size of structural bolts connecting the Tee-stub to the column 383
G.7.6 Tee-flange thickness to resist prying forces 383
G.7.7 Connection classification 383
G.7.8 Additional verifications 383

Annex H (normative) Column bases 385
H.1 Use of this annex 385
H.2 Scope and field of application 385

H.3 Materials 385
H.4 Exposed column base in DC2 and DC3 385
H.5 Embedded base in DC2 and DC3 389

Annex I (normative) Design of the slab of steel-concrete composite beams at beam-column joints in moment resisting frames 393
I.1 Use of this annex 393
I.2 Scope and field of application 393
I.3 Design of joints at exterior columns under negative moment 393
I.4 Design of joints at exterior columns under positive moment 395
I.5 Interior columns 397

Annex J (informative) Drift limits for eccentrically loaded unreinforced masonry piers 400
J.1 Use of this annex 400
J.2 Scope and field of application 400
J.3 Verification for in-plane actions 400

Annex K (informative) Simplified evaluation of drift demands on infilled frames 401
K.1 Use of this annex 401
K.2 Scope and field of application 401
K.3 Analysis 401

Annex L (normative) Load-deformation relationships of dissipative timber components and resistances of non-dissipative timber components for non-linear analyses 404
L.1 Use of this annex 404
L.2 Scope and field of application 404
L.3 Force-deformation relationships of dissipative timber components made with metal plate connectors and 3D-connectors for non-linear analysis 404
L.4 Force-deformation relationships of dissipative timber components other than metal plate connectors and 3D-connectors for non-linear analysis 406
L.5 Resistances of non-dissipative timber components for non-linear analysis 409

Annex M (informative) Simplified model for non-linear analysis of infills 411
M.1 Use of this annex 411
M.2 Scope and field of application 411
M.3 Constitutive law 411

Annex N (informative) Table of minimum horizontal shear reinforcement ratio in joints 413
N.1 Use of this annex 413
N.2 Scope and field of application 413
N.3 Table of values 413

Annex O (informative) Material or product properties in EN 1998-1-2 415
O.1 Use of this annex 415
O.2 Scope and field of application 415

Bibliography 417

European foreword

This document (EN 1998-1-2:2026) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes and has been assigned responsibility for structural and geotechnical design matters by CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2026, and conflicting national standards shall be withdrawn at the latest by March 2028.

Together with EN 1998-1-1, this document will partially supersede EN 1998-1:2004. The main changes compared to the previous edition are listed below:

- rules in accordance with the new definition of ductility classes;
- introduction of rules for tall buildings;
- improved coverage of masonry infilled frames;
- definition of the components of the behaviour factor for the force-based approach;
- introduction of methods of analysis, deformation criteria and strength models for the displacement-based approach;
- criteria for analysis and verification of buildings equipped with energy dissipation systems;
- rules for concrete buildings with flat slab frames as primary seismic structures;
- rules for steel buildings with buckling restrained braces;
- introduction of pre-qualified joints for steel structures;
- inclusion of lightweight steel structures, aluminium structures and timber buildings of several typologies.

The first generation of EN Eurocodes was published between 2002 and 2007. This document forms part of the second generation of the Eurocodes, which have been prepared under Mandate M/515 issued to CEN by the European Commission and the European Free Trade Association.

The Eurocodes have been drafted to be used in conjunction with relevant execution, material, product and test standards, and to identify requirements for execution, materials, products and testing that are relied upon by the Eurocodes.

The Eurocodes recognize the responsibility of each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level through the use of National Annexes.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

0 Introduction

0.1 Introduction to the Eurocodes

The Structural Eurocodes comprise the following standards generally consisting of a number of parts:

- EN 1990-1 Eurocode — Basis of structural and geotechnical design
- EN 1991 Eurocode 1 — Actions on structures
- EN 1992 Eurocode 2 — Design of concrete structures
- EN 1993 Eurocode 3 — Design of steel structures
- EN 1994 Eurocode 4 — Design of composite steel and concrete structures
- EN 1995 Eurocode 5 — Design of timber structures
- EN 1996 Eurocode 6 — Design of masonry structures
- EN 1997 Eurocode 7 — Geotechnical design
- EN 1998 Eurocode 8 — Design of structures for earthquake resistance
- EN 1999 Eurocode 9 — Design of aluminium structures
- EN 19100 Eurocode 10 — Design of glass structures
- New parts are under development, e.g. Eurocode for design of fibre-polymer composite structures and design of tensioned membrane structures

The Eurocodes are intended for use by designers, clients, manufacturers, constructors, relevant authorities (in exercising their duties in accordance with national or international regulations), educators, software developers, and committees drafting standards for related product, testing and execution standards.

NOTE Some aspects of design are most appropriately specified by relevant authorities or, where not specified, can be agreed on a project-specific basis between relevant parties such as designers and clients. The Eurocodes identify such aspects making explicit reference to relevant authorities and relevant parties.

0.2 Introduction to EN 1998 (all parts)

EN 1998 (all parts) defines the rules for the seismic design of new buildings and other structures, as well as temporary ones, including geotechnical aspects.

EN 1998 (all parts) also defines the rules for the seismic assessment and retrofit of existing buildings and other structures.

EN 1998 (all parts) additionally covers the verification of structures in the seismic design situation during construction, when required.

For the design of structures in seismic regions, the provisions of EN 1998 (all parts) are to be applied in conjunction with the relevant provisions of EN 1990-1 to EN 1997 and EN 1999.

EN 1998 (all parts) applies to structures of consequence classes CC1, CC2 and CC3, as defined in EN 1990-1. The provisions in the Eurocodes do not entirely cover design rules needed for structures classified as CC4. For these structures, additional provisions to those given in the Eurocodes can be needed.

Given that seismic hazard is characterised by a significant uncertainty, a null seismic risk is not achievable in practice. Therefore, in Eurocode 8, the seismic action is represented in a conventional form, proportional in amplitude to earthquake ground motions likely to occur at a given location and representative of their frequency content. This representation is not the prediction of a particular seismic

movement, and such a movement could give rise to more severe effects than those of the seismic action considered, inflicting damage greater than the one described by the Limit States contemplated in EN 1998 (all parts).

In addition, engineering methods are associated with assumptions that cannot be verified when considering the effects of the seismic action, under which structures are assumed to respond in the non-linear regime. Such uncertainties are taken into account according to the general framework of EN 1990-1, with a residual risk of underestimation of their effects.

EN 1998 is subdivided in various parts:

- EN 1998-1-1, Eurocode 8 — Design of structures for earthquake resistance — Part 1-1: General rules and seismic action
- EN 1998-1-2, Eurocode 8 — Design of structures for earthquake resistance — Part 1-2: Buildings
- EN 1998-2, Eurocode 8 — Design of structures for earthquake resistance — Part 2: Bridges
- EN 1998-3, Eurocode 8 — Design of structures for earthquake resistance — Part 3: Assessment and retrofitting of buildings and bridges
- EN 1998-4, Eurocode 8 — Design of structures for earthquake resistance — Part 4: Silos, tanks, pipelines, towers, masts and chimneys
- EN 1998-5, Eurocode 8 — Design of structures for earthquake resistance — Part 5: Geotechnical aspects, foundations, retaining and underground structures

0.3 Introduction to EN 1998-1-2

EN 1998-1-2 provides specific requirements for earthquake resistant design of new buildings, including rules for structural materials, additional to the ones in other Eurocodes, and rules for ancillary elements. This document contains, in its Clause 14, related to masonry buildings, specific simplifying provisions for the design of "simple masonry buildings”. This document also contains provisions for the design of base-isolated buildings and buildings with energy dissipation systems.

0.4 Verbal forms used in the Eurocodes

The verb “shall” expresses a requirement strictly to be followed and from which no deviation is permitted in order to comply with the Eurocodes.

The verb “should” expresses a highly recommended choice or course of action. Subject to national regulation and/or any relevant contractual provisions, alternative approaches could be used/adopted where technically justified.

The verb “may" expresses a course of action permissible within the limits of the Eurocodes.

The verb “can" expresses possibility and capability; it is used for statements of fact and clarification of concepts.

0.5 National Annex for EN 1998-1-2

National choice is allowed in this document where explicitly stated within notes. National choice includes the selection of values for Nationally Determined Parameters (NDPs).

The national standard implementing EN 1998-1-2 can have a National Annex containing all national choices to be used for the design of buildings to be constructed in the relevant country.

When no national choice is given, the default choice given in this document is to be used.

When no national choice is made and no default is given in this document, the choice can be specified by a relevant authority or, where not specified, agreed for a specific project by the relevant parties.

National choice is allowed in EN 1998-1-2 through notes to the following clauses:

4.1(2)	4.1(3)	4.2(1) – 2 choices	4.2(4)
6.3.2.1(2)	6.3.3(1)	7.2.2(1)	7.2.2(2)
10.4.5(2)	10.4.6(2)	10.4.6(3)	11.6.3(4) – 2 choices
13.2.2(2)	14.3(5)	14.6.2.3(3)	14.8.2(7)
E.3.3.12(2)	L.3(2)		

National choice is also allowed in EN 1998-1-2 on the application of the following informative annexes:

Annex A	Annex B	Annex C	Annex J
Annex K	Annex M	Annex N	Annex O

The National Annex can contain, directly or by reference, non-contradictory complementary information for ease of implementation, provided it does not alter any provisions of the Eurocodes.

1 Scope

1.1 Scope of EN 1998-1-2

(1) This document is applicable to the design and verification of new buildings and temporary structures in seismic regions. It gives specific rules for the design and verification relevant to buildings of consequence classes CC1, CC2 and CC3, as defined in EN 1990-1:2023+A1:2026, 4.3.

NOTE The assessment and retrofitting of existing buildings is covered in EN 1998-3.

(2) Unless specifically stated, EN 1998-1-1 and EN 1998-5 apply.

(3) EN 1998-1-2 is applicable in complement to the other relevant Eurocodes.

NOTE This document contains only those provisions that, in addition to the provisions of the other relevant Eurocodes, are used for the design of new buildings and temporary structures in seismic regions. EN 1998-1-2 complements in this respect the other Eurocodes.

1.2 Assumptions

(1) The assumptions of EN 1998-1-1:2024, 1.2, apply to this document.