

CEA Standard

Control Network Power Line (PL)
Channel Specification

CEA-709.2-A R-2012

June 2000



CEA[®]

Consumer Electronics Association

www.CE.org

NOTICE

Consumer Electronics Association (CEA[®]) Standards, Bulletins and other technical publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards, Bulletins and other technical publications shall not in any respect preclude any member or nonmember of CEA from manufacturing or selling products not conforming to such Standards, Bulletins or other technical publications, nor shall the existence of such Standards, Bulletins and other technical publications preclude their voluntary use by those other than CEA members, whether the standard is to be used either domestically or internationally.

Standards, Bulletins and other technical publications are adopted by CEA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, CEA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard, Bulletin or other technical publication.

This document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this document to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

This document is copyrighted by the Consumer Electronics Association (CEA[®]) and may not be reproduced, in whole or part, without written permission. Federal copyright law prohibits unauthorized reproduction of this document by any means. Organizations may obtain permission to reproduce a limited number of copies by entering into a license agreement. Requests to reproduce text, data, charts, figures or other material should be made to CEA.

(Formulated under the cognizance of the CEA **R7 Home Networks Committee**.)

Published by
©CONSUMER ELECTRONICS ASSOCIATION 2012
Technology & Standards Department
www.CE.org

All rights reserved

Contents

1 INTRODUCTION.....	1
1.1 SAFETY PREAMBLE	1
1.2 SCOPE.....	1
1.3 DEFINITIONS AND ABBREVIATIONS	2
1.4 RELATION OF SPECIFICATION TO THE EIA-709 MODEL.....	2
2 GENERAL DESCRIPTION	3
2.1 FUNCTIONAL PARTITIONING OF PL SPECIFICATION	3
2.2 FREQUENCY ALLOCATION	3
3 PL NETWORK TOPOLOGY	4
3.1 POWER LINE NETWORK DESCRIPTION AND COMPONENTS	4
3.2 THREE-PHASE WYE (Y) SECONDARY DISTRIBUTION	5
3.3 ALLOWED TOPOLOGIES	6
4 POWER LINE MEDIUM SPECIFICATIONS.....	6
4.1 FREQUENCY ALLOCATION	6
4.1.1 POWER	6
4.1.2 DATA CHANNEL	6
4.2 PHYSICAL AND ELECTRICAL SPECIFICATIONS	7
4.3 CONNECTORS	7
4.4 INSTALLATION REQUIREMENTS AND GUIDELINES	7
4.4.1 SIGNAL COUPLING BETWEEN L1 AND L2.....	7
4.4.2 SURGE PROTECTION AND RELATED DEVICES	7
5 PL NODE SPECIFICATIONS	7
5.1 INTERFACE TO MAC LAYER	8
5.2 WORD ENCODING.....	8
5.3 PL PACKET TIMING	8
5.4 TRANSMITTER CHARACTERISTICS	8
5.4.1 CARRIER MODULATION.....	9
5.4.2 WAVEFORM AMPLITUDE	9
5.4.3 DEVICE COUPLING.....	9
5.4.3.1 SINGLE PHASE COUPLING.....	10
5.4.3.2 MULTIPLE PHASE COUPLING	10
5.5 RECEIVER CHARACTERISTICS	10
5.5.1 RECEIVE MODE EFFECTIVE INPUT IMPEDANCE	10
5.5.2 RECEIVER PERFORMANCE	11
5.5.2.1 RECEIVING ON A QUIET LINE.....	12
5.5.2.2 RECEIVING WITH INTERFERENCE	12
5.5.2.3 RECEIVING THROUGH A DISTORTED CHANNEL	14
5.5.2.4 RECEIVING WITH IMPULSIVE NOISE.....	15
REFERENCES.....	16
ANNEX A (NORMATIVE).....	17
A.1 NODE OVERVOLTAGE PROTECTION	17
A.2 TEMPERATURE AND HUMIDITY	17
A.3 RADIATED RFI/EMI	17
ANNEX B (INFORMATIVE).....	18
B.1 TYPICAL POWER LINE PHYSICAL SPECIFICATIONS.....	18
B.2 TYPICAL POWER LINE ELECTRICAL SPECIFICATIONS.....	18
B.2.1 IMPEDANCE.....	18
B.2.2 TRANSMISSION LOSS	18
B.2.3 NOISE LEVEL	19
B.3 L1 AND L2 SIGNAL COUPLING	19

Except for this sentence, this page is intentionally left blank.

CONTROL NETWORK POWER LINE (PL) CHANNEL SPECIFICATION

1 Introduction

This document specifies the EIA-709 Control Network Power Line (PL) Channel and serves as a companion document to EIA-709.1-A [1]. Its purpose is to present the information necessary for the development of a PL physical network and nodes to communicate and share information over that network. This is one of a series of documents covering the various media that comprise the EIA-709 standard.

This document covers the complete physical layer (OSI layer 1) including the interface to the Medium Access Control (MAC) Layer and the interface to the medium. It includes parameters specific to the EIA-709.2 PL channel type, even though the parameters may be controlled at an OSI layer other than layer 1. The document also provides a set of guideline physical and electrical specifications for the power line environment as an aid in developing products for that environment.

1.1 Safety Preamble

This preamble sets forth several recommendations related to safety concerns with respect to EIA-709.2.

This discussion is not complete, nor does it address all possible safety issues. The designer is urged to consult, among other things, the relevant local and national electrical codes for the country of intended use. Local codes usually supplement national electrical codes and impose additional safety related requirements.

Products conforming to EIA-709.2 are to be designed, constructed, assembled, tested and installed following recognized safety provisions appropriate to products covered by the standard.

EIA-709.2 power line network cables are subject to at least five direct electrical safety hazards during their use:

- High-energy transients coupled into the power line network from external environmental sources.
- Possible differences between safety grounds to which network components are connected.
- Possible high voltages on neutral or ground wiring.
- Possible open safety grounds.
- High short-circuit current levels available at interface.

These electrical safety hazards should be alleviated for the network to perform properly. In addition to provisions for properly handling these faults in an operational system, special measures should be taken to maintain the intended safety features during changes of an existing network.

All wire and wiring to which EIA-709.2 nodes connect should conform to wiring standards of the National Electrical Code for U.S. nodes or the appropriate national code for the country of intended use and should have been inspected to comply with that code.

All EIA-709.2 nodes should obtain UL listing (or equivalent listing from an appropriate nationally or internationally recognized testing organization) for the node. Additional testing/listing may be required by local electrical and/or fire codes and applicable testing for sales in countries other than the U.S. may be required.

1.2 Scope

This specification contains all the information necessary to facilitate the exchange of data and control information over the power line medium within a home. The document is divided into five sections (1 - 5):

1. An introduction to the specification.
2. A general description of the power line network that is likely to exist in home environments.
3. The specifications of the allowed topology and configuration rules for constructing EIA-709.2 compliant networks in homes.
4. A specification of the EIA-709.2 physical medium. This section covers frequency allocation, physical and electrical specification of the medium, connectors, environmental requirements, and installation considerations.