

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	2
4 Key laws, regulations, and guidelines	4
4.1 Overview.....	4
4.2 United States federal regulations	5
4.3 Canadian federal regulations.....	6
4.4 Canadian provincial regulations	7
5 Health and safety considerations	8
5.1 General requirements for health and safety	8
5.2 Personal protective equipment	8
6 Standard operating procedures.....	8
7 Organization/personnel	8
7.1 Organization	8
7.2 Personnel qualifications.....	9
7.3 Personnel responsibilities.....	10
7.4 Consultants.....	10
8 Buildings, facilities, and vehicles	10
8.1 General requirements.....	10
8.2 Design and construction features	11
8.3 Lighting.....	11
8.4 Maintenance	11
8.5 Security and limited access areas.....	11
8.6 Washing and toilet facilities	12
8.7 Sanitation.....	12
9 Equipment	12
9.1 Equipment design, size, location, and construction.....	12
9.2 Product filling equipment	13
9.3 Control systems.....	14
9.4 Equipment cleaning and maintenance, and cleaning procedures.....	14
9.5 Automatic, mechanical, and electronic equipment	14
9.6 Computers and electronic equipment.....	14
9.7 Analytical equipment	15
10 Control of components	15
10.1 General requirements.....	15
10.2 Liquid oxygen USP in storage tanks.....	15
10.3 Vehicle mounted vessel and portable liquid cryogenic containers filled from an on-site home respiratory care storage tank	16
10.4 Third party filled portable liquid cryogenic containers and vehicle mounted vessels	16
10.5 Certificate of analysis for vendor supplied product.....	17
10.6 Rejected liquid oxygen USP	17
11 Control of containers and closures	17
11.1 General requirements.....	17
11.2 Inspection and approval of containers and closure system.....	17
11.3 Vehicle mounted vessel.....	18
11.4 Portable liquid cryogenic containers.....	18
11.5 Cryogenic home vessels	19
11.6 Rejected drug product containers and closures	19

12	Control of the packaging and labeling of vessels and containers intended for liquid oxygen	19
12.1	Label receipt, storage, and inventory records	19
12.2	Label inspection, application, and batch records.....	20
12.3	Lot number	20
12.4	Expiration dating.....	20
13	Production and process controls	20
13.1	Control of the filling, testing, and release of supply vessels by the home respiratory care firm	20
13.2	Control of the filling, testing, and release of portable liquid cryogenic containers and cryogenic home vessels filled by the home respiratory care firm for patient use	21
13.3	Control and release of vehicle mounted vessel, portable liquid cryogenic containers, and cryogenic home vessel filled for the home respiratory care firm by a third party	22
14	Warehousing and distribution of homecare oxygen	22
14.1	Warehousing	22
14.2	Distribution.....	22
15	Laboratory controls.....	23
15.1	General requirements.....	23
15.2	Specifications	23
15.3	Sampling and testing plans	23
15.4	Calibration of testing equipment.....	24
15.5	Testing and release for distribution	25
15.6	Stability testing and expiration dating.....	25
16	Records and reports.....	25
16.1	General requirements.....	25
16.2	Complaint records	25
16.3	Record retention.....	26
16.4	Annual product review/internal audit	26
17	References	26

Appendices

Appendix A—Sample PLCC liquid oxygen filling log (Informative)	28
Appendix B—Sample vehicle mounted vessel filling record (Informative)	30
Appendix C—Sample cryogenic home vessel filling log (Informative)	32

Appendices Tables

Table A-1—Sample PLCC liquid oxygen filling log	29
Table B-1—Sample vehicle mounted vessel filling record	31
Table C-1—Sample cryogenic home vessel filling log	33