



3rd Edition

M44

Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts

This guideline provides an established methodology for disk diffusion testing of *Candida* spp., along with recommendations for results interpretation and quality control testing.

A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advances in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeal Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeal, documented in the *CLSI Standards Development Policies and Processes*, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute
950 West Valley Road, Suite 2500
Wayne, PA 19087 USA
P: +1.610.688.0100
F: +1.610.688.0700
www.clsi.org
standard@clsi.org

Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts

Gary W. Procop, MD, MS
Barbara D. Alexander, MD, MHS
Philippe J. Dufresne, PhD, RMCCM
Jeff Fuller, PhD, FCCM, D(ABMM)
Mahmoud A. Ghannoum, PhD, FIDSA, MBA
Kimberly E. Hanson, MD, MHS
Denise Holliday, MT(ASCP)
Nicole M. Holliday, BA
Luis Ostrosky-Zeichner, MD, FACP, FIDSA, FSHEA, CMQ
Audrey N. Schuetz, MD, MPH, D(ABMM)
Nathan P. Wiederhold, PharmD
Adrian M. Zelazny, PhD, D(ABMM)

Abstract

Clinical and Laboratory Standards Institute guideline M44—*Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts* provides an approved method for determining zone diameter breakpoints for select *Candida* spp. with antifungal agents after 24 hours incubation, as well as quality control parameters for the same agents. This guideline fulfills the need for an alternative to the broth microdilution testing procedure (see CLSI document M27¹) and describes a simple, rapid, and cost-effective approach for determining fungal organisms' susceptibility to various classes of antifungal agents. It also makes antifungal susceptibility testing more readily available to the medical microbiology laboratory and encourages the development of disk diffusion testing for newly discovered antifungal agents.

Clinical and Laboratory Standards Institute (CLSI). *Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts*. 3rd ed. CLSI guideline M44 (ISBN 978-1-68440-030-0 [Print]; ISBN 978-1-68440-031-7 [Electronic]). Clinical and Laboratory Standards Institute, 950 West Valley Road, Suite 2500, Wayne, Pennsylvania 19087 USA, 2018.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org. If you or your organization is not a member and would like to become one, or to request a copy of the catalog, contact us at: Telephone: +1.610.688.0100; Fax: +1.610.688.0700; E-Mail: customerservice@clsi.org; Website: www.clsi.org.

Copyright ©2018 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, derivative product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedures manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts*. 3rd ed. CLSI guideline M44. Wayne, PA: Clinical and Laboratory Standards Institute; 2018.

Previous Editions:

April 2003, May 2004, August 2009

ISBN 978-1-68440-030-0 (Print)
ISBN 978-1-68440-031-7 (Electronic)
ISSN 1558-6502 (Print)
ISSN 2162-2914 (Electronic)

Volume 38, Number 24

Committee Membership

Consensus Council

**Dennis J. Ernst, MT(ASCP),
NCPT(NCCT)
Chairholder
Center for Phlebotomy Education
USA**

**Mary Lou Gantzer, PhD, FACB
Vice-Chairholder
USA**

J. Rex Astles, PhD, FACB, DABCC
Centers for Disease Control and
Prevention
USA

Lucia M. Berte, MA, MT(ASCP)SBB,
DLM, CQA(ASQ)CMQ/OE
Laboratories Made Better!
USA

Karen W. Dyer, MT(ASCP), DLM
Centers for Medicare & Medicaid Services
USA

Thomas R. Fritsche, MD, PhD, FCAP,
FIDSA
Marshfield Clinic
USA

Loralie J. Langman, PhD, DABCC, FACB,
F-ABFT
Mayo Clinic
USA

James R. Petisce, PhD
BD Diagnostic Systems
USA

Andrew Quintenz
Bio-Rad Laboratories, Inc.
USA

Robert Rej, PhD
New York State Department of
Health – Wadsworth Center
USA

Zivana Tezak, PhD
FDA Center for Devices and
Radiological Health
USA

Subcommittee on Antifungal Susceptibility Tests

**Gary W. Procop, MD, MS
Chairholder
Cleveland Clinic
USA**

**Barbara D. Alexander, MD, MHS
Vice-Chairholder
Duke University Medical Center
USA**

**Camille Hamula, PhD, D(ABMM)
Committee Secretary
Mount Sinai Health System
USA**

Philippe J. Dufresne, PhD, RMCCM
Institut national de santé publique
du Québec
Canada

Jeff Fuller, PhD, FCCM, D(ABMM)
London Health Sciences Centre
Canada

Mahmoud A. Ghannoum, PhD, FIDSA,
MBA
Case Western Reserve University
USA

Kimberly E. Hanson, MD, MHS
ARUP at University Hospital
USA

Denise Holliday, MT(ASCP)
BD Diagnostic Systems
USA

Nicole M. Holliday, BA
Thermo Fisher Scientific
USA

Luis Ostrosky-Zeichner, MD, FACP,
FIDSA, FSHEA, CMQ
McGovern Medical School
USA

Audrey N. Schuetz, MD, MPH,
D(ABMM)
Mayo Clinic
USA

Nathan P. Wiederhold, PharmD
University of Texas Health Science
Center at San Antonio
USA

Adrian M. Zelazny, PhD
USA

Staff

Clinical and Laboratory Standards
Institute
USA

Marcy L. Hackenbrack, MCM,
M(ASCP)
Project Manager

Megan L. Tertel, MA, ELS
Editorial Manager

Catherine E.M. Jenkins
Editor

Kristy L. Leirer, MS
Editor

Laura Martin
Editor

Acknowledgment for the Expert Panel on Microbiology

CLSI, the Consensus Council, and the Subcommittee on Antifungal Susceptibility Tests gratefully acknowledge the Expert Panel on Microbiology for serving as technical advisors and subject matter experts during the development of this guideline.

Expert Panel on Microbiology

**Richard B. Thomson Jr., PhD,
D(ABMM), FAAM
Chairholder
Evanston Hospital, NorthShore
University HealthSystem
USA**

**Jean B. Patel, PhD, D(ABMM)
Vice-Chairholder
Centers for Disease Control and
Prevention
USA**

Kevin Alby, PhD, D(ABMM)
University of Pennsylvania Health
System
USA

Lynette Y. Berkeley, PhD, MT(ASCP)
FDA Center for Drug Evaluation and
Research
USA

Carey-Ann Burnham, PhD, D(ABMM)
Washington University School of
Medicine
USA

Karissa Culbreath, PhD, D(ABMM)
University of New Mexico Department
of Pathology
USA

German Esparza, BSc
Proasecal SAS
Colombia

Margie Morgan, PhD, D(ABMM)
Cedars-Sinai Medical Center
USA

Mark G. Papich, MS, DVM
North Carolina State University, College
of Veterinary Medicine
USA

David H. Pincus, MS, RM/SM(NRCM),
SM(ASCP)
bioMérieux, Inc.
USA

Audrey N. Schuetz, MD, MPH,
D(ABMM)
Mayo Clinic
USA

Ribhi M. Shawar, PhD, D(ABMM)
FDA Center for Devices and
Radiological Health
USA

Acknowledgment

CLSI, the Consensus Council, and the Subcommittee on Antifungal Susceptibility Tests gratefully acknowledge the following volunteers for their important contributions to the development of this guideline:

Kimberly E. Hanson, MD, MHS
ARUP at University Hospital
USA

Gary W. Procop, MD, MS
Cleveland Clinic
USA

Contents

Abstract	i
Committee Membership.....	iii
Foreword.....	vii
Chapter 1: Introduction	1
1.1 Scope.....	1
1.2 Standard Precautions.....	1
1.3 Terminology.....	2
Chapter 2: Preparing for Antifungal Susceptibility Testing	5
2.1 Indications for Performing Antifungal Susceptibility Tests	5
2.2 Selecting Antifungal Agent Disks for Routine Testing and Reporting.....	5
Chapter 3: Antifungal Disk Diffusion Susceptibility Testing Process for Yeasts	7
3.1 Equipment and Materials	9
3.2 Disk Diffusion Susceptibility Testing Procedure.....	10
3.3 Reading Disk Diffusion Susceptibility Testing Results.....	12
3.4 Interpreting Disk Diffusion Susceptibility Testing Results	13
3.5 Correlating Zone Diameter Results With Minimal Inhibitory Concentrations.....	13
Chapter 4: Quality System Essential: Process Management – Quality Control	15
4.1 Quality Control Purpose	15
4.2 Quality Control Responsibilities.....	15
4.3 Selecting Reference Strains	16
4.4 Storing Reference Strains	16
4.5 Controlling Media Batches and Antifungal Disks	17
4.6 Quality Control Frequency	18
4.7 Corrective Action.....	18
4.8 Disk Diffusion Susceptibility Testing Method Limitations.....	20
Chapter 5: Conclusion.....	22
Chapter 6: Supplemental Information.....	22
References.....	23
Appendix A. Preparing Mueller-Hinton Agar Supplemented With 2% Glucose and 0.5 µg/mL Methylene Blue Dye	25
Appendix B. 0.5 McFarland Barium Sulfate Turbidity Standard	27
Appendix C. Quality Control Protocol Flow Charts.....	28
The Quality Management System Approach	30
Related CLSI Reference Materials	31

This is a preview of "CLSI M44". [Click here to purchase the full version from the ANSI store.](#)

Foreword

Because of the increased incidence of systemic fungal infections and increasing number of antifungal agents available for systemic administration, antifungal susceptibility testing has become more common. Today, antifungal susceptibility testing is an important tool for guiding physicians in selecting antifungal therapy. Broth macrodilution and microdilution reference methods are now available for yeast (see CLSI document M27¹) and mould (see CLSI document M38²) susceptibility testing. For antifungal susceptibility testing to become more readily available to medical microbiology laboratories, simple, rapid, and cost-effective alternative approaches are needed. The disk diffusion method used for antibacterial testing (see CLSI document M02³) has provided the basis for a simple method for susceptibility testing of yeasts. Therefore, the CLSI Subcommittee on Antifungal Susceptibility Tests has developed a disk diffusion method for testing susceptibility of yeasts to antifungal agents.

Currently, this method is validated only for select *Candida* spp. tested vs various azoles and echinocandins. This method provides qualitative results after 24 hours incubation. Using supplemented Mueller-Hinton agar in lieu of RPMI 1640 medium makes antifungal susceptibility testing more readily available and less costly to some medical laboratories. Zone diameter breakpoints for caspofungin, micafungin, fluconazole, and voriconazole and quality control parameters for caspofungin, micafungin, fluconazole, posaconazole, and voriconazole have been established according to standard CLSI procedures. CLSI expects that this guideline will encourage disk diffusion testing development for other antifungal agents and fungal genera.

Overview of Changes

This guideline replaces the previous edition of the approved guideline, M44-A2, published in 2009. Several changes were made in this edition, including:

- Reorganized to fit the CLSI quality management system and path of workflow format
- Revised definitions for interpretive categories to align with other CLSI susceptibility testing documents
- Added disk diffusion standards for micafungin
- Described the specific *Candida* spp. for which there are zone diameter breakpoints and interpretive categories
- Updated yeast nomenclature
- Updated references to the previous informational supplement (M44-S3) to reflect CLSI document M60,⁴ the new supplement for broth dilution and disk diffusion yeast susceptibility testing

NOTE: The content of this guideline is supported by the CLSI consensus process and does not necessarily reflect the views of any single individual or organization.

Key Words

Antifungal agent, antimicrobial agent, *Candida* spp., disk, disk diffusion, Kirby-Bauer method, susceptibility testing, yeast

This is a preview of "CLSI M44". [Click here to purchase the full version from the ANSI store.](#)

Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts

Chapter 1: Introduction

This chapter includes:

- Guideline's scope and applicable exclusions
- Standard precautions information
- "Note on Terminology" that highlights particular use and/or variation in use of terms and/or definitions
- Terms and definitions used in the guideline
- Abbreviations and acronyms used in the guideline

1.1 Scope

This guideline provides an established methodology for disk diffusion testing of select *Candida* spp. For zone diameter breakpoints, interpretive categories, and recommended QC ranges for caspofungin, micafungin, fluconazole, and voriconazole, refer to CLSI document M60.⁴

The method described is intended for testing select *Candida* spp. This method is not currently applicable to any other genera and has not been used in studies of the yeast form of dimorphic fungi (eg, *Blastomyces dermatitidis* or *Histoplasma capsulatum*). Moreover, testing of filamentous fungi (ie, moulds) is not covered in the current procedure.

The method described in this guideline must be followed exactly to obtain reproducible results. When new problems are recognized or improvements in these criteria are developed, changes will be incorporated into future editions of M44 and new breakpoint information will be distributed in periodic informational supplements (see CLSI document M60⁴).

This guideline is intended for use by, among others, health care, academic, government, industry, or independent research organizations that perform antifungal susceptibility testing of yeasts.

1.2 Standard Precautions

Because it is often impossible to know what isolates or specimens might be infectious, all patient and laboratory specimens are treated as infectious and handled according to "standard precautions." Standard precautions are guidelines that combine the major features of "universal precautions and body substance isolation" practices. Standard precautions cover the transmission of all known infectious agents and thus are more comprehensive than universal precautions, which are intended to apply only to transmission of bloodborne pathogens. Published guidelines are available that discuss the daily operations of diagnostic medicine in humans and animals while encouraging a culture of safety in the laboratory.⁵ For specific precautions for preventing the laboratory transmission of all known infectious agents from laboratory instruments and materials and for recommendations for the management of exposure to all known infectious diseases, refer to CLSI document M29.⁶